

**CONCRETE STRUCTURES** 



NOTES: 1. SEE C-7 AND C-8 FOR ADDITIONAL NOTES AND DETAILS.

2. FILL ALL BLOCK CELLS WITH GROUT.

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	OAN DIEGO REGIONAE GTANDAND DNAWING	0
Reviewed	TS	T. Stanton	11/15	MAGGARY BETAINING WALL TYPE 4	Samon 8 - 1 03/24/2022
Updated	DH	T. Stanton	09/17	MASONRY RETAINING WALL TYPE 1	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	LEVEL BACKFILL WITH 10-IN HEEL	DRAWING C-01
		6		LEVEL BACKFILE WITH 10-114 HELL	NUMBER C-01




- 1. SEE C-7 AND C-8 FOR ADDITIONAL NOTES AND DETAILS.
- 2. FILL ALL BLOCK CELLS WITH GROUT.

Revision By Approved Date

				LIVE LOAD CONCINANCE ON CEOUNG BACKINE	NUMBER C-02
Reviewed	RP	S. Engeda	03/22	(LIVE LOAD SURCHARGE OR SLOPING BACKFILL)	DRAWING C-02
Updated	DH	T. Stanton	09/17	MASONRY RETAINING WALL TYPE 2	Chairperson R.C.E. 52241 Date
Reviewed	TS	T. Stanton	11/15	MAGONEY BETAINING WALL TYPE O	Samson Pack 03/24/2022
ORIGINAL		Kercheval	12/75		THEORETICE STATES SOMMITTEE
INC VISION	Uy	Approved	Dute	SAN DIEGO REGIONAL STANDARD DRAWING	REGIONAL STANDARDS COMMITTEE


RECOMMENDED BY THE SAN DIEGO



NOTES: 1. SEE C-7 AND C-8 FOR ADDITIONAL NOTES AND DETAILS.

2. FILL ALL BLOCK CELLS WITH GROUT.

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	OAN DIEGO REGIONAL GTANDARD DRAWING	REGIONAL STANDARDS COMMITTEE
Reviewed	TS	T. Stanton	11/15		Samon Joe So 03/24/2022
Updated	DH	T. Stanton	09/17	MASONRY RETAINING WALL TYPE 3	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	(LEVEL BACKFILL)	DRAWING C-03
				(LEVEL BROKE ILL)	NUMBER C-03



OVER 3'-8"

	DIMENSIONS AND REINFORCING STEEL						
H (MAX)	5'-	<b>-4"</b>	3'-8"				
T (MIN)	0'-	·10"	0'-	-8"			
W (MIN)	4'-	-0"	3'-	-0"			
(A) BARS	#4@	16"	#4@16"				
B BARS	#6@	16"					
SURCHARGE	sloping	live load	sloping	live load			
© BARS	#6 <b>@</b> 8"	#6@16"	#6@16"	#6 <b>@</b> 16"			
K (MIN)	1'-0"	0'-8"	1'-0"	0'-8"			
TOE PRESS.	2700 PSF	1900 PSF	1700 PSF	1430 PSF			

# NOTES:

- 1. SEE C-7 AND C-8 FOR ADDITIONAL NOTES AND DETAILS.
- 2. FILL ALL BLOCK CELLS WITH GROUT.

Revision	lBy	Approved .	Date
ORIGINAL		Parkinson	02/95
Reviewed		T. Stanton	
Reviewed	DH	T. Stanton	09/18
Reviewed	RP	S. Engeda	03/22


SAN DIEGO REGIONAL STANDARD DRAWING

MASONRY RETAINING WALL TYPE 4
(LIVE LOAD SURCHARGE OR SLOPING BACKFILL)

RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE

Samsin Ingela 03/24/2022 Chairperson R.C.E. 52241 Date


DRAWING NUMBER



	DIMENSIONS A	ND REINFORCING STEEL	
H (MAX)	3'-8"	5'-4"	8'-0"
T (MIN)	0'-8"	0'-10"	1'-0"
W (MIN)	2'-1"	3'-1"	4'-3"
R	0'-9"	1'-2"	1'-5"
S	0'-8 1/2"	1'-1/2"	1'-7 1/2"
К	0'-8"	0'-8"	1'-0"
(A) BARS	#4@32"	#4@32"	<b>#4</b> @32 <b>"</b>
B BARS		#4 <b>@</b> 32"	#4@32"
© BARS			#7 <b>@</b> 16"
D BARS	#4@32"	#4@16"	#4@16"
€ BARS	#4 total 5	#4 total 5	#4 total 6
MAX TOE PRESSURE	774 psf	1,030 psf	1,660 psf

- 1. SEE C-7 AND C-8 FOR ADDITIONAL NOTES AND DETAILS.
- 2. FILL ALL BLOCK CELLS WITH GROUT.

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Parkinson	2/95	O/ II DIEGO REGIONAL GIVIND DI VIVING	
Reviewed	TS	T. Stanton	11/15		Samor Engels 03/24/2022
Reviewed	DH	T. Stanton	09/18	MASONRY RETAINING WALL TYPE 5	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	(LEVEL BACKFILL)	DRAWING C-05
				(LEVEL DAOKI ILL)	NUMBER C-05



DIMENSIONS AND REINFORCING STEEL				
H (MAX)	5'-4"	3'-8"		
T (MIN)	0'-10"	0'-8"		
W (MIN)	3'-10"	2'-9"		
(A) BARS	#4@16"	<del></del>		
B BARS	#6@16"	#4@16"		
MAX TOE PRESSURE	2,000 PSF	1,400 PSF		

- 1. SEE C-7 AND C-8 FOR ADDITIONAL NOTES AND DETAILS.
- 2. FILL ALL BLOCK CELLS WITH GROUT.

Revision	Ву		Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Parkinson	2/95	SAN DIEGO REGIONAL STANDARD DRAWING	NEGIGIAL STANDARDS COMMITTEE
Reviewed	TS	T. Stanton	11/15		Sames - 1 03/24/2022
Reviewed	DH	T. Stanton	09/18	MASONRY RETAINING WALL TYPE 6	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	(LIVE LOAD SURCHARGE OR SLOPING BACKFILL)	DRAWING C-06
				(LITE EOAD CONCILATED ON SECTION BACKLES)	NUMBER C-06

### **DESIGN CONDITIONS:**

Walls are to be used for the loading conditions shown for each type wall. Design H shall not be exceeded. Footing key is required except as shown otherwise or when found unnecessary by the Engineer. Special footing design is required where foundation material is incapable of supporting toe pressure listed in table.

### DESIGN DATA:

### Reinforced Concrete:

Fc=1200 psi F'c=3000 psi Fs=20,000 psi n=10

# Reinforced Masonry:

F'm=600 psi Fm=200 psi Fs=20,000 psi n=50 Earth=120 pcf and Equivalent Fluid Pressure=36 psf per foot of height

Walls shown for 1 1/2:1 unlimited sloping surcharge are designed in accordance with Rankline's formula for unlimited sloping surcharge with a  $\emptyset = 33^{\circ}42'$ .

# **REINFORCEMENT:**

Intermediate grade, hard grade, or rail steel deformation shall conform ASTM A615, A616, A617. Bars shall lap 40 diameters, where spliced, unless otherwise shown on the plans. Bends shall conform to the Manual of Standard Practice, A.C.1. Backing for hooks is four diameters. All bar embedments are clear distances to outside of bar. Spacing for parallel bars is center to center bars.

### MASONRY:

All reinforced masonry retaining walls be constructed of regular or light weight standard units conforming to the "Standard Specifications for Public Works Construction."

# JOINTS:

Vertical control joints shall be placed at 32' intervals maximum. Joints shall be designed to resist shear and other lateral forces while permitting longitudinal movement. Vertical expansion joints shall be placed at 96' intervals maximum.

### **CONCRETE:**

Footing concrete shall be 560—C—3250, using Type B aggregate when placing conditions permit.

# **BACKFILL:**

No backfill material shall be placed against masonry retaining walls until grout has reached design strength or until grout has cured for a minimum of 28 days. Compaction of backfill material by jetting or ponding with water will not be permitted. Each layer of backfill shall be moistened as directed by the Engineer and thoroughly tamped, rolled or otherwise compacted until the relative compacting is not less than 90%.

### **FENCING:**

Safety fencing shall be installed at the top of the wall as required by the agency.

### **INSPECTIONS:**

Call for inspections as follows:

- A. When the footing has been formed, with the steel tied securely in final position, and is ready for the concrete to be placed.
- B. Where cleanout holes are not provided:
  - (1) After the blocks have been laid up to a height of 4' or full height for walls up to 5', with steel in place but before the grout is poured, and......
  - (2) After the first lift is properly grouted, the blocks have been laid up to the top of the wall with the steel tied securely in place but before the upper lift is grouted.

Where cleanout holes are provided:

After the blocks have been laid up to the top of the wall, with the steel tied securely in place, but before grouting.

- C. After grouting is complete and after rock or rubble wall drains are in place but before earth backfill is placed.
- D. Final inspection when all work has been completed.

### CONCRETE GROUT AND MORTAR MIXES:

Concrete grout shall attain a minimum compressive strength of 2,000 psi in 28 days and mortar shall attain 1,800 psi in 28 days.

All cells shall be filled with grout. Rod or vibrate consolidation. Bring grout within 10 minutes of points.

consolidation. Bring grout within 10 minutes of pouring to insure grout to a point 2" from the top of masonry units when grouting of second lift is to be continued at another time.

# MORTAR KEY:

To insure proper bonding between the footing and the first course of block, a mortar key shall be formed by embedding a flat 2 x 4 flush with and at the top of the freshly poured footing. The 2 x 4 should be removed after the concrete has started to harden (approximately 1 hour).

A mortar key may be omitted if the first course of block is set into the fresh concrete when the footing is poured, and a good bond is obtained.

# WALL DRAINS:

Wall drains shall be provided in accordance with Standard Drawing C-8.

### SOIL:

All footings shall extend at least 12" into undisturbed natural soil or approved compacted fill. Soil should be dampened prior to placing concrete in footings.

Revision	Ву	Approved	Date
ORIGINAL		A. Kercheval	12/75
Reviewed	GT	T. Stanton	09/15
Reviewed	DH	T. Stanton	09/18
Reviewed	RP	S. Engeda	03/22

SAN DIEGO REGIONAL STANDARD DRAWING


GENERAL NOTES FOR MASONRY
RETAINING WALLS

RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE


Samaya - 1 03/24/2022

Chairperson R.C.E. 52241 Date

DRAWING NUMBER





# TYPICAL SECTION



- 1. ALL MASONRY RETAINING WALLS SHALL BE CONSTRUCTED WITH CAP, KEY AND DRAINAGE DETAILS AS SHOWN HEREON.
- 2. 4" DIAMETER DRAIN MAY BE FORMED BY PLACING A BLOCK ON IT'S SIDE.

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	OAN DIEGO NEGIONAL GTANDAND DNAWING	1
Reviewed	TS	T. Stanton	11/15		Samos - 03/24/2022
Reviewed	DH	T. Stanton	09/18	DETAILS FOR MASONRY RETAINING WALL	Chairperson R.C.E. 52241 Date
Reviewed	RP		03/22		DRAWING COO
					NUMBER C-08





**ELEVATION** 

WALL TYPE	HEIGHT	BASE	CONCRETE CF/FT
Α	1'-6"	1'-0"	1.50 cu ft.
_ ^	2'-0"	1'-0"	2.00 cu ft.
	3'-0"	2'-4"	4.99 cu ft.
В	4'-0"	2'-10"	7.66 cu ft.
	5'-0"	3'-4"	10.82 cu ft.
	6'-0"	3'-10"	14.49 cu ft.
	3'-0"	1'-6"	3.75 cu ft.
С	4'-0"	2'-0"	6.00 cu ft.
	5'-0"	2'-6"	8.75 cu ft.
	6'-0"	3'-0"	12.00 cu ft.

NOTE: SEE C-10 FOR SECTION A-A, NOTES AND DETAILS.

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	OAN DIEGO NEGIGIAZE OTANDAND DILAWING	
Reviewed	TS	T. Stanton	11/15		Samon 200 for 03/24/2022
Reviewed	DH	T. Stanton	09/18	GRAVITY RETAINING WALLS	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22		DRAWING C OO
					NUMBER C-09

# **CONCRETE**

CONCRETE SHALL BE 560-C-3250.

# **DESIGN CONDITIONS**

WALLS ARE TO BE USED FOR THE LOADING CONDITIONS SHOWN FOR EACH TYPE WALL. DESIGN H MAY BE XCEEDED BY SIX INCHES BEFORE GOING TO NEXT SIZE.

# **DESIGN DATA**

FC = 1200 PSI F'C = 3000 PSI EARTH = 120 PCF AND EQUIVALENT FLUID PRESSURE=36 PSF PER FOOT OF HEIGHT

WALLS SHOWN FOR 1-1/2:1 UNLIMITED SLOPING SUCHARGE ARE DESIGNED IN ACCORDANCE WITH RANKINE'S FORMULA FOR UNLIMITED SLOPING SURCHARGE WITH  $\emptyset = 42$ '.

NOTE: MAXIMUM TOE PRESSURE UNDER WALL FOOTING = 1-1/2 TONS/SQ. FT. SPECIAL DESIGN REQUIRED WHERE FOOTING MATERIAL IS INCAPABLE OF SUPPORTING THIS PRESSURE.

# EXCAVATION AND BACKFILL

COMPACTION OF BACKFILL MATERIAL BY JETTING OR PONDING WITH WATER WILL NOT BE PERMITTED.

EACH LAYER OF BACKFILL SHALL BE MOISTENED AS DIRECTED BY THE ENGINEER AND THOROUGHLY TAMPED, ROLLED OR OTHERWISE COMPACTED UNTIL THE RELATIVE COMPACTION IS NOT LESS THAN 90 PERCENT.

NO BACKFILL MATERIAL SHALL BE DEPOSITED AGAINST CONCRETE RETAINING WALLS UNTIL THE CONCRETE HAS DEVELOPED A STRENGTH OF 2,500 PSI IN COMPRESSION AS DETERMINED BY TEST CYLINDERS, OR UNTIL 28 DAYS AFTER WALL HAS BEEN PLACED.




FILLER MATERIAL: 1" MAX CRUSHED AGGREGATE 4 CU. FT. MIN AT EACH DRAIN.


4" DIA. DRAINS WITH 1/4" GALV. WIRE MESH SCREEN, 8" ABOVE OUTSIDE GROUND SURFACE, SLOPE 1/2" PER FT. LOCATE DRAINS @ 15'-0" CENTER TO CENTER OR AS DIRECTED BY THE ENGINEER.

TYPICAL DRAINAGE WHEN H IS GREATER THAN 4'-0"

1/2" EXPANSION JOINT, FILL WITH PREMOLDED EXPANSION JOINT FILLER. LOCATE JOINTS AT APPROX. 30'-0" CENTERS OR AS DIRECTED BY



SECTION A-A



RUBBER WATERSTOP
USE ONLY WHEN WATERTIGHT
JOINT IS REQUIRED.

Revision	Ву	Approved	Date	ſ
ORIGINAL		Kercheval	12/75	L
Reviewed	TS	T. Stanton	11/15	ſ
Reviewed	DH	T. Stanton	09/18	l
Reviewed	RP	S. Engeda	03/22	l
				l


SAN DIEGO REGIONAL STANDARD DRAWING

GENERAL NOTES AND DETAILS
FOR GRAVITY RETAINING WALLS

RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE

Samon Engela 03/24/2022 Chairperson R.C.E. 52241 Date


DRAWING NUMBER



# **ELEVATION**

- 1. FOR SPREAD FOOTING SECTION SEE C-11B
- 2. FOR TYPICAL LAYOUT EXAMPLE SEE C-11C
- 3. FOR 45T PILE FOOTING SECTION SEE C-11C
- 4. FOR TABLE OF REINFORCING STEEL DIMENSIONS AND DATA SEE C-11D


Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	SAN DIEGO REGIONAL STANDARD DRAWING	//
Reviewed	TS	T. Stanton	11/15		Seman = 20 13/2/42022
Reviewed	DH	T. Stanton	08/18	REINFORCED CONCRETE RETAINING WALL	Chai sprson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	TYPE 1 - ELEVATION	DRAWING C-11A
				1	NUMBER C-IIA



SPREAD FOOTING SECTION


- 1. FOR DETAILS NOT SHOWN AND DRAINAGE NOTES SEE "RETAINING WALL DETAILS NO.1". STANDARD DRAWINGS C-13A TO C-13D.
- 2. QUANTITIES APPLY TO DESIGN H PORTION AND EXCLUDE THE ADDED PORTION ABOVE "GUTTER ELEVATION".

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	SAN DIEGO REGIONAL STANDARD DRAWING	REGIONAL STANDARDS COMMITTEE
Revi ewed	TS	T. Stanton	11/15		Kiman Engella 03/24/2022
Reviewed	DH	T. Stanton	09/18	REINFORCED CONCRETE RETAINING WALL	Chaiperson R.C.E. 52241 Date
Reviewed	RP	S. E næda	03 /22	TYPE 1 - SPREAD FOOTING	DRAWING 6 44D
C (4		ž		THE TOTAL TOTAL	NUMBER C-11B



# TYPICAL LAYOUT EXAMPLE

FOR JOINTS REQUIRED, SEE DETAILS 3-3 AND 3-4, DRAWING C-15



Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75	SAN DIEGO REGIONAL STANDARD DRAWING	A CONTROL OF THE CONT
Reviewed	TS	T. Stanton	11/15	DEINEADAED AANADETE DETAINING WALL	Samon Fre do 03/24/2022
Reviewed	DH	T. Stanton	09/18	REINFORCED CONCRETE RETAINING WALL	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	TYPE 1 - PILE FOOTING	DRAWING C-11C
				1112 1 1122 1 0011110	NUMBER <b>C-11C</b>

		TABLE	E OF	REINF	REINFORCING	G STEEI	١,	DIMENSIONS		AND DAT	_ Y				
Design	н	*4,	,9	,⁄8	10,	17	4	16'	h. 1	20,	22,	24,	26,	28,	30,
*		3'-2"	4'-2"	5'-2"	6'-2"	7'-2"	8'-0"	9'-0"	10,-0,,	11'-0"	12'-0"	13'-3"	14'-3"	15'-3"	16'-9"
O		1,-0,,	1'-4"	1'-8"	2'-0"	2'-4"	2'-8"	3'-0"	3'-4"	3'-8"	4'-0"	4'-5"	4'-9"	5'-1"	5,-2,,
В		2'-2"	2'-10"	3'-6"	4'-2"	4'-10"	5'-4"	6'-0"	6'-8"	7'-4"	8'-0"	8'-10"	9,-6,,	10'-2"	11'-4"
F Spread	d Ftg.	1,-2"	1'-2"	1'-2"	1'-2"	1,-2"	1'-3"	1'-3"	1,-4"	1'-4"	1,-6"	1'-8"	1,-11,	2'-2"	2'-4"
Batter	_	1/2:12	1/2:12	1/2:12	1/2:12	1/2:12	1/2:12	1/2:12	1/2:12	1/2:12	1/2:12	5/8:12	3/4:12	3/4:12	7/8:12
(a) bars													#6@24	#6@17	#6@16
(B) bars						#4@18	#6@30	#6@22	#7@22	#8@20	#8@16	#8@14	#8@12	#8@8-1/2	#8@8
©bars		#5@24	#5@24	#5@16	6@9#	609#	#9@15	#9@11	#10@11	#11@10	#11@8	#11@7	#11@6	#10@8-1/28	#10@8 b
(d) bars		#5@24	#5@24	#4@16	#4@9	#5@9	#8@15	#8@11	#10@11	#10@11	#10@8	#10@7	#10@6	#9@8-1/2 B	#9@8 X
Total (e)	bars	9#-9	9#-9	10-#7	10-#7	10-#7	10-#7	<b>L#-9</b>	L#-9	<b>2#-9</b>	<b>L#-9</b>	4-#7	4-#7	4-#7	4-#7
Toṭal (Ē	bars				4-#7	4-#7	4-#7	4-#7	4-#7	4-#7	4-#7	2-#7	2-#7	2-#7	2-#7
2' Level surcharge Pre	Toe Pressure k/sf	1.6	1.9	2.2	2.3	2.8	3.3	3.5	4.0	4.3	4.6	4.9	5.3	5.7	6.2
2:1 unlimited Pr slope	Toe Pressure k/sf	<u>+</u>	1.5	2.0	2.5	2.7	3.3	3.6	4.2	4.7	5.5	5.9	6.5	7.1	7.5
7:1	Toe Pressure k/sf	1.3	1.7	2.1	2.5	2.9	3.4	3.8	4.3	4.8	5.4	5.8	6.5	7.2	7.5
	Steel lbs/ft.	17	20	28	37	51	80	105	147	187	246	303	407	449	207
Footing	Conc cf/ft	8. 9.	12.5	16.3	20.2	25.4	30.1	34.6	40.1	45.0	52.1	63.3	77.0	88.1	104.8
Stee Stee	Steel lbs/ft.	29	32	41	70	84	113	140	172	212	270	322	427	469	528
	Conc cf/ft	10.2	12.7	16.7	20.8	25.2	30.1	34.8	40.6	45.7	53.1	64.7	78.6	89.9	107.0
Note: Reinfa see Pile La	Note: Reinforcement detailed is see Pile Layout on plans. *For	tailed is	l	to be placed in addition pile footing Design H=4'	in addition sign H=4'	to use		hat shown for same footing	spread footing dimensions as	spread footing. dimensions as	. All piles Design H=	not 6'	shown,	8 Denotes a	bundle of

By Approved Date Revision ORIGINAL Kercheval 12/75 11/15 Reviewed T. Stanton Reviewed DH T. Stanton 09/18 RP S. Engeda 03/22 Reviewed

SAN DIEGO REGIONAL STANDARD DRAWING

REINFORCED CONCRETE RETAINING WALL TYPE 1 - DIMENSION AND STEEL TABLE


RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE


<u>Samosh Engello 03/24/2022</u>
Chairperson R.C.E. 52241 Date


DRAWING NUMBER


**C-11D** 

8 Denotes a bundle of 2 bars










Dimensions (1),(2) and (3) to be as shown elsewhere in the project plans


(4) Stem width at base of haunch to be determined as shown


# STEM WIDTH AT BASE OF HAUNCH







Where shown on the plans









# CASE III

# DETAIL OF DESIGN LOADING CASES

CASE I Level + 2' surcharge

CASE II 2:1 unlimited slope

CASE  $\bot \bot \bot$  1-1/2:1 limited slope (7'-0" max height) + 2' surcharge

NOTE: Surcharge limits shown apply to retaining walls Type 1 and 3

Revision	BA	Approved	Date
ORIGINAL		Kercheval	12/75
Reviewed	TS	T. Stanton	11/15
Reviewed	DH	T. Stanton	09/18
Reviewed	RP	S. Engeda	03/22

# SAN DIEGO REGIONAL STANDARD DRAWING


# REINFORCED CONCRETE RETAINING WALL DETAILS No. 1

RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE




DRAWING NUMBER


C-13A



PLAN (For return wall type "A")




(For return wall type "B")



\* Omit when Detail 3-4, C-15 is not required

PLAN (For return wall type "C")



PLAN (For return wall type ''D'')

Revision	Ву	Approved	Date
ORIGINAL		Kercheval	12/75
Reviewed	TS	T. Stanton	11/15
Reviewed	DH	T. Stanton	09/18
Reviewed	RP	S. Engeda	03/22

# SAN DIEGO REGIONAL STANDARD DRAWING

# REINFORCED CONCRETE RETAINING WALL DETAILS No. 1


RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE

Samsin Engeda 03/24/2022

Chairperson R.C.E. 52241 Date

DRAWING NUMBER

C-13B



# FG near side 2-#4 Total 4

# ELEVATION


# RETURN WALL TYPE D

Use where H=6' or less

# ELEVATION

# RETURN WALL TYPE A

Use where H=8' or less



# ELEVATION

# RETURN WALL TYPE B

Use where H=10' or more on offset walls

# ELEVATION

# RETURN WALL TYPE C

Use where H=10' or more on straight walls

Revision	Ву	Approved	Date
ORIGINAL		Kercheval	12/75
Delete Metric	S.S.	T. Shell	03/11
Reviewed	TS	T. Stanton	11/15
Reviewed	RP	S. Engeda	03/22

SAN DIEGO REGIONAL STANDARD DRAWING


REINFORCED CONCRETE
RETAINING WALL DETAILS No. 1

RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE


Samps Engels 03/24/202.
Chairperson R.C.E. 52241 Date

DRAWING NUMBER

C-13C



# PLAN OF WALL WITH EXPANSION JOINT ONLY



# APPROX. WALL OFFSET VALUES

Not required for wall Types 3 and 4. Values for offsetting forms to be determined by the Engineer.

# **NOTES**

# Design Conditions:

Design H may be exceeded by 6" before going to the next size. Special footing design is required where foundation material is incapable of supporting toe pressure listed in table. Return wall not required unless shown elsewhere.

# Design Data:

fc = 1300 psi f'c = 3250 psi fs = 24,000 psin = 10 earth = 120 pcf

2' Surcharge:


Equivalent fluid pressure =

36 pcf maximum for determination of toe pressure.


27 pcf minimum for determination of heel pressure.

Earth pressures for 2:1 unlimited slope, 1-1/2:1 slope, and 1-1/2:1 unlimited slope, determined from Rankine's formula with  $\emptyset=33^{\circ}-42'$ .

Revision	Ву	Approved	Date	SAN DIEGO REGIONAL STANDARD DRAWING	RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75		
Delete Metric	S.S.	T. Shell	03/11		Samor Engela 03/24/2022
Reviewed	TS	T. Stanton	11/15	REINFORCED CONCRETE	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	RETAINING WALL DETAILS No. 1	DRAWING C-13D
				RETAINING WALL DETAILS NO. 1	NUMBER C-13D




INCVISION	Uy	Approved	Dute	SAN DIEGO REGIONAL STANDARD DRAWING	REGIONAL STANDARDS COMMITTEE
ORIGINAL		Kercheval	12/75		MEGICIAL STANDARDS SOMMITTEE
Delete Metric	S.S.	T. Shell	03/11		Samon Engels 03/24/2022
Reviewed	TS	T. Stanton	11/15	REINFORCED CONCRETE	Chairperson R.C.E. 52241 Date
Reviewed	RP	S. Engeda	03/22	RETAINING WALL DETAILS No. 2	DRAWING C-14
				RETAINING WALL BETALLO NO. 2	NUMBER C-14




# WEEP HOLE AND PERVIOUS BACKFILL DETAIL 3-1

### **NOTES**

- A. 4" diameter drain @ 25' max center to center (9' c-c for Type 3 and 9'-3" c-c for Type 4 Retaining Walls). For walls adjacent to sidewalks or curbs, provide 4" cast iron or asbestos cement pipe under the sidewalk to discharge thru curb face. Exposed wall drains shall be located 3" ± above finished grade.
- B. 6" square aluminum or galvanized steel wire 4 mesh hardware cloth. (Min wire diameter 0.03") Anchor firmly to backface.
- C. One cubic foot pervious backfill material in a burlap sack, securely tied.
- D. Pervious backfill material continuous behind retaining wall.







Top of wall

Detail 3-4
Detail 3-

1" min

96' max

max


Detail 3-2

Top of footing

WALL EXPANSION JOINTS

AND WEAKENED PLANES

DETAIL 3-3



WATERSTOP DETAIL 3-6 Holes will be permitted in the outer 1/2" of the web for wire, rings etc.

Tie web to #3 reinforcing bars @ 12" max intervals to support the waterstop in proper position during concrete placement. Alternative detail may be submitted for approval of the engineer.

Revision	Ву	Approved	Date
ORIGINAL		Kercheval	12/75
Delete Metric	S.S.	T. Shell	03/11
Reviewed	TS	T. Stanton	11/15
Reviewed	RP	S. Engeda	03/22

SAN DIEGO REGIONAL STANDARD DRAWING

REINFORCED CONCRETE
RETAINING WALL DETAILS No. 3

RECOMMENDED BY THE SAN DIEGO REGIONAL STANDARDS COMMITTEE



DRAWING NUMBER