

# FLOOD INSURANCE STUDY



## SAN DIEGO COUNTY, CALIFORNIA AND INCORPORATED AREAS

### VOLUME 2 OF 7

Community Name	Community Number
CARLSBAD, CITY OF	060285
CHULA VISTA, CITY OF	065021
CORONADO, CITY OF	060287
DEL MAR, CITY OF	060288
EL CAJON, CITY OF	060289
ENCINITAS, CITY OF	060726
ESCONDIDO, CITY OF	060290
IMPERIAL BEACH, CITY OF	060291
LA MESA, CITY OF	060292
LEMON GROVE, CITY OF	060723
NATIONAL CITY, CITY OF	060293
OCEANSIDE, CITY OF	060294
POWAY, CITY OF	060702
SAN DIEGO, CITY OF	060295
SAN DIEGO COUNTY UNINCORPORATED AREAS	060284
SAN MARCOS, CITY OF	060296
SANTEE, CITY OF	060703
SOLANA BEACH, CITY OF	060725
VISTA, CITY OF	060297



REVISED:  
SEPTEMBER 29, 2006



Federal Emergency Management Agency  
FLOOD INSURANCE STUDY NUMBER  
06073CV002B

NOTICE TO  
FLOOD INSURANCE STUDY USERS

Communities participating in the National Flood Insurance Program have established repositories of flood hazard data for floodplain management and flood insurance purposes. This Flood Insurance Study may not contain all data available within the repository. It is advisable to contact the community repository for any additional data.

This publication incorporates revisions to the original Flood Insurance Study. These revisions are presented in Section 10.0.

TABLE OF CONTENTS

Volume 1

	<u>Page</u>
1.0 <u>INTRODUCTION</u> .....	1
1.1 Purpose of Study.....	1
1.2 Authority and Acknowledgments.....	1
1.3 Coordination.....	7
2.0 <u>AREA STUDIED</u> .....	8
2.1 Scope of Study.....	8
2.2 Community Description.....	12
2.3 Principal Flood Problems.....	23
2.4 Flood Protection Measures.....	39
3.0 <u>ENGINEERING METHODS</u> .....	48
3.1 Hydrologic Analyses.....	49
3.2 Hydraulic Analyses.....	82
4.0 <u>FLOODPLAIN MANAGEMENT APPLICATIONS</u> .....	100
4.1 Floodplain Boundaries.....	100
4.2 Floodways.....	102
5.0 <u>INSURANCE APPLICATION</u> .....	105
6.0 <u>FLOOD INSURANCE RATE MAP</u> .....	106
7.0 <u>OTHER STUDIES</u> .....	107
8.0 <u>LOCATION OF DATA</u> .....	112
9.0 <u>BIBLIOGRAPHY AND REFERENCES</u> .....	112
10.0 <u>REVISION DESCRIPTIONS</u> .....	123
10.1 First Revision.....	123
10.2 Second Revision.....	125
10.3 Third Revision.....	126
10.4 Fourth Revision.....	139
10.5 Fifth Revision.....	140
10.6 Sixth Revision.....	141
10.7 Seventh Revision.....	144

TABLE OF CONTENTS (Cont'd)

Volume 1 (Cont'd)

Page

FIGURES

Figure 1 - Estimated Flood Elevations, Las Chollas Creek.....37  
Figure 2 - Estimated Flood Elevations, Las Chollas Creek.....37  
Figure 3 - Estimated Flood Elevations, Las Puleta Creek.....38  
Figure 4 - Estimated Flood Elevations, Las Puleta Creek.....38  
Figures 5-7 - Frequency-Discharge, Drainage Area Curves.....78-80  
Figure 8 - Floodway Schematic.....105

TABLES

Table 1 - Community Coordination Officer Meetings.....9  
Table 2 - Streams Studied by Detailed Methods.....10  
Table 3 - Areas of Probable Damage to Structures in the City of Poway.....34  
Table 4 - Summary of Discharges.....50  
Table 5 - Summary of Elevations.....68  
Table 6 - Summary of Pacific Ocean Wave Elevations.....70  
Table 7 - Summary of Manning's "n" Values.....87  
Table 8 - Floodway Data.....See Vol. 2  
Table 9 - Community Map History.....108

Volume 2

TABLES

Table 8 - Floodway Data

Volume 3

EXHIBITS

Exhibit 1 - Flood Profiles

Agua Hedionda Creek (At City of Vista)	Panels 01P-05P
Beaver Hollow Creek	Panels 06P-10P
Beeler Creek	Panels 11P-17P
Broadway Creek	Panels 18P-20P
Buena Creek	Panels 21P-29P
Buena Vista Creek	Panels 30P-49P
Buena Vista Creek Tributary 1	Panels 50P-51P
Carmel Valley Creek	Panels 52P-54P
Carroll Canyon Creek	Panels 55P-65P
Coleman Creek	Panels 66P-72P
County Ditch Creek	Panels 73P-74P
Deer Springs Creek	Panel 75P
Descanso Creek	Panels 76P-78P
Encanto Branch	Panels 79P-82P
Escondido Creek	Panels 83P-91P
Escondido Creek (Above Lake Wohlford)	Panel 92P
Escondido Creek (Left Reach)	Panel 93P
Eucalyptus Hills (East Branch)	Panel 94P
Eucalyptus Hills (West Branch)	Panels 95P-96P
Florida Drive Branch	Panel 97P

TABLE OF CONTENTS (Cont'd)

Volume 4

EXHIBITS (Cont'd)

Exhibit 1 - Flood Profiles (Cont'd)

Forester Creek	Panels	98P-118P
Forester Creek-Carlton Hills Boulevard Overflow	Panel	119P
Garrison Creek	Panels	120P-123P
Gopher Canyon Creek	Panels	124P-127P
Green Valley Creek	Panels	128P-131P
Green Valley Creek Tributary	Panel	132P
Harbison Canyon Creek	Panels	133P-139P
Hatfield Creek	Panels	140P-141P
Home Avenue Branch	Panels	142P-144P
Kit Carson Park Creek	Panels	145P-149P
Las Chollas Creek	Panels	150P-154P
Las Posas Creek (Upper)	Panel	155P
Las Puleta Creek	Panels	156P-157P
Lawson Valley Creek	Panels	158P-163P
Loma Alta Creek	Panels	164P-169P
Los Penasquitos Creek	Panels	170P-178P
Lusardi Creek	Panel	179P
Mexican Canyon Creek	Panels	180P-183P
Panel Not Printed	Panel	184P
Moosa Creek (North Branch)	Panels	185P-187P
Moosa Creek (South Branch)	Panel	188P
Murphy Canyon Creek	Panels	189P-191P
Murray Canyon Creek	Panels	192P-195P
Nestor Creek	Panels	196P-201P
North Branch Poway Creek	Panels	202P-203P
North Tributary to Santa Maria Creek	Panels	204P-205P

Volume 5

Olive Creek	Panels	206P-207P
Otay River	Panels	208P-231P
Pala Mesa Creek	Panels	232P-233P
Paradise Creek	Panels	234P-238P
Poggi Canyon Creek	Panels	239P-242P
Poway Creek	Panels	243P-250P
Rainbow Creek (Main Branch)	Panels	251P-252P
Rainbow Creek (West Branch)	Panel	253P
Rattlesnake Creek	Panels	254P-261P
Rattlesnake Creek Split Flow at Heritage Hills	Panels	262P-263P
Rattlesnake Creek Split Flow at Midland Road	Panel	264P
Reidy Creek	Panels	265P-269P
Rice Canyon Creek	Panels	270P-272P
Rose Canyon Creek	Panels	273P-279P
Samagutuma Creek	Panels	280P-282P
San Clemente Canyon Creek	Panels	283P-285P
San Diego River	Panels	286P-306P
San Dieguito River	Panels	307P-309P
San Elijo Creek	Panel	310P
Panels Not Printed	Panels	311P-351P

TABLE OF CONTENTS (Cont=d)

Volume 6

EXHIBITS (Cont'd)

Exhibit 1 - Flood Profiles (Cont'd)

Panels Not Printed	Panels	352P-365P
San Luis Rey River (At Oceanside)	Panels	366P-374P
San Marcos Creek	Panels	375P-378P
San Marcos Creek Highway 78 Split Flow	Panel	379P
San Vicente Creek	Panels	380P-382P
Santa Maria Creek (San Pasqual Valley Area)	Panels	383P-386P
Santa Maria Creek (Santa Maria Valley Area)	Panels	387P-406P
Santa Ysabel Creek	Panels	407P-418P
Slaughterhouse Creek	Panels	419P-420P
Soledad Canyon	Panels	421P-425P
South Branch Poway Creek	Panels	426P-427P
South Fork Moosa Canyon Creek	Panels	428P-432P
South Las Chollas Creek	Panels	433P-436P
South Tributary to Santa Maria Creek	Panels	437P-438P
Spring Valley Creek	Panel	439P
Steele Canyon Creek	Panels	440P-448P
Stevenson Creek	Panel	449P
Sunrise Overflow	Panel	450P

Volume 7

Sweetwater River (Above Reservoir)	Panels	451P-473P
Sweetwater River (At National City)	Panels	474P-479P
Sweetwater River (Descanso Area)	Panels	480P-483P
Switzer Creek	Panel	484P
Tecolote Creek	Panels	485P-494P
Telegraph Canyon Creek	Panels	495P-501P
Panels Not Printed	Panels	502P-503P
Tijuana River	Panels	504P-508P
Tributary of South Tributary to Santa Maria Creek	Panel	509P
Tributary to Sweetwater River	Panels	510P-511P
Twin Oaks Valley Creek	Panels	512P-516P
Wabash Branch	Panel	517P
Witch Creek	Panels	518P-520P
Tributary to Forester Creek	Panels	521P-522P
Tributary to Forester Creek (South Branch)	Panel	523P
Agua Hedionda Creek (At City of Carlsbad)	Panels	524P-525P
Calavera Creek	Panel	526P
Calavera Creek Split Flow	Panel	527P
Pilgrim Creek	Panels	528P-530P
Pomerado Creek	Panels	531P-534P
Johnson Canyon Creek	Panels	535P-540P
Telegraph Canyon Creek	Panels	541P-552P
Alvarado Creek	Panels	553P-561P

Exhibit 2 - Flood Insurance Rate Map Index  
Flood Insurance Rate Map

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
Agua Hedionda Creek (At City of Carlsbad)	A	6,000	2,057	4.8	32.2	32.2	32.4	0.2
	B	6,260	2,674	3.7	33.5	33.5	33.8	0.3
	C	6,560	2,658	3.7	34.6	34.6	34.9	0.3
	D	6,960	1,190	8.3	37.1	37.1	37.4	0.3
	E	7,210	1,402	7.0	40.1	40.1	40.5	0.4
	F	7,410	661	14.9	43.5	43.5	43.5	0.0
	G	8,015	1,799	4.5	48.2	48.2	48.3	0.1
	H	8,350	944	8.6	48.1	48.1	48.5	0.4
	I	8,745	908	8.9	48.8	48.8	49.1	0.3
	J	9,320	927	8.7	49.9	49.9	50.5	0.6
	K	9,850	526	15.4	51.9	51.9	51.9	0.0
	L	10,620	300	7.1	60.4	60.4	61.0	0.6
	M	11,185	200	8.32	62.2	62.2	62.2	0.0
	N	11,650	200	9.47	66.5	66.5	67.5	1.0
	O	12,100	465	5.2	69.8	69.8	70.7	0.9
	P	12,590	372	1,326	5.9	73.5	74.2	0.7
	Q	12,910	312	921	8.5	75.4	75.7	0.3
	R	13,340	162	1,141	6.8	78.4	79.1	0.7
	S	13,740	127	1,119	7.0	80.6	81.6	1.0
	T	14,040	200	827	9.4	84.2	84.2	0.0
	U	14,430	200	948	8.2	87.9	88.6	0.7
	V	14,900	140	832	9.4	91.8	92.5	0.7
	W	15,360	130	836	9.3	97.3	97.3	0.0
	X	15,560	153	673	11.6	102.4	103.1	0.7

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**AGUA HEDIONDA CREEK (AT CITY OF CARLSBAD)**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
Agua Hedionda Creek (At City of Vista)									
A	-200	283	749	9.4	352.5	352.5	352.5	0.0	
B	60	260	--2	--2	354.5	354.5	354.5	0.0	
C	673	160	--2	--2	364.0	364.0	364.0	0.0	
D	820	--2	--2	--2	--2	--2	--2	--2	
E	1,087	80	--2	--2	386.7	386.7	386.7	0.0	
F	1,350	81	814	3.3	386.7	386.7	386.7	0.0	
G	1,772	302	2,783	1.0	386.9	386.9	386.9	0.0	
H	2,202	260	--2	--2	386.9	386.9	386.9	0.0	
I	2,462	222	1,789	1.5	386.9	386.9	386.9	0.0	
J	2,678	400	--2	--2	387.0	387.0	387.0	0.0	
K	3,281	50	--2	--2	389.3	389.3	389.3	0.0	
L	3,506	145	584	4.6	391.0	391.0	391.0	0.0	
M	3,963	220	989	2.7	396.8	396.8	397.0	0.2	
N	4,392	130	722	3.7	401.2	401.2	401.2	0.0	
O	5,264	105	299	9.0	408.8	408.8	408.8	0.0	
P	5,518	128	464	5.8	411.3	411.3	411.4	0.1	
Q	5,770	75	255	10.6	413.8	413.8	413.9	0.1	
R	6,118	214	1,104	2.5	420.6	420.6	421.3	0.7	
S	6,748	117	301	9.0	431.3	431.3	431.3	0.0	
T	7,091	85	371	5.7	438.6	438.6	438.7	0.1	
U	7,534	125	277	7.6	441.4	441.4	441.4	0.0	
V	7,911	120	325	6.5	448.1	448.1	448.1	0.0	
W	8,301	83	221	9.5	455.2	455.2	455.2	0.0	
X	8,670	72	211	10.0	463.4	463.4	463.4	0.0	
Y	8,987	45	185	11.4	465.3	465.3	465.3	0.0	
Z	9,446	40	175	12.0	475.5	475.5	475.7	0.2	

<sup>1</sup> Distance above confluence with Buena Creek

<sup>2</sup> Data not available

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

FLOODWAY DATA

**AGUA HEDIONDA CREEK (AT CITY OF VISTA)**

TABLE 8



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY FEET (NGVD)	WITH FLOODWAY INCREASE
Agua Hedionda Creek (At City of Vista) (Cont'd)							
AA	9,946	25	150	14.0	484.4	484.4	0.3
AB	10,207	35	185	11.4	489.3	489.3	0.6
AC	10,610	200	951	2.2	526.6	527.6	1.0

<sup>1</sup> Feet above confluence with Buena Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

FLOODWAY DATA

**AGUA HEDIONDA CREEK (AT CITY OF VISTA)**

TABLE 8

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER-SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Alvarado Creek								
V	20,490	50	202	11.4	379.3	379.3	379.3	0.0
W	21,047	37	191	10.5	382.0	382.0	382.0	0.0
X	21,962	70	188	9.6	392.5	392.5	392.5	0.0
Y	22,592	46	166	10.8	400.2	400.2	400.2	0.0
Z	22,875	58	310	5.8	403.8	403.8	404.3	0.5
AA	24,280	105	340	5.3	415.7	415.7	416.5	0.8
AB	24,958	60	636	4.7	422.7	422.7	423.3	0.6
AC	26,122	57	308	5.2	430.6	430.6	430.6	0.0
AD	26,425	27	144	11.1	439.5	439.5	439.5	0.0
AE	26,707	28	181	8.8	444.2	444.2	444.3	0.1
AF	26,898	32	202	7.9	446.8	446.8	447.3	0.5
AG	27,235	32	260	6.1	451.3	451.3	451.9	0.6
AH	27,408	34	270	5.9	453.3	453.3	454.2	0.9
AI	27,605	25	215	10.7	454.1	454.1	454.8	0.7

<sup>1</sup>Stream distance in feet above confluence with San Diego River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
 SAN DIEGO COUNTY, CA  
 AND INCORPORATED AREAS

FLOODWAY DATA  
 ALVARADO CREEK

TABLE 8

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Beaver Hollow Creek								
A	2,700	62	414	9.7	1,075.7	1,075.7	1,076.7	1.0
B	3,150	58	361	11.1	1,086.8	1,086.8	1,086.9	0.1
C	3,520	56	361	11.1	1,092.4	1,092.4	1,092.4	0.0
D	3,767	85	399	10.0	1,097.7	1,097.7	1,097.9	0.2
E	3,912	89	633	6.3	1,100.0	1,100.0	1,100.5	0.5
F	3,932	95	604	6.6	1,101.9	1,101.9	1,101.9	0.0
G	4,092	69	363	11.0	1,104.5	1,104.5	1,104.7	0.2
H	4,372	51	310	12.9	1,111.9	1,111.9	1,111.9	0.0
I	4,712	66	353	11.3	1,122.7	1,122.7	1,122.9	0.2
J	5,132	57	339	11.8	1,127.8	1,127.8	1,128.4	0.6
K	5,482	77	380	10.5	1,133.7	1,133.7	1,133.9	0.2
L	5,814	97	416	9.6	1,146.2	1,146.2	1,146.8	0.6
M	6,294	62	362	11.0	1,167.6	1,167.6	1,167.6	0.0
N	6,524	94	616	6.5	1,170.6	1,170.6	1,170.9	0.3
O	6,954	91	405	9.9	1,175.1	1,175.1	1,175.4	0.3
P	7,354	55	322	12.4	1,184.1	1,184.1	1,184.1	0.0
Q	7,704	146	424	9.4	1,197.4	1,197.4	1,197.4	0.0
R	7,934	69	390	10.3	1,200.9	1,200.9	1,201.1	0.2
S	8,364	48	308	13.0	1,210.8	1,210.8	1,210.8	0.0
T	8,698	57	302	13.2	1,223.5	1,223.5	1,223.5	0.0
U	9,098	49	334	12.0	1,233.0	1,233.0	1,233.0	0.0
V	9,416	61	339	11.8	1,246.8	1,246.8	1,246.8	0.0
W	9,836	64	346	10.1	1,268.5	1,268.5	1,268.5	0.0
X	10,216	68	296	11.8	1,291.5	1,291.5	1,291.5	0.0
Y	10,536	46	256	13.7	1,304.4	1,304.4	1,304.4	0.0
Z	10,948	51	315	11.1	1,333.3	1,333.3	1,333.3	0.0

<sup>1</sup>Feet Above Confluence With Sweetwater River

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Beaver Hollow Creek (Cont'd)	AA	11,197	42	254	13.8	1,340.7	1,340.7	0.0
	AB	11,597	44	293	12.0	1,356.8	1,356.8	0.0
	AC	11,867	40	243	14.4	1,366.2	1,366.2	0.0
	AD	12,217	45	248	14.1	1,373.2	1,373.3	0.1
	AE	12,629	41	243	14.5	1,384.2	1,384.2	0.0
	AF	12,799	106	375	9.3	1,395.5	1,395.6	0.1
	AG	12,933	94	787	4.5	1,402.1	1,402.8	0.7
	AH	13,183	50	275	12.8	1,402.9	1,402.9	0.0
	AI	13,466	79	332	10.6	1,408.7	1,408.7	0.0
	AJ	13,640	139	538	6.5	1,416.7	1,416.7	0.0
	AK	13,650	134	518	6.8	1,416.7	1,416.7	0.0
	AL	13,856	63	301	11.7	1,421.4	1,421.4	0.0
	AM	14,025	38	284	12.4	1,422.5	1,422.5	0.0
	AN	14,292	80	369	9.5	1,436.6	1,436.6	0.0
	AO	14,530	37	271	13.0	1,446.9	1,446.9	0.0

<sup>1</sup>Feet Above Confluence With Sweetwater River

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Beeler Creek								
A	440	201	916	3.9	424.2	424.2	424.6	0.4
B	1,025	106	609	5.9	427.4	427.4	427.7	0.3
C	1,450	87	322	11.2	430.2	430.2	430.3	0.1
D	2,175	117	390	9.2	436.9	436.9	436.9	0.0
E	2,680	178	705	5.1	444.5	444.5	444.5	0.0
F	3,680	275	495	7.3	458.2	458.2	458.2	0.0
G	4,390	160	478	7.5	467.4	467.4	467.4	0.0
H	5,285	235	539	6.7	477.8	477.8	478.0	0.2
I	6,200	210	580	6.2	489.2	489.2	489.4	0.2
J	7,310	380	2,029	1.8	500.6	500.6	500.7	0.1
K	8,120	238	616	5.8	504.9	504.9	504.9	0.0
L	8,780	247	503	7.2	514.5	514.5	514.6	0.1
M	9,755	125	369	9.8	527.2	527.2	527.2	0.0
N	10,835	97	357	10.1	542.0	542.0	542.4	0.4
O	11,735	148	264	7.2	550.4	550.4	550.4	0.0
P	12,770	233	343	5.5	565.5	565.5	565.5	0.0
Q	13,540	298	386	4.9	576.9	576.9	576.9	0.0
R	14,720	133	208	6.7	598.0	598.0	598.3	0.3
S	15,480	277	354	4.0	606.0	606.0	606.0	0.0
T	16,460	226	275	5.1	619.4	619.4	619.6	0.2
U	17,380	331	370	3.8	631.1	631.1	631.1	0.0
V	17,850	142	259	5.4	637.5	637.5	637.5	0.0

<sup>1</sup>feet Above Confluence With Poway Creek

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
(FEET NGVD)								
Broadway Creek								
A	450	25	76	9.6	373.6	373.6	373.6	0.0
B	1,800	33	125	5.1	380.1	380.1	380.1	0.0
C	2,233	49	254	2.5	383.7	383.7	383.7	0.0
D	2,700	35	104	5.0	386.2	386.2	386.2	0.0
E	3,240	288	331	3.7	389.2	389.2	389.2	0.0
F	3,800	99	364	3.2	392.0	392.0	392.6	0.6
G	4,400	26	103	11.4	394.8	394.8	394.9	0.1
H	5,400	43	209	4.9	403.3	403.3	403.6	0.3
I	5,800	32	176	5.8	403.7	403.7	404.5	0.8
J	6,350	217	516	2.0	410.5	410.5	411.5	1.0
K	7,400	272	663	1.4	415.8	415.8	416.0	0.2
L	7,910	152	426	2.1	419.4	419.4	420.2	0.8
M	8,425	20	90	10.0	419.8	419.8	420.5	0.7
N	9,135	20	104	8.7	424.7	424.7	424.7	0.0
O	10,010	17	51	17.6	430.7	430.7	430.7	0.0
P	10,600	16	38	24.0	434.8	434.8	434.8	0.0
Q	12,615	20	60	12.5	458.7	458.7	459.5	0.8
R	13,915	20	50	15.9	468.6	468.6	468.8	0.2

<sup>1</sup>Feet Above Confluence With Foster Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**BROADWAY CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Buena Creek								
A	729	80	465	10.8	358.4	358.4	358.4	0.0
B	978	147	721	6.9	360.7	360.7	361.3	0.6
C	1,220	87	502	10.0	361.8	361.8	362.2	0.4
D	1,471	117	778	6.4	363.9	363.9	364.2	0.3
E	1,660	250	892	5.6	364.4	364.4	364.9	0.5
F	1,890	191	906	5.5	365.5	365.5	365.7	0.2
G	2,113	178	857	5.8	366.2	366.2	366.2	0.0
H	2,209	158	638	7.8	366.2	366.2	366.2	0.0
I	2,350	187	923	5.4	367.2	367.2	367.4	0.2
J	2,608	100	458	10.9	367.5	367.5	367.5	0.0
K	2,858	140	744	6.7	370.2	370.2	370.3	0.1
L	3,079	284	1,575	3.2	371.1	371.1	371.2	0.1
M	3,310	90	390	12.8	371.1	371.1	371.2	0.1
N	3,710	145	706	7.1	375.0	375.0	375.5	0.5
O	4,092	143	610	8.2	377.2	377.2	377.5	0.3
P	4,129	117	482	10.4	379.0	379.0	379.3	0.3
Q	5,353	53	296	13.5	388.7	388.7	388.7	0.0
R	5,842	86	359	11.1	395.9	395.9	395.9	0.0
S	6,463	74	914	5.4	408.7	408.7	408.7	0.0
T	6,742	265	2,171	2.3	408.8	408.8	408.9	0.1
U	7,239	570	2,033	2.4	409.1	409.1	409.3	0.2
V	7,476	235	733	6.7	409.3	409.3	409.3	0.0
W	7,712	345	688	7.1	413.9	413.9	413.9	0.0
X	7,967	299	827	4.5	416.4	416.4	416.4	0.0
Y	8,213	316	582	6.4	417.8	417.8	417.8	0.0
Z	8,455	304	588	6.3	420.4	420.4	420.4	0.0

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**BUENA CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Buena Creek (Cont'd)	8,654	314	621	5.9	422.1	422.1	422.1	0.0
	8,702	290	493	7.5	422.8	422.8	422.9	0.1
	8,771	248	497	7.4	423.4	423.4	423.4	0.0
	8,811	210	479	7.7	424.1	424.1	424.1	0.0
	8,860	190	735	5.0	424.6	424.6	425.0	0.4
	9,155	170	492	7.5	426.5	426.5	426.8	0.3
	9,413	226	526	7.0	430.5	430.5	430.6	0.1
	9,658	195	1,026	3.6	442.9	442.9	442.9	0.0
	9,735	214	1,884	2.0	443.1	443.1	443.1	0.0
	9,935	72	524	6.0	443.1	443.1	443.1	0.0
	10,370	132	358	10.3	447.2	447.2	447.2	0.0
	10,616	83	448	8.3	449.8	449.8	450.6	0.8
	10,863	73	313	11.8	453.9	453.9	453.9	0.0
	10,917	130	385	9.6	459.1	459.1	459.1	0.0
	11,182	87	376	9.8	461.3	461.3	461.8	0.5
	11,433	98	571	6.5	464.3	464.3	464.8	0.5
	11,684	85	353	10.5	466.8	466.8	466.8	0.0
	11,895	110	425	8.7	469.9	469.9	470.2	0.3
	12,108	75	327	11.3	476.5	476.5	476.5	0.0
	12,347	180	666	5.0	479.9	479.9	480.4	0.5
	12,782	371	905	3.6	488.5	488.5	488.5	0.0
	12,844	400	469	7.0	489.4	489.4	489.5	0.1
	13,067	372	680	3.7	491.1	491.1	491.4	0.3
	13,331	133	327	7.6	497.0	497.0	497.1	0.1
	13,578	142	301	8.3	502.0	502.0	502.0	0.0
	13,835	67	251	10.0	508.2	508.2	508.2	0.0

<sup>1</sup>Feet Above Mouth



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Buena Creek (Cont'd)	14,084	40	197	12.7	513.0	513.0	513.5	0.5
	14,335	108	297	8.4	522.0	522.0	522.0	0.0
	14,573	135	325	7.7	527.1	527.1	527.3	0.2
	14,823	100	272	9.2	533.1	533.1	533.5	0.4
	15,070	125	310	8.1	542.3	542.3	542.5	0.2
	15,313	63	254	9.8	545.6	545.6	546.0	0.4
	15,550	46	206	12.1	552.1	552.1	552.9	0.8
	15,791	84	280	8.9	558.4	558.4	558.6	0.2
	16,048	39	195	12.8	565.2	565.2	565.4	0.2
	16,276	98	299	8.4	570.6	570.6	571.1	0.5
	16,528	80	247	10.1	577.1	577.1	577.1	0.0
	16,774	68	263	9.5	581.1	581.1	581.3	0.2
	17,016	49	210	11.9	585.2	585.2	585.2	0.0
	17,270	43	202	12.4	594.5	594.5	594.5	0.0
	17,510	53	216	11.6	600.1	600.1	600.1	0.0
	17,570	55	212	11.8	604.3	604.3	604.3	0.0
	17,715	53	223	11.2	609.4	609.4	609.4	0.0
	18,020	50	210	11.9	616.3	616.3	616.3	0.0
	18,267	35	222	11.3	620.3	620.3	620.4	0.1
	18,280	70	358	5.5	622.0	622.0	623.0	1.0
	18,360	49	442	4.5	622.3	622.3	623.2	0.9
	18,420	62	621	3.2	629.8	629.8	629.8	0.0
	18,670	56	200	5.5	629.9	629.9	629.9	0.0
	18,840	31	283	3.9	636.4	636.4	636.4	0.0
	18,945	20	249	4.4	642.2	642.2	642.2	0.0
	18,975	31	219	5.0	642.3	642.3	642.3	0.0

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 BUENA CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Buena Creek (Cont'd)	CA	19,150	98	11.2	647.4	647.4	647.7	0.3	
	CB	19,260	108	10.2	651.3	651.3	651.6	0.3	
	CC	19,283	183	6.0	656.6	656.6	656.6	0.0	
	CD	19,503	185	5.9	657.0	657.0	657.0	0.0	
	CE	19,543	252	4.4	662.5	662.5	662.5	0.0	
	CF	19,708	282	3.9	662.8	662.8	662.8	0.0	
	CG	19,928	100	11.0	665.8	665.8	665.8	0.0	
	CH	20,148	31	10.5	674.2	674.2	674.2	0.0	

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Buena Vista Creek</b>								
A	8,678	133	1,267	6.7	29.1	29.1	29.2	0.1
B	9,469	140	1,173	7.2	31.3	31.3	31.3	0.0
C	10,054	74	542	15.5	32.7	32.7	32.7	0.0
D	10,348	226	2,940	2.9	39.7	39.7	40.1	0.4
E	10,884	468	3,904	2.2	39.8	39.8	40.3	0.5
F	11,550	434	3,137	2.6	39.9	39.9	40.7	0.8
G	12,248	549	1,860	4.3	40.7	40.7	41.5	0.8
H	12,788	356	1,502	5.3	43.1	43.1	43.8	0.7
I	13,541	313	1,286	6.2	49.6	49.6	50.0	0.4
J	14,543	341	1,074	7.4	56.9	56.9	57.8	0.9
K	15,287	215	887	9.0	66.7	66.7	66.9	0.2
L	16,002	280	1,234	6.5	73.4	73.4	74.3	0.9
M	16,150	385	2,121	3.8	78.1	78.1	79.0	0.9
N	17,040	189	1,016	7.9	89.2	89.2	89.7	0.5
O	17,526	260	717	11.2	101.6	101.6	101.7	0.1
P	17,908	128	588	13.6	146.4	146.4	147.1	0.7
Q	18,347	131	794	10.1	161.0	161.0	161.0	0.0
R	18,739	270	1,508	5.3	164.0	164.0	164.0	0.0
S	19,300	133	1,512	5.3	174.5	174.5	174.5	0.0
T	20,135	239	1,776	4.5	175.9	175.9	176.5	0.6
U	20,642	155	1,007	7.9	177.7	177.7	177.7	0.0
V	21,042	151	741	10.8	180.5	180.5	180.5	0.0
W	21,531	125	636	12.6	186.2	186.2	186.2	0.0
X	21,916	58	483	16.6	192.1	192.1	192.1	0.0
Y	22,284	136	687	11.6	194.9	194.9	194.9	0.0
Z	22,784	136	714	11.2	197.8	197.8	197.8	0.0

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**BUENA VISTA CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Buena Vista Creek (Cont'd)	23,281	91	842	9.5	202.9	202.9	202.9	0.0
	23,528	112	1,006	8.0	204.7	204.7	204.7	0.0
	24,095	101	908	8.8	207.4	207.4	207.4	0.0
	24,596	71	648	12.4	211.2	211.2	211.2	0.0
	25,085	239	904	8.9	218.2	218.2	218.2	0.0
	25,323	228	999	8.0	219.9	219.9	220.3	0.4
	25,527	142	712	11.2	221.2	221.2	221.9	0.7
	25,684	161	1,342	6.0	224.0	224.0	224.2	0.2
	25,833	228	854	9.4	227.4	227.4	227.4	0.0
	26,387	264	927	8.6	238.3	238.3	238.3	0.0
	26,577	405	2,244	3.6	239.1	239.1	239.1	0.0
	26,822	462	2,667	2.9	240.8	240.8	240.9	0.1
	27,321	235	1,033	7.6	241.4	241.4	241.8	0.4
	27,823	233	861	9.1	244.9	244.9	245.4	0.5
	28,067	192	735	10.6	250.5	250.5	250.5	0.0
	28,315	238	843	9.3	254.1	254.1	254.1	0.0
	28,808	172	712	11.0	259.7	259.7	259.7	0.0
	29,823	94	565	13.8	271.5	271.5	271.5	0.0
	30,061	152	1,060	7.4	275.7	275.7	275.8	0.1
	30,683	119	747	10.4	280.9	280.9	281.1	0.2
31,100	168	989	7.9	283.7	283.7	284.5	0.8	
31,250	118	781	10.0	285.1	285.1	285.1	0.0	
31,415	161	1,465	5.3	289.2	289.2	289.2	0.0	
32,162	160	737	9.9	293.7	293.7	293.7	0.0	
32,570	60	771	9.5	296.3	296.3	296.7	0.4	
32,900	209	1,583	4.6	298.9	298.9	298.9	0.0	

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Buena Vista Creek (Cont'd)	BA	33,420	858	6.0	299.7	299.7	299.7	0.0	
	BB	34,028	708	7.2	301.5	301.5	302.0	0.5	
	BC	34,296	277	3.3	305.1	305.1	305.8	0.7	
	BD	34,715	142	4.9	305.4	305.4	306.2	0.8	
	BE	35,405	146	4.6	311.2	311.2	312.0	0.8	
	BF	36,291	214	5.1	311.8	311.8	312.5	0.7	
	BG	41,152	125	4.18	345.1	345.1	345.1	0.0	
	BH	41,465	140	374	8.5	349.3	349.3	0.0	
	BI	41,705	42	212	10.9	349.7	349.7	0.0	
	BJ	41,988	50	200	11.5	353.8	353.8	0.0	
	BK	42,268	40	184	12.5	357.8	357.8	0.0	
	BL	42,588	65	227	11.3	367.8	367.8	0.1	
	BM	42,689	30	169	13.6	369.2	369.2	0.0	
	BN	42,819	53	253	9.1	372.0	372.0	0.0	
	BO	43,048	35	178	13.0	373.4	373.4	0.0	
	BP	43,438	178	317	8.6	384.7	384.7	0.0	

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**  
**BUENA VISTA CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY		
Buena Vista Creek Tributary 1									
A	48	75	318	3.6	414.0	414.0	414.0	0.0	
B	696	143	197	7.6	422.4	422.4	422.4	0.0	
C	1,590	90	172	7.1	433.0	433.0	433.0	0.0	
D	2,048	161	682	1.6	439.1	439.1	440.0	0.9	
E	2,205	261	204	6.8	440.1	440.1	440.1	0.0	
F	2,889	95	193	7.0	452.1	452.1	452.2	0.1	
G	3,056	83	135	7.5	454.4	454.4	454.4	0.0	
H	3,350	107	152	6.6	461.3	461.3	461.3	0.0	
I	3,652	121	153	7.5	468.0	468.0	468.0	0.0	
J	3,882	93	116	7.1	476.8	476.8	476.8	0.0	

<sup>1</sup>Feet Above Headwall Culvert at Monte Vista Drive and South Santa Fe Avenue

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**BUENA VISTA CREEK TRIBUTARY 1**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Calavera Creek	140 <sup>1</sup>	138	533	3.3	44.0	44.0	44.7	0.7
	420 <sup>1</sup>	300	947	1.8	44.2	44.2	45.0	0.8
	640 <sup>1</sup>	165	385	8.2	44.5	44.5	44.6	0.1
	1,000 <sup>1</sup>	150	267	6.5	47.3	47.3	47.5	0.2
	1,220 <sup>1</sup>	57	232	7.5	48.1	48.1	48.8	0.7
	1,500 <sup>1</sup>	38	183	9.5	49.9	49.9	50.2	0.3
	1,800 <sup>1</sup>	50	244	7.1	51.6	51.6	52.3	0.7
	2,100 <sup>1</sup>	91	217	8.0	53.6	53.6	54.5	0.9
	2,400 <sup>1</sup>	36	203	8.6	55.8	55.8	56.5	0.7
	2,700 <sup>1</sup>	38	214	7.7	57.5	57.5	58.1	0.6
	3,290 <sup>1</sup>	117	198	6.8	61.2	61.2	62.2	1.0
	3,950 <sup>1</sup>	80	333	4.1	68.8	68.8	69.8	1.0
	4,620 <sup>1</sup>	40	139	5.6	74.2	74.2	74.6	0.4
Calavera Creek Split Flow								
	4,690 <sup>2</sup>	70	181	3.2	73.0	73.0	74.0	1.0

<sup>1</sup>Feet Above Confluence With Agua Hedionda Creek

<sup>2</sup>Feet Above Confluence With Calavera Creek

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Carmel Valley Creek	A	0	990	9.9	12.3	12.3	12.3	0.0
	B	93	1,199	8.2	26.0	26.0	26.0	0.0
	C	380	3,161	3.1	27.7	27.7	27.7	0.0
	D	570	9,079	1.1	27.8	27.8	27.9	0.1
	E	900	6,620	1.2	27.9	27.9	27.9	0.0
	F	1,380	1,713	4.7	28.0	28.0	28.0	0.0
	G	1,920	2,515	3.2	28.3	28.3	28.3	0.6
	H	2,820	1,519	5.3	29.1	29.1	30.1	1.0
	I	3,410	741	10.9	33.1	33.1	33.2	0.1
	J	3,750	167	10.3	36.4	36.4	37.1	0.7
	K	4,560	150	8.2	44.9	44.9	45.4	0.5
	L	4,950	200	7.7	47.7	47.7	48.7	1.0
	M	5,320	175	6.9	51.1	51.1	51.2	0.1
	N	5,680	230	7.2	52.8	52.8	53.6	0.8
	O	5,960	270	6.4	55.1	55.1	55.7	0.6
	P	6,900	115	11.4	63.2	63.2	63.9	0.7
	Q	7,340	160	5.9	68.2	68.2	68.8	0.6
	R	7,840	130	10.1	69.9	69.9	70.8	0.9
	S	8,380	175	6.7	74.3	74.3	75.0	0.7
	T	8,930	155	9.2	77.5	77.5	77.7	0.2
	U	9,290	230	4.9	79.3	79.3	80.2	0.9
	V	10,025	230	7.9	82.5	82.5	82.7	0.2
	W	10,736	80	9.1	84.6	84.6	85.2	0.6
	X	11,391	185	3.4	87.9	87.9	88.4	0.5
	Y	11,942	164	4.4	88.2	88.2	88.6	0.4
	Z	12,630	188	4.5	93.2	93.2	93.2	0.0

<sup>1</sup>Feet Above Cross Section A (125 Feet Downstream From the Center of Sorrento Valley Road)



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Carmel Valley Creek	13,349	188	1,358	3.9	98.0	98.0	98.0	0.0
	14,565	156	991	5.3	104.3	104.3	104.3	0.0
	15,453	249	1,781	3.0	106.1	106.1	106.1	0.0
	16,014	244	557	8.8	116.0	116.0	116.0	0.0
	16,178	250	713	6.9	118.9	118.9	118.9	0.0
	17,148	152	860	5.7	124.2	124.2	125.0	0.8
	17,778	395	1,249	3.9	126.3	126.3	127.3	1.0

<sup>1</sup>Feet Above Cross Section A (125 Feet Downstream From the Center of Sorrento Valley Road)

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**CARMEL VALLEY CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Carroll Canyon Creek	0	147	614	10.9	65.0	65.0	65.0	0.0
	20	150	906	7.4	65.8	65.8	66.8	1.0
	330	204	969	6.9	68.5	68.5	68.5	0.0
	850	304	1,208	5.5	72.0	72.0	72.1	0.1
	1,050	155	1,000	6.7	72.6	72.6	72.7	0.1
	1,220	98	512	13.1	72.6	72.6	72.6	0.0
	1,490	210	874	7.7	78.0	78.0	78.2	0.2
	1,630	263	1,533	4.4	79.5	79.5	79.5	0.0
	1,770	259	1,674	4.0	79.7	79.7	79.7	0.0
	1,825	220	1,370	4.9	79.7	79.7	79.7	0.0
	1,945	195	1,091	6.1	79.8	79.8	79.9	0.1
	1,995	270	1,092	6.1	79.9	79.9	80.1	0.2
	2,165	370	1,654	4.1	80.6	80.6	80.9	0.3
	2,305	121	595	11.3	82.6	82.6	83.0	0.4
	2,333	126	702	9.5	84.7	84.7	85.2	0.5
	2,360	175	1,111	6.0	86.0	86.0	86.5	0.5
	2,615	147	887	7.6	86.2	86.2	86.8	0.6
	2,765	106	644	10.4	86.2	86.2	86.8	0.6
	2,792	137	965	6.9	87.2	87.2	87.8	0.6
	3,059	112	850	7.9	87.5	87.5	88.1	0.6
	3,246	140	566	11.8	90.1	90.1	90.1	0.0
	3,290	150	917	7.3	90.9	90.9	91.7	0.8
	3,475	95	503	13.3	95.2	95.2	95.2	0.0
	3,718	124	963	7.0	96.9	96.9	97.9	1.0
	3,961	112	814	8.2	97.8	97.8	98.6	0.8
	4,192	118	943	5.9	99.3	99.3	99.7	0.4

<sup>1</sup>Feet Above Downstream Face of Atchison, Topeka & Santa Fe Railway Bridge

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 CARROLL CANYON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Carroll Canyon Creek (Cont'd)								
AA	4,423	74	422	13.3	99.9	99.9	100.9	1.0
AB	4,907	235	919	6.1	105.7	105.7	106.7	1.0
AC	5,611	125	518	10.8	110.9	110.9	110.9	0.0
AD	6,282	266	795	7.0	117.3	117.3	117.9	0.6
AE	6,841	235	607	9.2	124.2	124.2	124.2	0.0
AF	7,721	251	850	6.6	131.1	131.1	132.0	0.9
AG	8,575	119	485	11.5	140.3	140.3	140.3	0.0
AH	8,865	107	599	9.4	142.7	142.7	143.0	0.3
AI	8,894	139	578	9.7	143.5	143.5	144.0	0.5
AJ	9,325	213	624	8.6	146.2	146.2	147.2	1.0
AK	9,560	239	629	8.9	149.6	149.6	149.9	0.3
AL	9,635	239	652	8.6	150.2	150.2	150.2	0.0
AM	10,305	101	451	10.0	156.8	156.8	157.8	1.0
AN	10,758	120	465	9.7	163.2	163.2	163.8	0.6
AO	11,338	72	356	12.6	169.2	169.2	169.2	0.0
AP	11,697	189	690	6.5	172.9	172.9	173.7	0.8
AQ	12,357	104	423	10.6	177.7	177.7	178.7	1.0
AR	12,753	160	684	6.6	181.7	181.7	182.7	1.0
AS	13,426	104	409	11.0	187.1	187.1	187.4	0.3
AT	14,119	205	662	5.3	192.9	192.9	193.9	1.0
AU	14,821	98	347	10.1	200.5	200.5	200.9	0.4
AV	15,012	157	557	6.3	202.2	202.2	203.2	1.0
AW	15,076	306	898	3.9	203.3	203.3	203.8	0.5
AX	15,354	284	1,418	2.5	204.0	204.0	204.3	0.3
AY	16,186	81	315	11.1	204.0	204.0	204.1	0.1
AZ	16,925	71	322	10.9	211.6	211.6	211.6	0.0

<sup>1</sup>Feet Above Downstream Face of Atchison, Topeka & Santa Fe Railway Bridge

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Carroll Canyon Creek (Cont'd)	17,108	64	297	11.8	214.1	214.1	215.1	1.0
	17,429	170	527	6.6	218.5	218.5	219.2	0.7
	17,495	189	269	13.0	222.5	222.5	222.8	0.3
	17,885	148	444	7.9	226.7	226.7	227.7	1.0
	18,115	243	449	7.8	231.0	231.0	231.0	0.0
	18,423	98	333	10.5	234.6	234.6	234.6	0.0
	18,834	65	292	12.0	245.5	245.5	245.5	0.0
	19,226	160	641	5.5	249.2	249.2	249.6	0.4
	19,585	162	541	6.5	250.2	250.2	251.0	0.8
	19,849	144	564	6.2	252.2	252.2	252.4	0.2
	20,029	229	1,064	3.3	253.1	253.1	253.2	0.1
	20,275	142	510	6.9	253.3	253.3	253.4	0.1
	20,440	248	453	7.7	256.6	256.6	256.6	0.0
	20,986	169	831	4.2	259.0	259.0	259.4	0.4
	21,389	125	359	9.7	261.1	261.1	261.5	0.4
	22,144	121	512	6.8	271.6	271.6	272.6	1.0
	22,734	89	348	10.1	278.3	278.3	279.1	0.8
	23,295	121	443	7.9	286.9	286.9	287.9	1.0
	24,012	62	285	12.3	304.2	304.2	304.2	0.0
	24,551	147	513	6.8	312.7	312.7	313.6	0.9
	25,290	348	710	4.9	321.4	321.4	321.6	0.2
	25,965	219	509	6.9	328.9	328.9	329.5	0.6
	26,465	224	518	6.8	334.9	334.9	335.9	1.0
	26,705	25	211	16.6	338.8	338.8	338.8	0.0
	26,840	25	313	11.2	345.1	345.1	345.1	0.0
	27,148	236	1,831	1.9	347.2	347.2	347.2	0.0

<sup>1</sup>Feet Above Downstream Face of Atchison, Topeka & Santa Fe Railway Bridge

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Carroll Canyon Creek (Cont'd)									
CA	27,728	148	847	4.1	347.2	347.2	347.3	0.1	
CB	28,296	211	533	6.6	347.8	347.8	347.8	0.0	
CC	28,828	49	265	13.2	355.9	355.9	355.9	0.0	
CD	29,286	137	483	7.2	360.6	360.6	360.6	0.0	
CE	29,814	81	310	11.3	370.2	370.2	370.2	0.0	
CF	30,170	328	621	5.6	379.5	379.5	380.5	1.0	
CG	30,546	324	579	6.0	384.0	384.0	384.0	0.0	
CH	30,872	335	651	5.4	388.3	388.3	388.3	0.0	
CI	31,220	559	1,130	3.1	393.3	393.3	393.3	0.0	
CJ	31,490	218	723	1.5	393.7	393.7	393.7	0.0	
CK	31,690	29	103	10.7	394.3	394.3	394.3	0.0	
CL	32,010	345	159	6.9	400.2	400.2	400.2	0.0	
CM	32,080	28	101	10.9	400.6	400.6	400.6	0.0	
CN	32,260	43	117	9.4	407.3	407.3	407.3	0.0	
CO	32,637	96	181	6.1	414.0	414.0	414.3	0.3	
CP	32,924	16	96	11.4	419.4	419.4	419.4	0.0	
CQ	33,509	36	137	8.1	424.2	424.2	424.3	0.1	
CR	34,099	32	105	10.4	432.3	432.3	432.3	0.0	
CS	34,574	43	128	8.6	438.8	438.8	438.8	0.0	
CT	34,994	12	77	14.4	446.3	446.3	446.3	0.0	
CU	35,498	98	966	1.4	458.0	458.0	459.0	1.0	
CV	35,770	299	2,273	0.6	458.0	458.0	459.0	1.0	
CW	36,220	91	169	7.9	458.9	458.9	459.7	0.8	
CX	36,800	190	354	3.8	467.3	467.3	468.3	1.0	
CY	37,430	81	199	6.7	475.9	475.9	476.5	0.6	
CZ	37,862	157	358	3.7	481.9	481.9	482.8	0.9	

<sup>1</sup>Feet Above Downstream Face of Atchison, Topeka & Santa Fe Railway Bridge

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Carroll Canyon Creek (Cont'd)	DA	39,028	163	8.2	497.0	497.0	497.7	0.7	
	DB	39,821	197	6.8	507.7	507.7	507.9	0.2	
	DC	39,978	172	4.2	509.1	509.1	509.1	0.0	
	DD	40,693	89	7.9	520.1	520.1	520.9	0.8	
	DE	41,200	90	7.7	527.6	527.6	528.4	0.8	
	DF	41,525	40	10.2	532.2	532.2	532.8	0.6	
	DG	41,593	102	5.0	533.8	533.8	534.7	0.9	
	DH	42,090	79	8.3	539.3	539.3	539.4	0.1	
	DI	42,750	93	7.3	548.0	548.0	549.0	1.0	
	DJ	43,150	89	7.4	553.6	553.6	553.8	0.2	
	DK	43,350	134	6.9	558.9	558.9	558.9	0.0	
	DL	43,980	209	4.5	565.4	565.4	565.4	0.0	
	DM	44,545	115	7.2	573.6	573.6	574.1	0.5	
	DN	45,388	182	235	5.7	585.9	585.9	586.3	0.4
	DO	46,220	66	153	8.8	599.2	599.2	599.5	0.3
	DP	46,810	60	153	8.8	610.2	610.2	611.1	0.9
	DQ	47,315	49	141	9.5	619.7	619.7	620.3	0.6
	DR	47,900	77	161	8.3	628.6	628.6	629.0	0.4
	DS	48,500	81	165	8.1	640.8	640.8	640.8	0.0
	DT	49,052	60	150	8.9	650.7	650.7	651.6	0.9
DU	49,218	37	129	10.4	655.1	655.1	655.8	0.7	
DV	49,475	130	288	4.7	658.1	658.1	659.1	1.0	
DW	49,700	139	197	6.8	665.4	665.4	665.4	0.0	
DX	50,370	67	154	8.7	683.5	683.5	684.5	1.0	
DY	50,985	100	176	7.6	699.3	699.3	699.3	0.0	
DZ	51,640	51	141	9.5	715.6	715.6	715.6	0.0	

<sup>1</sup>Feet Above Downstream Face of Atchison, Topeka & Santa Fe Railway Bridge

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 CARROLL CANYON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Carroll Canyon Creek (Cont'd) EA EB EC	52,000	58	148	9.1	724.3	724.3	724.3	0.0
	52,350	55	145	9.2	733.4	733.4	733.4	0.0
	52,750	58	147	9.1	746.3	746.3	746.3	0.0

<sup>1</sup>Feet Above Downstream Face of Atchison, Topeka & Santa Fe Railway Bridge

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 CARROLL CANYON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Coleman Creek</b>								
A	5,800	79	614	14.2	3,568.4	3,568.4	3,569.4	1.0
B	6,500	124	743	11.8	3,577.3	3,577.3	3,577.3	0.0
C	6,970	105	604	14.5	3,581.5	3,581.5	3,581.5	0.0
D	7,570	124	711	12.3	3,593.3	3,593.3	3,593.3	0.0
E	7,620	165	848	10.3	3,594.5	3,594.5	3,594.5	0.0
F	7,680	190	1,793	4.9	3,601.3	3,601.3	3,601.3	0.0
G	8,000	217	837	10.5	3,603.9	3,603.9	3,604.1	0.2
H	8,550	125	581	5.8	3,607.3	3,607.3	3,607.6	0.3
I	9,050	147	371	9.0	3,610.1	3,610.1	3,610.1	0.0
J	9,550	84	320	10.4	3,614.8	3,614.8	3,615.1	0.3
K	10,080	69	316	10.6	3,634.8	3,634.8	3,634.8	0.0
L	10,140	80	764	4.4	3,638.6	3,638.6	3,638.6	0.0
M	10,555	66	275	12.1	3,641.5	3,641.5	3,641.5	0.0
N	11,015	100	346	9.7	3,659.7	3,659.7	3,659.7	0.0
O	11,570	106	382	8.8	3,665.1	3,665.1	3,665.1	0.0
P	12,080	62	274	12.2	3,673.1	3,673.1	3,673.1	0.0
Q	12,595	89	303	11.0	3,708.2	3,708.2	3,708.2	0.0
R	13,095	83	313	10.7	3,752.5	3,752.5	3,752.5	0.0
S	13,545	116	351	9.5	3,778.9	3,778.9	3,778.9	0.0
T	14,025	90	322	10.4	3,788.3	3,788.3	3,788.3	0.0
U	14,505	74	290	11.5	3,832.4	3,832.4	3,832.4	0.0
V	15,010	78	296	11.3	3,869.6	3,869.6	3,869.6	0.0
W	15,560	58	260	12.9	3,889.8	3,889.8	3,889.8	0.0
X	16,160	95	316	10.6	3,905.6	3,905.6	3,905.6	0.0
Y	16,660	90	324	10.3	3,918.6	3,918.6	3,918.6	0.0
Z	17,150	109	345	9.7	3,926.7	3,926.7	3,927.1	0.4

<sup>1</sup>Feet Above Confluence With San Diego River



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Coleman Creek (Cont'd)	17,550	58	170	10.0	3,934.7	3,934.7	3,934.8	0.1
	18,010	69	180	9.5	3,949.3	3,949.3	3,949.3	0.0
	18,460	83	186	9.2	3,955.6	3,955.6	3,955.6	0.0
	18,970	79	164	10.4	3,962.6	3,962.6	3,962.6	0.0
	19,470	86	193	8.8	3,973.8	3,973.8	3,973.8	0.0
	19,870	91	206	8.3	3,978.5	3,978.5	3,978.5	0.0
	20,080	80	554	3.1	3,982.9	3,982.9	3,982.9	0.0
	20,630	133	232	7.4	3,994.9	3,994.9	3,994.9	0.0
	21,145	116	222	7.7	4,011.9	4,011.9	4,011.9	0.0
	21,605	84	172	9.9	4,021.2	4,021.2	4,021.2	0.0
	22,105	90	194	8.8	4,033.2	4,033.2	4,033.2	0.0
	22,555	62	174	9.8	4,054.1	4,054.1	4,054.2	0.1
	23,055	51	158	10.8	4,122.3	4,122.3	4,122.3	0.0
	23,485	72	193	8.8	4,150.1	4,150.1	4,150.1	0.0
	23,643	101	1,219	1.4	4,164.3	4,164.3	4,164.3	0.0

<sup>1</sup>Feet Above Confluence With San Diego River

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
County Ditch Creek A B C D E F	660	170	800	2.3	414.8	414.8	415.8	1.0
	1,415	40	230	7.8	414.9	414.9	415.9	1.0
	3,070	40	200	8.0	419.1	419.1	420.1	1.0
	4,610	30	150	9.7	427.1	427.1	427.9	0.8
	6,415	10	50	16.0	429.8	429.8	430.8	1.0
	7,850	10	60	13.3	445.0	445.0	445.7	0.7

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 COUNTY DITCH CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Deer Springs Creek</b>								
A	1,810	207	284	5.5	733.2	733.2	733.9	0.7
B	2,290	153	252	6.1	739.7	739.7	739.8	0.1
C	2,477	171	236	6.6	743.3	743.3	743.4	0.1
D	2,642	175	315	4.9	744.9	744.9	745.2	0.3
E	3,047	121	341	4.5	747.8	747.8	747.8	0.0
F	3,332	72	194	8.0	749.1	749.1	749.2	0.1
G	3,722	186	232	6.7	758.2	758.2	758.3	0.1
H	4,057	72	195	7.9	762.3	762.3	762.6	0.3
I	4,404	60	195	8.0	766.2	766.2	766.8	0.6
J	4,700	61	166	9.3	774.0	774.0	774.0	0.0

<sup>1</sup>Feet Above Confluence With Twin Oaks Valley Creek

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Descanso Creek	450	65	134	8.2	3,396.1	3,390.8 <sup>2</sup>	3,390.8 <sup>2</sup>	0.0
A	1,045	80	144	7.6	3,398.9	3,398.9	3,398.9	0.0
B	1,245	74	143	7.7	3,404.8	3,404.8	3,404.8	0.0
C	1,565	41	118	9.3	3,409.4	3,409.4	3,409.4	0.0
D	1,605	34	117	9.4	3,409.9	3,409.9	3,409.9	0.0
E	1,775	80	136	8.1	3,412.8	3,412.8	3,412.8	0.0
F	2,145	35	109	10.1	3,422.0	3,422.0	3,422.0	0.0
G	2,565	39	113	9.7	3,448.2	3,448.2	3,448.2	0.0
H	2,785	29	102	10.8	3,457.5	3,457.5	3,457.5	0.0
I	3,130	37	111	9.9	3,478.9	3,478.9	3,478.9	0.0
J	3,200	18	87	12.7	3,485.8	3,485.8	3,485.8	0.0
K	3,220	40	132	8.4	3,487.4	3,487.4	3,487.4	0.0
L	3,400	42	140	7.8	3,489.2	3,489.2	3,489.2	0.0
M	3,585	33	106	10.3	3,495.8	3,495.8	3,495.8	0.0
N	3,745	37	110	10.0	3,498.1	3,498.1	3,498.1	0.0
O	4,175	76	235	4.7	3,501.7	3,501.7	3,501.7	0.0
P	4,475	48	230	12.6	3,507.8	3,507.8	3,507.8	0.0
Q	4,690	148	566	5.1	3,510.4	3,510.4	3,510.4	0.0
R	5,080	167	470	9.8	3,516.2	3,516.2	3,516.2	0.0
S	5,450	329	869	6.9	3,521.7	3,521.7	3,521.7	0.0
T	5,950	558	1,058	5.7	3,527.1	3,527.1	3,527.1	1.0
U	6,140	500	916	6.5	3,528.9	3,528.9	3,529.3	0.4
V	6,690	220	676	8.9	3,535.3	3,535.3	3,535.3	0.0
W	6,755	230	716	8.4	3,537.0	3,537.0	3,537.0	0.0
X	7,290	141	922	6.5	3,538.9	3,538.9	3,539.0	0.1
Y	7,980	150	726	8.3	3,540.6	3,540.6	3,540.8	0.2
Z								

<sup>1</sup>Feet Above Confluence With Sweetwater River (Descanso Area)  
<sup>2</sup>Elevation Computed Without Consideration of Backwater From Sweetwater River (Descanso Area)

FLOODING SOURCE		FLOODWAY				BASE SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Descanso Creek (Cont'd)	8,505	263	891	6.7	3,545.7	3,545.7	3,546.6	0.9	
	8,985	48	375	16.0	3,551.9	3,551.9	3,551.9	0.0	
	9,485	102	484	12.4	3,566.6	3,566.6	3,566.6	0.0	
	9,865	80	541	11.1	3,571.0	3,571.0	3,571.0	0.0	
	10,175	60	404	14.8	3,578.8	3,578.8	3,578.8	0.0	
	10,685	107	590	10.2	3,584.9	3,584.9	3,585.9	1.0	
	11,120	110	508	11.8	3,593.7	3,593.7	3,594.4	0.7	
	11,480	177	589	10.2	3,603.1	3,603.1	3,603.2	0.1	
	11,830	114	710	8.4	3,607.3	3,607.3	3,607.7	0.4	
	12,120	99	478	12.6	3,616.8	3,616.8	3,616.8	0.0	
	12,460	126	529	11.3	3,624.3	3,624.3	3,624.6	0.3	
	12,780	123	724	8.3	3,629.1	3,629.1	3,629.5	0.4	
	13,170	100	491	12.2	3,642.1	3,642.1	3,642.1	0.0	

<sup>1</sup>Feet Above Confluence With Sweetwater River (Descanso Area)

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

T  
A  
B  
L  
E  
8

**FLOODWAY DATA**

**DESCANSO CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Encanto Branch								
A	400	72	363	7.4	109.3	109.3	109.9	0.6
B	820	77	341	10.3	112.0	112.0	112.0	0.0
C	1,040	53	282	12.4	114.2	114.2	114.4	0.2
D	1,430	66	338	10.4	120.1	120.1	120.3	0.2
E	1,960	67	380	9.2	125.4	125.4	125.9	0.5
F	2,290	127	691	5.1	129.3	129.3	129.3	0.0
G	2,770	110	392	8.9	133.2	133.2	133.7	0.5
H	3,330	79	335	10.5	138.3	138.3	138.7	0.4
I	4,160	50	323	10.9	149.2	149.2	149.5	0.3

<sup>1</sup>Feet Above Confluence With South Las Chollas Creek

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Escondido Creek (Above Lake Wohlford)</b>								
A	11,200	300	1,003	2.7	1,492.3	1,492.3	1,493.3	1.0
B	11,650	90	641	3.1	1,492.6	1,492.6	1,493.6	1.0
C	11,790	60	337	5.9	1,492.7	1,492.7	1,493.6	0.9
D	11,935	60	337	5.9	1,492.7	1,492.7	1,493.6	0.9
E	12,510	24	142	13.9	1,501.8	1,501.8	1,501.8	0.0
F	12,985	60	203	9.7	1,512.2	1,512.2	1,512.2	0.0
G	13,485	74	237	8.3	1,518.2	1,518.2	1,518.6	0.4
H	13,990	110	315	8.6	1,524.8	1,524.8	1,525.0	0.2
I	14,470	70	260	10.4	1,531.3	1,531.3	1,531.7	0.4
J	14,845	47	215	12.6	1,541.8	1,541.8	1,541.8	0.0
K	15,285	55	243	11.1	1,564.0	1,564.0	1,564.1	0.1
L	15,670	90	656	4.1	1,565.9	1,565.9	1,566.6	0.7
M	16,180	130	368	7.3	1,568.2	1,568.2	1,568.8	0.6
N	16,615	80	265	10.2	1,576.0	1,576.0	1,576.5	0.5
O	17,120	56	260	10.4	1,580.6	1,580.6	1,580.8	0.2

<sup>1</sup>Feet Above Lake Wohlford Dam

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

ESCONDIDO CREEK (ABOVE LAKE WOHLFORD)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Escondido Creek (Below Lake Wohlford)	A	11,025	3,065	6.9	13.2	13.2	13.2	0.0
	B	12,569	8,331	2.5	15.1	15.1	15.1	0.0
	C	14,054	6,299	3.3	15.6	15.6	15.6	0.0
	D	14,887	4,902	4.3	16.1	16.1	16.2	0.1
	E	16,040	1,065	2,664	7.9	18.6	18.6	0.1
	F	17,729	312	1,750	12.0	28.5	28.5	0.0
	G	18,534	1,255	11,848	1.8	31.4	31.6	0.2
	H	19,459	1,120	7,418	2.8	31.5	31.7	0.2
	I	20,678	792	3,487	6.0	32.5	32.7	0.2
	J	20,835	708	2,783	7.5	32.9	33.0	0.1
	K	21,927	795	4,445	4.7	37.0	37.2	0.2
	L	23,639	548	3,203	6.6	40.6	40.8	0.2
	M	25,313	600	3,608	5.8	45.3	45.5	0.2
	N	25,771	550	2,393	8.8	45.8	46.1	0.3
	O	26,606	977	2,069	10.2	51.5	51.5	0.0
	P	27,378	1,005	5,392	3.9	55.7	55.8	0.1
	Q	28,116	1,163	4,861	4.3	56.5	56.6	0.1
	R	28,780	858	3,536	5.9	57.7	57.8	0.1
	S	29,578	795	3,347	6.3	60.5	60.6	0.1
	T	30,905	254	1,835	11.4	65.3	65.3	0.0
	U	55,660	180	1,796	10.6	367.3	367.3	0.0
	V	58,990	395	1,956	9.7	399.1	399.1	0.0
	W	61,330	152	1,324	14.4	432.2	432.2	0.0
	X	63,130	198	1,420	13.4	464.1	464.1	0.0
	Y	64,805	234	1,527	12.4	503.9	503.9	0.0
	Z	67,980	194	1,685	11.3	544.7	544.7	0.0

<sup>1</sup>Feet Above Pacific Ocean



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Escondido Creek (Below Lake Wohlford) (Cont'd)	AA	70,880	2,219	8.6	557.8	557.8	558.0	0.2
	AB	72,700	2,886	6.6	566.8	566.8	566.9	0.1
	AC	75,675	1,198	15.9	592.3	592.3	592.3	0.0
	AD	79,280	2,661	6.8	611.9	611.9	612.2	0.3
	AE	80,950	378	4.5	619.4	619.4	619.4	0.0

<sup>1</sup>Feet Above Pacific Ocean

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Eucalyptus Hills Creek (East Branch)	A	700	233	3.6	374.0	357.52	358.5	1.0	
	B	1,130	275	3.1	374.0	358.82	359.8	1.0	
	C	1,570	117	7.2	377.6	377.6	377.6	0.0	
	D-I <sup>3</sup>								
	J	3,425	205	455	1.9	388.1	389.1	1.0	
	K	3,795	144	202	4.2	391.0	392.0	1.0	
	L	4,095	52	113	7.6	395.4	395.9	0.5	
	M	4,480	27	85	10.2	401.4	402.4	1.0	
	N	4,810	24	106	8.1	406.3	407.2	0.9	
	O	5,123	32	90	9.6	413.0	413.4	0.4	
	P	5,446	40	108	8.0	418.3	419.2	0.9	
	Q	5,703	19	76	11.3	422.9	423.2	0.3	
	R								

<sup>1</sup>Feet Above Confluence With San Diego River  
<sup>2</sup>Elevation Computed Without Consideration of the Backwater Effect of the San Diego River  
<sup>3</sup>Floodway Not Applicable

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 EUCALYPTUS HILLS CREEK (EAST BRANCH)

FLOODING SOURCE		FLOODWAY			BASE SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Eucalyptus Hills Creek (West Branch)	A	850	248	4.0	373.0	357.22	357.22	1.0
	B	1,384	195	5.0	373.0	364.82	364.82	0.2
	C	1,764	114	8.6	373.0	370.72	370.72	0.0
	D-I <sup>3</sup>							
	J	4,079	89	5.2	398.5	398.5	399.4	0.9
	K	4,254	93	6.7	400.7	400.7	400.8	0.1
	L	4,633	116	5.5	406.1	406.1	407.1	1.0
	M	4,953	71	6.9	411.4	411.4	412.3	0.9
	N	5,327	52	8.5	417.0	417.0	417.3	0.3
	O	5,556	135	4.6	420.2	420.2	421.2	1.0
	P	5,652	140	3.2	422.4	422.4	423.3	0.9
	Q	5,831	92	5.8	426.1	426.1	426.6	0.5
	R	5,944	82	6.0	427.9	427.9	428.5	0.6
	S	6,187	69	7.3	433.3	433.3	434.1	0.8
	T	6,487	71	5.1	439.7	439.7	440.0	0.3
	U	6,587	89	3.6	448.1	448.1	448.7	0.6
	V	6,927	32	8.2	450.8	450.8	451.7	0.9
	W	6,987	50	8.6	455.5	455.5	455.6	0.1
	X	7,221	65	5.3	465.1	465.1	465.4	0.3
	Y	7,288	75	4.5	466.5	466.5	467.2	0.7
Z	7,652	38	7.3	478.4	478.4	478.4	0.0	
AA	8,082	41	7.4	496.3	496.3	496.8	0.5	
AB	8,552	40	7.5	519.1	519.1	519.1	0.0	

<sup>1</sup>Feet Above Confluence With San Diego River

<sup>2</sup>Elevation Computed Without Consideration of the Backwater Effect of the San Diego River

<sup>3</sup>Floodway Not Applicable

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**EUCALYPTUS HILLS CREEK (WEST BRANCH)**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Florida Drive Branch	1,720	52	246	5.7	108.0	108.0	109.0	1.0	
	2,280	83	462	2.9	120.8	120.8	121.5	0.7	
	2,940	36	134	10.5	127.7	127.7	128.5	0.8	

<sup>1</sup>Feet Above Confluence With Switzer Creek

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Forester Creek									
A	0	131	536	9.3	318.3	318.3	318.8	0.5	
B	1,610	144	527	9.5	325.9	325.9	325.9	0.0	
C	2,598	210	893	10.0	331.5	331.5	331.5	0.0	
D	5,390	327	1,419	6.3	342.5	342.5	342.5	0.0	
E	5,930	530	1,262	7.1	343.7	343.7	343.8	0.1	
F	7,935	104	645	13.8	352.2	352.2	352.2	0.0	
G	10,052	99	690	12.9	361.9	361.9	362.3	0.4	
H	11,499	89	590	15.1	370.9	370.9	370.9	0.0	
I	12,179	100	620	14.3	374.8	374.8	375.1	0.3	
J	13,100	100	720	12.4	379.6	379.6	380.2	0.6	
K	22,798	30	140	20.9	423.5	423.5	423.8	0.3	
L	24,959	30	150	20.1	437.3	437.3	438.3	1.0	
M	26,967	30	140	20.9	452.0	452.0	453.0	1.0	
N	29,708	30	130	21.3	474.2	474.2	474.9	0.7	
O	31,932	20	120	11.3	497.2	497.2	498.2	1.0	
P	34,130	20	30	36.1	523.2	523.2	523.2	0.0	
Q	35,250	21	71	13.9	541.3	541.3	541.3	0.0	
R	35,705	19	64	15.5	548.4	548.4	548.4	0.0	
S	36,177	91	182	7.3	559.8	559.8	559.8	0.0	
T	36,572	63	231	6.0	565.8	565.8	566.0	0.2	
U	37,112	67	186	7.6	574.0	574.0	574.1	0.1	
V	37,567	80	226	6.3	581.8	581.8	582.0	0.2	
W	38,047	80	190	7.5	589.5	589.5	589.8	0.3	
X	38,502	49	178	7.1	597.0	597.0	598.0	1.0	
Y	38,887	71	186	6.8	607.2	607.2	607.6	0.4	
Z	39,272	73	158	8.0	640.5	640.5	640.5	0.0	

<sup>1</sup>Feet Above Confluence With San Diego River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 FORESTER CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Forester Creek (Cont'd)								
AA	39,622	77	194	6.5	651.5	651.5	651.6	0.1
AB	39,750	72	358	3.5	659.4	659.4	659.4	0.0
AC	40,200	45	225	6.3	673.4	673.4	674.1	0.7
AD	40,815	51	95	7.8	684.8	684.8	684.8	0.0
AE	41,285	48	96	7.7	694.9	694.9	694.9	0.0
AF	41,655	41	88	8.4	707.8	707.8	707.9	0.1
AG	41,895	96	140	5.3	721.0	721.0	721.0	0.0
AH	42,080	38	94	7.9	723.3	723.3	723.4	0.1
AI	42,410	31	82	9.0	744.4	744.4	744.4	0.0
AJ	42,760	30	90	8.2	759.6	759.6	759.6	0.0
AK	43,020	33	83	8.9	772.5	772.5	772.5	0.0
AL	43,310	47	89	8.3	788.9	788.9	788.9	0.0
AM	43,665	40	89	8.3	832.3	832.3	832.3	0.0
AN	43,995	46	96	7.7	895.6	895.6	895.6	0.0
AO	44,305	36	87	8.5	911.1	911.1	911.1	0.0
AP	44,645	35	88	8.4	946.4	946.4	946.4	0.0
AQ	45,045	59	103	7.2	972.6	972.6	972.6	0.0
AR	45,435	35	85	8.7	1,005.1	1,005.1	1,005.1	0.0
AS	45,835	31	82	9.1	1,036.5	1,036.5	1,036.6	0.1
AT	46,285	29	78	9.5	1,076.6	1,076.6	1,076.6	0.0
AU	46,705	44	88	8.4	1,102.9	1,102.9	1,103.0	0.1
AV	47,075	41	91	8.1	1,127.2	1,127.2	1,127.8	0.6
AW	47,435	41	102	7.2	1,137.7	1,137.7	1,137.8	0.1
AX	47,710	38	85	8.7	1,151.2	1,151.2	1,151.2	0.0
AY	48,195	41	90	8.2	1,168.7	1,168.7	1,168.7	0.0
AZ	48,490	51	102	7.3	1,178.1	1,178.1	1,178.1	0.0

<sup>1</sup>Feet Above Confluence With San Diego River

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Forester Creek (Cont'd)	48,875	64	107	6.9	1,192.2	1,192.2	1,192.2	0.0
	49,320	50	94	7.9	1,208.3	1,208.3	1,208.3	0.0
	49,715	76	171	4.3	1,217.0	1,217.0	1,217.0	0.0
	50,180	32	82	9.1	1,229.6	1,229.6	1,229.7	0.1
	50,480	60	120	6.2	1,238.4	1,238.4	1,238.4	0.0
	50,895	26	75	9.8	1,257.5	1,257.5	1,257.5	0.0
	51,190	50	99	7.5	1,280.2	1,280.2	1,280.2	0.0

<sup>1</sup>Feet Above Confluence With San Diego River

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
						(FEET NGVD)			
Forester Creek-Carlton Hills Boulevard Overflow A B C	790	385	510	7.6	324.8	324.8	325.1	0.3	
	1,220	175	436	8.9	327.8	327.8	327.9	0.1	
	1,665	300	559	7.0	329.9	329.9	330.5	0.6	

<sup>1</sup>Feet Above Confluence With San Diego River



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
					(FEET NGVD)	(FEET NGVD)	(FEET NGVD)		
Garrison Creek									
A	660	21	186	6.1	68.1	68.1	68.9	0.8	
B	740	66	290	3.9	68.7	68.7	69.3	0.6	
C	919	103	379	3.0	69.4	69.4	70.2	0.8	
D	1,313	27	143	7.9	72.7	72.7	72.7	0.0	
E	1,638	28	154	7.3	77.0	77.0	77.0	0.0	
F	1,991	108	184	6.1	78.9	78.9	78.9	0.0	
G	2,113	89	477	2.4	80.1	80.1	80.1	0.0	
H	2,780	38	348	3.3	89.8	89.8	89.8	0.0	
I	3,311	38	179	6.3	93.8	93.8	93.9	0.1	
J	3,631	125	873	1.3	100.0	100.0	100.0	0.0	
K	4,393	220	202	5.0	102.7	102.7	102.8	0.1	
L	5,138	149	244	4.1	111.9	111.9	112.2	0.3	
M	5,617	164	600	1.7	119.4	119.4	119.7	0.3	
N	5,822	51	181	5.5	119.5	119.5	119.7	0.2	
O	6,166	163	590	1.7	126.1	126.1	126.4	0.3	
P	6,421	271	219	4.6	127.2	127.2	127.3	0.1	
Q	6,876	99	148	6.8	132.8	132.8	132.9	0.1	

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**GARRISON CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Gopher Canyon Creek	A	1,097	1,351	5.7	150.3	150.3	150.4	0.1	
	B	1,447	1,085	7.1	155.2	155.2	155.2	0.0	
	C	1,922	750	10.3	161.2	161.2	161.2	0.0	
	D	2,452	877	8.8	166.9	166.9	166.9	0.0	
	E	3,052	746	10.3	175.1	175.1	175.8	0.7	
	F	3,552	269	7.3	180.7	180.7	181.1	0.4	
	G	3,902	133	6.30	185.6	185.6	185.6	0.0	
	H	4,292	110	6.08	191.6	191.6	191.7	0.1	
	I	4,622	156	6.80	196.6	196.6	196.6	0.0	
	J	4,922	85	5.37	202.4	202.4	202.4	0.0	
	K	5,172	84	5.40	207.2	207.2	207.2	0.0	
	L	5,522	105	1,020	210.0	210.0	210.8	0.8	
	M	6,092	75	511	15.1	221.2	221.2	221.2	0.0
	N	6,452	84	542	14.2	226.0	226.0	226.0	0.0
	O	6,892	97	605	10.9	231.2	231.2	231.4	0.2
	P	7,332	122	598	11.0	244.5	244.5	244.5	0.0
	Q	7,652	175	1,151	5.7	246.4	246.4	247.4	1.0
	R	7,862	140	782	6.5	251.8	251.8	251.8	0.0
	S	7,889	142	900	5.6	252.9	252.9	252.9	0.0
	T	8,289	58	362	14.0	253.0	253.0	253.0	0.0
	U	8,659	85	618	8.2	256.2	256.2	256.8	0.6
	V	9,099	82	403	12.6	259.1	259.1	259.1	0.0
	W	9,479	148	494	10.3	267.6	267.6	267.7	0.1
	X	9,769	147	535	9.5	274.8	274.8	274.9	0.1
	Y	10,219	86	486	10.4	280.4	280.4	280.6	0.2
	Z	10,669	127	459	11.0	292.2	292.2	292.2	0.0

<sup>1</sup>Feet Above Confluence With San Luis Rey River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 GOPHER CANYON CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Gopher Canyon Creek (Cont'd)	AA	10,969	620	8.2	299.2	299.2	299.2	0.0	
	AB	11,144	543	4.4	302.0	302.0	302.5	0.5	
	AC	11,594	269	6.7	325.0	325.0	325.1	0.1	
	AD	11,994	155	2.5	326.1	326.1	326.4	0.3	
	AE	12,544	120	8.6	329.9	329.9	330.0	0.1	
	AF	13,004	142	8.2	340.1	340.1	340.1	0.0	
	AG	13,689	144	7.0	357.1	357.1	357.1	0.0	
	AH	14,339	204	7.0	392.8	392.8	392.8	0.0	
	AI	14,934	102	7.5	396.4	396.4	396.5	0.1	
	AJ	15,264	116	8.3	400.7	400.7	401.2	0.5	
	AK	15,584	119	5.4	405.1	405.1	405.6	0.5	
	AL	16,034	65	10.7	413.6	413.6	413.6	0.0	
	AM	16,464	118	3.6	422.0	422.0	422.2	0.2	
	AN	16,944	134	8.4	426.2	426.2	426.2	0.0	
	AO	17,394	116	7.7	436.4	436.4	436.4	0.0	
	AP	17,844	76	9.8	442.5	442.5	442.5	0.0	
	AQ	18,284	90	10.2	450.9	450.9	450.9	0.0	
	AR	18,434	103	1.5	453.1	453.1	453.1	0.0	
	AS	18,478	103	1.5	453.2	453.2	453.2	0.0	
	AT	18,998	213	257	6.7	468.8	468.8	468.8	0.0
	AU	19,508	93	374	4.6	476.2	476.2	477.1	0.9
AV	19,948	52	172	9.9	482.8	482.8	483.0	0.2	
AW	20,208	76	287	6.0	486.0	486.0	486.8	0.8	
AX	20,558	34	145	11.8	494.4	494.4	494.4	0.0	
AY	20,908	49	172	10.0	503.2	503.2	503.5	0.3	
AZ	21,328	113	333	5.1	512.9	512.9	513.8	0.9	
BA	21,638	144	197	8.7	521.1	521.1	521.5	0.4	

<sup>1</sup>Feet Above Confluence With San Luis Rey River

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Green Valley Creek</b>								
A	0	68	291	11.7	499.21	499.21	500.21	1.0
B	375	41	244	13.9	512.38	512.38	512.38	0.0
C	653	46	254	13.4	516.03	516.03	516.03	0.0
D	888	50	250	13.6	521.01	521.01	521.01	0.0
E	1,176	72	277	12.3	524.57	524.57	524.57	0.0
F	1,454	79	313	8.6	529.80	529.80	530.20	0.4
G	2,346	124	366	7.4	536.20	536.20	536.20	0.0
H	3,081	65	623	3.7	543.90	543.90	544.50	0.6
I	4,005	62	310	7.4	549.50	549.50	550.20	0.7
J	4,745	43	191	12.0	563.70	563.70	563.70	0.0
K	5,652	45	311	5.9	578.50	578.50	578.50	0.0
L	6,240	50	368	5.0	586.20	586.20	586.90	0.7
M	6,816	100	254	6.3	593.40	593.40	593.80	0.4
N	7,704	60	240	6.7	605.50	605.50	605.90	0.4
O	8,317	66	350	3.4	617.10	617.10	618.10	1.0
P	9,046	45	143	8.4	627.00	627.00	627.00	0.0
Q	9,913	31	116	10.3	654.10	654.10	654.10	0.0
R	10,803	30	166	7.2	687.20	687.20	687.20	0.0
S	11,400	33	112	10.7	702.10	702.10	702.10	0.0

<sup>1</sup>Feet Above Limit of Detailed Study

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Green Valley Creek Tributary	A	135	268	1.1	589.8	589.8	590.8	1.0	
	B	891	89	3.4	595.4	595.4	595.5	0.1	
	C	1,908	124	1.6	614.9	614.9	615.8	0.9	
	D	2,618	41	4.7	635.7	635.7	635.7	0.0	
	E	3,180	41	3.8	649.1	649.1	649.1	0.0	
	F	3,817	41	23	4.4	658.5	658.5	0.0	

<sup>1</sup>Feet Above Confluence With Green Valley Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**GREEN VALLEY CREEK TRIBUTARY**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Harbison Canyon Creek	0	210	599	7.8	570.3	570.3	571.0	0.7	
	446	131	594	7.9	573.0	573.0	573.7	0.7	
	597	95	403	11.7	574.7	574.7	574.7	0.0	
	1,112	125	444	10.6	581.0	581.0	581.0	0.0	
	1,526	130	522	9.0	584.9	584.9	585.1	0.2	
	2,081	193	746	6.3	588.8	588.8	589.8	1.0	
	2,529	102	449	10.5	594.9	594.9	595.0	0.1	
	3,102	142	523	8.6	597.7	597.7	598.1	0.4	
	3,593	201	503	8.9	604.6	604.6	604.9	0.3	
	4,062	219	455	9.9	609.9	609.9	610.3	0.4	
	4,244	195	334	11.7	611.6	611.6	612.3	0.7	
	5,148	185	541	7.2	620.7	620.7	621.3	0.6	
	5,565	85	364	10.7	626.5	626.5	626.6	0.1	
	6,061	91	370	10.5	633.7	633.7	633.9	0.2	
	6,568	65	300	12.3	642.0	642.0	642.0	0.0	
	7,093	67	305	12.1	668.7	668.7	669.1	0.4	
	7,637	60	274	13.5	697.0	697.0	697.0	0.0	
	8,160	54	283	13.1	723.7	723.7	723.7	0.0	
	8,794	73	370	10.0	749.1	749.1	749.8	0.7	
	9,395	57	255	13.7	774.8	774.8	774.8	0.0	
	9,909	54	259	13.5	787.1	787.1	787.1	0.0	
	10,578	45	262	12.2	806.9	806.9	807.3	0.4	
	10,965	23	200	16.0	812.6	812.6	812.7	0.1	
	11,596	97	447	6.7	827.7	827.7	827.7	0.0	
	12,611	68	294	10.2	857.1	857.1	857.1	0.0	
	12,810	80	304	9.9	862.9	862.9	862.9	0.0	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Harbison Canyon Creek (Cont'd)	AA	13,079	242	12.4	871.1	871.1	871.1	0.0	
	AB	13,669	234	10.7	888.1	888.1	888.6	0.5	
	AC	14,295	179	14.0	906.7	906.7	907.5	0.8	
	AD	14,849	272	9.2	926.5	926.5	927.5	1.0	
	AE	15,446	176	11.9	947.6	947.6	947.6	0.0	
	AF	16,015	176	11.9	985.6	985.6	985.6	0.0	
	AG	16,584	233	9.0	1,038.2	1,038.2	1,038.2	0.0	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
<b>Hatfield Creek</b>								
A	615	450	2,174	6.3	1,459.3	1,459.3	1,459.5	0.2
B	1,414	370	1,708	8.0	1,461.0	1,461.0	1,461.9	0.9
C	1,793	500	1,876	7.3	1,462.8	1,462.8	1,463.6	0.8
D	2,556	390	1,827	7.5	1,465.3	1,465.3	1,466.1	0.8
E	3,124	450	1,550	8.8	1,468.0	1,468.0	1,468.4	0.4
F	3,577	370	1,437	9.5	1,471.6	1,471.6	1,471.8	0.2
G	4,066	570	1,842	7.4	1,474.5	1,474.5	1,475.2	0.7
H	4,403	400	1,412	9.7	1,477.2	1,477.2	1,477.6	0.4
I	4,878	570	3,163	4.3	1,479.6	1,479.6	1,480.2	0.6
J	5,106	400	1,789	7.7	1,480.0	1,480.0	1,480.9	0.9

<sup>1</sup>Feet Above Confluence With Santa Maria Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

HATFIELD CREEK



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Home Avenue Branch								
C	1,190	27	123	9.8	94.2	94.2	95.0	0.8
D	1,390	24	113	10.6	96.2	96.2	97.0	0.8
E	2,000	37	211	5.7	103.8	103.8	104.6	0.8
F	3,040	24	119	10.1	120.5	120.5	121.4	0.9
I	4,770	30	148	8.1	146.2	146.2	147.0	0.8
J	6,010	32	102	11.7	160.2	160.2	160.9	0.7
K	7,590	12	61	11.8	183.2	183.2	184.0	0.8
R	12,850	13	47	9.7	264.7	264.7	265.4	0.7

<sup>1</sup>Feet Above Confluence With Las Chollas Creek

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
				(FEET PER SECOND)	(FEET NGVD)	(FEET NGVD)	(FEET NGVD)		
Kit Carson Park Creek	A	11,700 <sup>1</sup>	26,678	0.2	325.8	325.8	325.8	0.0	
	B	12,680 <sup>1</sup>	8,390	0.5	325.8	325.8	325.8	0.0	
	C	13,380 <sup>1</sup>	1,302	3.4	327.0	327.0	327.0	0.0	
	D	13,915 <sup>2</sup>	2,537	1.7	338.5	338.5	338.5	0.0	
	E	14,305 <sup>2</sup>	387	2.5	338.5	338.5	338.6	0.1	
	F	14,820 <sup>2</sup>	364	7.7	344.3	344.3	344.3	0.0	
	G	15,750 <sup>2</sup>	492	3.7	356.9	356.9	357.2	0.3	
	H	16,600 <sup>2</sup>	572	5.0	365.1	365.1	365.1	0.0	
	I	17,350 <sup>1</sup>	574	3.3	371.9	371.9	372.0	0.1	
	J	18,110 <sup>2</sup>	208	496	7.3	378.9	378.9	378.9	0.0
	K	18,690 <sup>2</sup>	246	799	4.5	386.2	386.2	386.6	0.4
	L	18,930 <sup>2</sup>	462	715	5.0	388.8	388.8	389.0	0.2
	M	19,340 <sup>2</sup>	648	1,006	3.6	394.9	394.9	394.9	0.0
	N	20,220 <sup>2</sup>	529	945	3.8	404.6	404.6	404.8	0.2
	O	20,610 <sup>2</sup>	191	474	7.6	411.6	411.6	411.6	0.0
	P	20,690 <sup>2</sup>	191	783	4.6	417.1	417.1	417.1	0.0
	Q	21,390 <sup>2</sup>	223	847	4.3	419.1	419.1	420.1	1.0
	R	22,170 <sup>2</sup>	70	258	10.9	429.4	429.4	429.4	0.0
	S	23,090 <sup>2</sup>	80	483	5.8	440.9	440.9	441.4	0.5

<sup>1</sup>Feet Above Lake Hodges Dam

<sup>2</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**KIT CARSON PARK CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Las Chollas Creek									
D	3,810	485	4,637	1.7	19.6	19.6	19.7	0.1	
M	11,260	81	730	9.7	55.5	55.5	56.1	0.6	
N	12,500	65	568	8.3	64.8	64.8	64.9	0.1	
W	18,640	101	447	7.8	119.3	119.3	120.2	0.9	
X	19,160	156	480	7.3	122.7	122.7	123.4	0.7	
Y	19,910	111	696	5.0	132.4	132.4	133.3	0.9	
Z	20,400	123	700	5.0	135.6	135.6	136.5	0.9	
AA	20,930	190	770	4.5	146.9	146.9	147.0	0.1	
AB	21,980	40	247	14.2	157.1	157.1	157.1	0.0	
AC	22,550	77	388	7.7	163.4	163.4	163.5	0.1	
AD	22,900	66	264	11.4	166.5	166.5	166.5	0.0	
AE	23,510	119	376	8.0	172.1	172.1	172.1	0.0	
AF	24,060	94	304	9.9	180.3	180.3	181.0	0.7	
AG	24,610	271	788	3.8	187.8	187.8	188.6	0.8	
AH	25,010	270	1,146	2.6	199.0	199.0	199.0	0.0	
AI	25,560	48	292	10.3	203.2	203.2	203.8	0.6	
AJ	26,120	86	284	10.6	207.7	207.7	208.0	0.3	
AK	26,460	70	360	8.3	211.5	211.5	212.4	0.9	
AL	27,290	147	354	8.5	226.5	226.5	226.5	0.0	
AM	27,840	83	389	7.7	233.7	233.7	234.5	0.8	
AN	28,350	46	274	10.9	239.3	239.3	239.4	0.1	
AO	28,660	35	213	14.1	245.9	245.9	245.9	0.0	
AP	29,030	104	859	3.5	256.8	256.8	257.0	0.2	
AQ	29,410	76	384	7.8	257.8	257.8	257.9	0.1	
AR	29,960	106	396	7.6	264.4	264.4	264.4	0.0	
AS	30,400	42	226	13.2	270.1	270.1	270.1	0.0	

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Las Posas Creek (Upper) A B	3,023	230	509	3.6	566.0	566.0	566.0	0.0
	3,678	230	164	11.3	569.6	569.6	569.6	0.0

1Foot Above Grand Avenue

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**LAS POSAS CREEK (UPPER)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Lawson Creek								
A	7,200	101	782	11.5	1,572.3	1,572.3	1,573.3	1.0
B	8,050	78	591	15.2	1,583.0	1,583.0	1,583.0	0.0
C	8,330	98	649	13.9	1,588.5	1,588.5	1,588.5	0.0
D	8,385	98	1,032	8.7	1,592.9	1,592.9	1,592.9	0.0
E	9,125	85	618	14.6	1,606.4	1,606.4	1,606.4	0.0
F	9,525	70	561	16.0	1,613.8	1,613.8	1,613.8	0.0
G	10,254	89	610	14.8	1,626.6	1,626.6	1,626.7	0.1
H	10,631	130	994	9.1	1,634.6	1,634.6	1,634.6	0.0
I	10,696	142	1,225	7.3	1,636.8	1,636.8	1,636.8	0.0
J	10,951	195	1,170	7.7	1,640.1	1,640.1	1,640.1	0.0
K	10,986	141	1,313	6.9	1,641.8	1,641.8	1,641.8	0.0
L	11,444	159	794	11.3	1,645.5	1,645.5	1,645.5	0.0
M	11,814	87	621	14.5	1,648.6	1,648.6	1,648.6	0.0
N	12,184	91	951	9.5	1,660.9	1,660.9	1,660.9	0.0
O	12,289	87	1,157	7.8	1,661.6	1,661.6	1,661.6	0.0
P	12,699	143	799	11.3	1,663.0	1,663.0	1,663.0	0.0
Q	13,443	85	648	13.9	1,687.0	1,687.0	1,687.0	0.0
R	14,264	81	889	10.1	1,747.7	1,747.7	1,747.7	0.0
S	14,308	84	1,067	8.4	1,752.7	1,752.7	1,752.7	0.0
T	15,144	82	529	13.6	1,764.2	1,764.2	1,764.2	0.0
U	15,894	60	466	15.4	1,771.8	1,771.8	1,771.8	0.0
V	16,304	70	502	14.3	1,782.6	1,782.6	1,782.6	0.0
W	17,077	78	525	13.6	1,818.4	1,818.4	1,818.4	0.0
X	17,878	85	539	13.3	1,861.2	1,861.2	1,861.2	0.0
Y	18,602	101	594	12.1	1,914.2	1,914.2	1,914.2	0.0
Z	18,962	102	597	12.0	1,921.9	1,921.9	1,921.9	0.0

<sup>1</sup>Feet Above Confluence With Sweetwater River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 LAWSON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Lawson Creek (Cont'd)	AA	258	951	7.5	1,940.5	1,940.5	1,940.6	0.1
	AB	19,351	1,019	7.0	1,943.6	1,943.6	1,943.6	0.0
	AC	19,959	1,079	6.6	1,948.9	1,948.9	1,949.7	0.8
	AD	20,849	907	7.9	1,959.6	1,959.6	1,959.8	0.2

<sup>1</sup>Feet Above Confluence With Sweetwater River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 LAWSON CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Loma Alta Creek	0	300	1,297	2.9	12.0	12.0	13.0	1.0
A	440	400	2,605	1.5	12.5	12.5	13.4	0.9
B	520	350	2,174	1.7	12.5	12.5	13.4	0.9
C	1,260	300	1,794	2.1	12.6	12.6	13.6	1.0
D	1,370	300	1,917	2.0	12.8	12.8	13.7	0.9
E	1,930	130	634	6.0	12.8	12.8	13.7	0.9
F	2,300	222	639	5.9	13.3	13.3	13.9	0.6
G	3,155	334	922	4.1	15.7	15.7	16.1	0.4
H	3,200	341	1,073	3.5	16.0	16.0	16.3	0.3
I	3,865	337	946	4.0	16.6	16.6	16.8	0.2
J	4,150	565	1,380	2.8	17.0	17.0	17.2	0.2
K	4,595	696	1,009	3.8	19.9	19.9	19.9	0.0
L	4,610	696	1,353	2.8	20.5	20.5	20.5	0.0
M	4,845	675	908	4.2	21.1	21.1	21.1	0.0
N	5,160	708	3,109	1.2	22.0	22.0	22.0	0.0
O	5,420	755 <sup>2</sup>	648	5.9	22.7	22.7	22.7	0.0
P	5,537	770 <sup>2</sup>	566	6.7	23.3	23.3	23.3	0.0
Q	6,275	800	1,562	2.4	25.8	25.8	26.2	0.4
R	6,325	800	1,702	2.2	25.9	25.9	26.3	0.4
S	6,775	543 <sup>2</sup>	976	3.9	26.2	26.2	26.8	0.6
T	7,520	125	441	8.6	29.2	29.2	30.2	1.0
U	8,090	463	1,599	2.4	31.8	31.8	32.6	0.8
V	8,140	495	1,177	3.2	31.9	31.9	32.6	0.7
W	8,180	537 <sup>2</sup>	511	7.4	33.5	33.5	33.5	0.0
X	8,520	306 <sup>2</sup>	798	4.8	36.6	36.6	37.1	0.5
Y	8,620	240	918	4.1	38.0	38.0	38.0	0.0
Z								

<sup>1</sup>Feet Above Pacific Street

<sup>2</sup>Width Includes Islands

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Loma Alta Creek (Cont'd)								
AA	8,825	159	518	7.3	38.2	38.2	38.5	0.3
AB	9,443	414	1,179	3.2	40.2	40.2	41.2	1.0
AC	10,160	314	626	6.1	44.5	44.5	44.5	0.0
AD	10,960	140	618	6.1	49.2	49.2	49.5	0.3
AE	11,465	112	457	8.3	51.7	51.7	52.1	0.4
AF	11,970	288	747	5.1	55.5	55.5	55.9	0.4
AG	12,500	319	832	4.3	57.6	57.6	57.9	0.3
AH	12,810	285	546	7.0	59.4	59.4	60.2	0.8
AI	13,300	277	939	4.0	62.5	62.5	63.3	0.8
AJ	13,830	224	827	2.7	63.9	63.9	64.4	0.5
AK	14,460	60	213	10.3	66.5	66.5	66.8	0.3
AL	15,120	246	578	3.8	72.5	72.5	73.0	0.5
AM	15,510	110	255	8.6	75.7	75.7	76.2	0.5
AN	15,690	279	528	4.2	79.6	79.6	80.1	0.5
AO	16,050	84	265	8.3	82.3	82.3	82.3	0.0
AP	16,742	68	230	9.6	89.9	89.9	90.5	0.6
AQ	17,175	54	221	10.0	95.3	95.3	96.3	1.0
AR	17,740	268 <sup>2</sup>	378	5.8	102.6	102.6	102.9	0.3
AS	17,780	327 <sup>2</sup>	338	6.5	104.7	104.7	104.8	0.1
AT	17,835	267	957	2.3	105.5	105.5	105.5	0.0
AU	17,995	140 <sup>2</sup>	700	3.2	108.2	108.2	108.2	0.0
AV	18,075	138 <sup>2</sup>	699	3.1	110.7	110.7	110.7	0.0
AW	18,540	84	231	9.5	111.0	111.0	111.0	0.0
AX	18,610	49	194	11.4	112.3	112.3	112.4	0.1
AY	18,780	161 <sup>2</sup>	473	4.7	114.7	114.7	115.7	1.0
AZ	18,960	172 <sup>2</sup>	291	7.6	116.4	116.4	116.5	0.1

<sup>1</sup>Feet Above Pacific Street

<sup>2</sup>Width Includes Islands



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Loma Alta Creek (Cont'd)	19,345	74	230	9.6	120.3	120.3	120.7	0.4
	19,438	68	213	10.3	121.1	121.1	121.8	0.7
	19,577	55	202	10.9	123.5	123.5	124.2	0.7
	19,635	62	218	10.1	125.9	125.9	126.7	0.8
	20,140	127	402	5.5	130.6	130.6	131.2	0.6
	20,202	89	235	9.4	131.1	131.1	131.2	0.1
	20,445	96	299	7.4	134.4	134.4	134.4	0.0
	21,090	62	239	9.2	139.8	139.8	140.5	0.7
	21,680	77	253	8.7	145.1	145.1	145.3	0.2
	22,000	297	730	2.3	146.7	146.7	147.5	0.8
	22,660	210	263	6.5	149.9	149.9	149.9	0.0
	23,440	131	314	5.4	157.1	157.1	157.9	0.8
	24,140	211	300	5.7	164.0	164.0	164.0	0.0
	24,590	96	303	5.6	167.2	167.2	167.6	0.4
	24,840	200	314	5.4	169.2	169.2	169.5	0.3
	25,370	259	333	5.1	175.8	175.8	175.8	0.0
	25,510	85	196	8.7	177.5	177.5	178.1	0.6
	25,910	108	312	5.5	181.5	181.5	182.5	1.0
	26,642	79	190	8.9	191.0	191.0	191.0	0.0
	27,280	66	209	8.1	199.3	199.3	199.8	0.5
	27,370	146	303	5.6	200.6	200.6	201.0	0.4
	28,020	100	199	8.5	207.9	207.9	208.4	0.5
	28,990	209	328	5.2	217.9	217.9	218.9	1.0
	29,525	80	196	8.7	224.6	224.6	225.4	0.8
	29,955	54	212	8.0	228.8	228.8	229.8	1.0
	30,060	151	569	3.0	230.9	230.9	231.9	1.0

<sup>1</sup>Feet Above Pacific Street

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	
Loma Alta Creek (Cont'd)								
CA	30,490	280	283	6.0	234.3	234.3	234.4	0.1
CB	31,375	71	186	9.1	247.4	247.4	248.2	0.8
CC	31,825	149	297	5.7	253.1	253.1	253.9	0.8
CD	32,270	380	467	3.6	257.5	257.5	257.5	0.0
CE	32,665	138	280	6.1	260.6	260.6	260.6	0.0
CF	33,305	99	205	8.3	270.3	270.3	271.2	0.9
CG	34,151	50	174	9.8	282.8	282.8	283.5	0.7
CH	34,680	103	208	8.2	291.2	291.2	291.2	0.0
CI	35,275	132	266	6.4	300.3	300.3	300.4	0.1
CJ	35,820	118	219	7.8	307.9	307.9	308.2	0.3
CK	36,270	121	300	5.7	313.4	313.4	313.6	0.2
CL	36,910	81	192	8.9	326.9	326.9	326.9	0.0

<sup>1</sup>Feet Above Pacific Street

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Los Penasquitos Creek</b>								
A	1,470	150	1,582	10.6	34.7	34.5 <sup>2</sup>	35.5 <sup>2</sup>	1.0
B	1,920	419	3,748	4.5	37.4	37.4	38.1	0.7
C	2,250	500	4,449	3.8	37.4	37.4	38.4	1.0
D	2,430	480	2,863	5.9	37.4	37.4	38.4	1.0
E	2,874	201	2,155	7.8	37.6	37.6	38.5	0.9
F	3,204	270	2,372	7.1	38.4	38.4	39.1	0.7
G	3,604	237	2,475	6.8	39.0	39.0	39.6	0.6
H	4,264	217	1,660	10.1	39.6	39.6	40.1	0.5
I	5,470	500	2,049	8.2	42.7	42.7	43.2	0.5
J	5,830	530	2,569	6.5	43.6	43.6	44.6	1.0
K	6,208	600	2,418	6.9	44.9	44.9	45.2	0.3
L	6,840	600	1,937	8.7	46.3	46.3	46.8	0.5
M	7,292	590	2,497	6.7	47.9	47.9	48.9	1.0
N	7,708	550	2,374	7.1	49.0	49.0	49.6	0.6
O	8,274	304	1,418	11.8	51.2	51.2	51.5	0.3
P	8,904	540	2,555	6.6	54.5	54.5	55.0	0.5
Q	9,424	500	2,130	7.9	55.7	55.7	55.9	0.2
R	10,114	239	1,272	13.2	57.5	57.5	57.7	0.2
S	10,440	230	1,650	10.2	59.4	59.4	60.2	0.8
T	10,924	400	2,838	5.9	60.9	60.9	61.9	1.0
U	11,444	371	2,147	7.8	61.3	61.3	62.1	0.8
V	11,904	466	2,895	5.8	62.6	62.6	63.3	0.7
W	12,474	258	1,312	12.8	64.4	64.4	64.8	0.4
X	13,154	229	1,307	12.9	71.2	71.2	71.2	0.0
Y	13,310	100	956	17.6	71.8	71.8	71.8	0.0
Z	13,420	89	925	18.2	73.8	73.8	73.8	0.0

<sup>1</sup>Feet Above Mouth

<sup>2</sup>Elevation Computed Without Consideration of Influence From Soledad Canyon

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Los Penasquitos Creek (Cont'd)									
AA	13,590	360	5,583	3.0	79.4	79.4	79.4	0.0	
AB	14,094	440	6,353	2.6	79.5	79.5	79.5	0.0	
AC	14,392	469	5,824	2.9	79.5	79.5	79.5	0.0	
AD	15,206	426	4,100	4.1	79.6	79.6	79.6	0.0	
AE	15,836	539	4,036	4.2	79.8	79.8	79.9	0.1	
AF	16,595	503	1,716	9.8	80.6	80.6	80.6	0.0	
AG	16,835	740	2,017	8.3	81.9	81.9	81.9	0.0	
AH	17,145	331	1,738	9.7	83.4	83.4	83.4	0.0	
AI	17,495	201	1,196	14.0	84.4	84.4	84.9	0.5	
AJ	17,811	158	1,286	13.1	86.6	86.6	87.6	1.0	
AK	18,241	94	940	17.9	90.5	90.5	91.4	0.9	
AL	18,706	130	1,080	15.6	103.2	103.2	103.9	0.7	
AM	19,150	89	943	17.8	106.9	106.9	107.8	0.9	
AN	19,514	137	1,099	15.3	110.9	110.9	111.5	0.6	
AO	19,858	125	1,056	15.9	116.6	116.6	116.6	0.0	
AP	20,018	138	1,053	16.0	119.6	119.6	119.6	0.0	
AQ	20,234	75	871	19.3	140.9	140.9	140.9	0.0	
AR	20,378	140	1,106	15.2	151.7	151.7	151.7	0.0	
AS	20,544	330	2,087	8.0	155.4	155.4	155.4	0.0	
AT	20,824	588	1,957	8.6	156.3	156.3	156.3	0.0	
AU	21,050	510	2,393	7.0	158.5	158.5	158.5	0.0	
AV	21,214	537	2,734	6.1	159.3	159.3	160.1	0.8	
AW	21,480	619	3,092	5.4	160.7	160.7	161.4	0.7	
AX	21,806	319	1,851	9.1	161.7	161.7	162.1	0.4	
AY	22,091	529	2,075	8.1	163.7	163.7	163.7	0.0	
AZ	22,401	615	3,537	4.8	166.5	166.5	166.6	0.1	

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Los Penasquitos Creek (Cont'd)									
BA	22,744	805	3,144	5.3	167.2	167.2	167.3	0.1	
BB	23,030	489	2,139	7.9	168.1	168.1	168.1	0.0	
BC	23,373	477	2,074	8.1	170.0	170.0	170.6	0.6	
BD	23,717	514	3,037	5.5	172.5	172.5	173.0	0.5	
BE	24,041	380	1,900	8.8	174.0	174.0	174.7	0.7	
BF	24,327	388	2,229	7.5	177.5	177.5	178.0	0.5	
BG	24,463	465	2,559	6.6	178.3	178.3	178.8	0.5	
BH	24,630	490	2,869	5.9	179.1	179.1	179.7	0.6	
BI	24,916	340	1,798	9.3	180.2	180.2	180.6	0.4	
BJ	25,242	527	2,438	6.9	183.8	183.8	184.4	0.6	
BK	25,552	737	3,278	5.1	186.3	186.3	186.9	0.6	
BL	25,852	716	2,768	6.1	188.2	188.2	188.7	0.5	
BM	26,162	701	3,730	4.5	190.2	190.2	190.8	0.6	
BN	26,452	587	4,037	4.2	191.0	191.0	191.6	0.6	
BO	26,768	502	2,564	6.6	191.9	191.9	192.5	0.6	
BP	27,054	505	2,853	5.9	193.9	193.9	194.5	0.6	
BQ	27,220	472	2,527	6.6	194.9	194.9	195.5	0.6	
BR	27,360	597	3,687	4.6	195.8	195.8	196.5	0.7	
BS	27,643	488	1,833	9.2	199.3	199.3	199.7	0.4	
BT	27,957	539	3,133	5.4	202.5	202.5	203.2	0.7	
BU	28,261	573	4,178	4.0	203.5	203.5	204.2	0.7	
BV	28,551	583	4,004	4.2	203.9	203.9	204.6	0.7	
BW	28,551	565	3,317	5.1	204.3	204.3	205.0	0.7	
BX	29,155	346	1,489	11.3	205.5	205.5	205.9	0.4	
BY	29,451	559	3,367	5.0	208.4	208.4	209.3	0.9	
BZ	29,767	461	2,919	5.8	209.5	209.5	210.2	0.7	

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY			BASE SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Los Penasquitos Creek (Cont'd)								
CA	30,057	465	2,145	7.8	210.9	210.9	211.5	0.6
CB	30,183	539	3,483	4.8	212.3	212.3	212.9	0.6
CC	30,353	631	3,417	4.9	212.8	212.8	213.4	0.6
CD	30,643	548	2,799	6.0	213.7	213.7	214.2	0.5
CE	30,943	462	2,087	8.0	214.8	214.8	215.3	0.5
CF	31,249	477	3,271	5.1	217.2	217.2	217.8	0.6
CG	31,545	623	3,205	5.2	218.3	218.3	218.8	0.5
CH	31,855	593	3,522	4.8	219.9	219.9	220.0	0.1
CI	32,149	636	1,993	8.4	222.0	222.0	222.2	0.2
CJ	32,623	359	2,208	7.6	226.1	226.1	226.1	0.0
CK	32,769	357	2,524	6.7	226.6	226.6	227.0	0.4
CL	33,032	391	2,507	6.7	227.3	227.3	228.1	0.8
CM	33,296	391	1,545	10.9	229.3	229.3	229.5	0.2
CN	33,642	497	3,505	4.8	231.5	231.5	232.3	0.8
CO	34,172	636	1,909	8.8	232.8	232.8	233.2	0.4
CP	34,528	814	2,798	6.0	235.7	235.7	236.3	0.6
CQ	34,818	823	2,847	5.9	236.9	236.9	237.4	0.5
CR	35,146	889	3,361	5.0	238.0	238.0	238.6	0.6
CS	35,456	499	1,646	10.2	239.0	239.0	239.2	0.2
CT	35,728	763	3,109	5.4	241.1	241.1	242.0	0.9
CU	35,998	652	2,609	6.4	242.2	242.2	242.8	0.6
CV	36,230	515	1,986	8.5	243.0	243.0	243.5	0.5
CW	36,534	334	1,509	11.1	245.3	245.3	245.7	0.4
CX	36,838	473	2,434	6.9	248.2	248.2	248.9	0.7
CY	37,388	472	2,748	6.1	250.1	250.1	250.6	0.5
CZ	37,696	266	1,348	12.5	252.9	252.9	253.2	0.3

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY			BASE SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Los Penasquitos Creek (Cont'd)								
DA	38,216	141	1,146	14.7	257.4	257.4	257.8	0.4
DB	38,716	119	1,053	16.0	261.9	261.9	262.0	0.1
DC	39,216	189	1,556	10.8	267.6	267.6	267.6	0.0
DD	39,807	97	940	17.9	270.0	270.0	270.1	0.1
DE	40,237	138	1,542	10.9	275.4	275.4	276.0	0.6
DF	40,667	222	1,506	11.2	277.5	277.5	278.0	0.5
DG	40,841	153	1,118	15.0	279.6	279.6	279.9	0.3
DH	41,105	112	991	17.0	283.0	283.0	283.0	0.0
DI	41,855	162	1,729	9.7	289.4	289.4	290.4	1.0
DJ	42,359	116	1,019	16.5	293.5	293.5	293.6	0.1
DK	42,913	187	1,678	10.0	299.2	299.2	300.2	1.0
DL	43,293	121	1,137	14.8	301.0	301.0	301.9	0.9
DM	43,845	83	943	17.8	308.8	308.8	308.8	0.0
DN	44,475	132	1,698	9.1	315.7	315.7	316.7	1.0
DO	44,835	245	2,427	6.3	317.6	317.6	318.4	0.8
DP	45,315	231	1,506	10.2	319.3	319.3	319.8	0.5
DQ	45,745	177	1,343	11.5	321.7	321.7	322.3	0.6
DR	46,000	149	1,410	10.9	323.2	323.2	324.0	0.8
DS	46,300	156	1,327	11.6	324.6	324.6	325.2	0.6
DT	46,475	169	1,510	10.2	326.5	326.5	327.1	0.6
DU	46,715	118	1,032	14.9	328.2	328.2	328.2	0.0
DV	47,115	79	895	17.2	334.3	334.3	334.3	0.0
DW	47,555	92	1,230	12.5	339.5	339.5	340.5	1.0
DX	47,765	75	856	18.0	341.0	341.0	341.1	0.1
DY	48,020	107	1,148	12.2	345.5	345.5	345.5	0.0
DZ	48,242	274	3,247	4.3	353.3	353.3	353.3	0.0

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 LOS PENASQUITOS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
Los Penasquitos Creek (Cont'd)	EA	48,609	305	3,528	4.0	353.4	353.4	0.0
	EB	49,008	231	2,772	5.0	353.5	353.5	0.0
	EC	49,288	203	2,513	5.6	353.6	353.6	0.0
	ED	49,635	255	2,553	5.5	354.0	354.0	0.0
	EE	49,842	369	1,990	7.0	354.4	354.4	0.0
	EF	50,709	519	3,009	4.7	356.4	356.4	0.0
	EG	51,278	411	2,110	6.6	365.3	365.3	0.0
	EH	51,637	485	2,673	5.2	367.1	367.1	0.0
	EI	52,272	476	3,376	4.1	368.3	368.3	0.0
	EJ	52,641	297	2,408	5.8	369.0	369.0	0.0
	EK	53,096	114	883	15.9	372.7	372.7	0.0
	EL	53,310	200	2,181	6.4	377.2	377.2	0.0
	EM	55,543	148	1,366	10.2	395.7	395.7	0.0
	EN	56,039	201	1,477	19.5	398.5	398.5	0.0
EO	56,452	139	1,354	10.3	401.0	401.0	0.0	
EP	56,930	94	897	15.6	403.9	403.9	0.2	

<sup>1</sup>Feet Above Mouth



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Lusardi Creek	0.0	95	443	8.4	49.4	49.4	50.4	1.0	
A	566	31	295	12.7	57.4	57.4	57.7	0.3	
B	1,026	113	896	4.2	67.2	67.2	67.8	0.6	
C	1,682	98	653	5.7	75.0	75.0	75.6	0.6	
D	2,278	61	397	9.4	83.0	83.0	83.8	0.8	
E	2,964	73	604	6.2	90.0	90.0	90.8	0.8	
F	3,610	37	341	11.0	99.5	99.5	100.3	0.8	
G	4,272	44	371	10.1	109.9	109.9	110.5	0.6	
H	4,974	59	413	9.1	124.5	124.5	125.4	0.9	
I	5,486	47	430	8.7	133.5	133.5	133.8	0.3	
J									

<sup>1</sup>Feet Upstream From the Confluence With the San Dieguito River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

LUSARDI CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Mexican Canyon Creek	1,143 <sup>1</sup>	137	338	6.7	375.5	375.5	375.5	0.0	
	2,583 <sup>1</sup>	48	186	12.1	401.8	401.8	401.8	0.0	
	3,326 <sup>1</sup>	48	194	11.6	413.7	413.7	413.7	0.0	
	4,846 <sup>1</sup>	138	328	5.9	446.5	446.5	447.5	1.0	
	6,130 <sup>1</sup>	42	151	11.0	467.3	467.3	467.3	0.0	
	6,926 <sup>1</sup>	57	348	3.2	491.5	491.5	491.5	0.0	
	8,460 <sup>1</sup>	63	139	8.1	535.6	535.6	535.7	0.1	
	9,576 <sup>1</sup>	81	141	7.9	575.4	575.4	575.4	0.0	
	9,722 <sup>1</sup>	45	178	6.3	583.8	583.8	584.4	0.6	
Mexican Canyon Creek Overflow	968 <sup>2</sup>	149	261	7.5	431.5	431.5	431.6	0.1	

<sup>1</sup>Feet Above Confluence with Sweetwater River      <sup>2</sup>Feet Above Confluence with Mexican Canyon Creek

<b>FEDERAL EMERGENCY MANAGEMENT AGENCY</b> <b>SAN DIEGO COUNTY, CA</b> <b>AND INCORPORATED AREAS</b>	<b>FLOODWAY DATA</b>
<b>MEXICAN CANYON CREEK - MEXICAN CANYON CREEK OVERFLOW</b>	

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Moosa Creek	0	96	643	4.9	1,409.2	1,409.2	1,409.2	0.7
	26	103	492	6.3	1,409.9	1,409.9	1,409.9	0.0
	266	102	443	7.0	1,415.8	1,415.8	1,416.8	1.0
	676	80	287	10.9	1,433.4	1,433.4	1,433.4	0.0
	1,036	93	4.1	7.8	1,450.0	1,450.0	1,450.4	0.4
	1,436	66	443	7.1	1,456.0	1,456.0	1,456.5	0.5
	1,626	94	363	8.6	1,458.8	1,458.8	1,459.1	0.3
	1,686	132	750	4.2	1,463.0	1,463.0	1,463.0	0.0
	1,966	134	478	6.5	1,465.5	1,465.5	1,465.8	0.3
	2,181	122	608	5.1	1,469.6	1,469.6	1,470.6	1.0
	2,491	156	455	6.9	1,479.0	1,479.0	1,479.1	0.1
	2,641	115	460	6.8	1,485.7	1,485.7	1,486.1	0.4
	2,681	134	605	5.2	1,491.5	1,491.5	1,491.5	0.0
	2,911	115	531	5.9	1,495.0	1,495.0	1,495.8	0.8
	3,221	86	562	5.6	1,498.1	1,498.1	1,499.0	0.9
	3,741	51	321	9.7	1,505.0	1,505.0	1,506.0	1.0
	4,236	110	632	4.9	1,518.6	1,518.6	1,519.5	0.9
	4,296	114	689	4.5	1,520.2	1,520.2	1,520.2	0.0
	4,676	110	440	7.1	1,522.8	1,522.8	1,523.1	0.3
	5,156	118	488	6.4	1,529.5	1,529.5	1,530.5	1.0
	5,591	58	288	8.3	1,534.9	1,534.9	1,535.8	0.9
	5,961	61	219	10.9	1,545.6	1,545.6	1,545.6	0.0
	6,341	73	237	10.0	1,555.7	1,555.7	1,555.9	0.2
	6,371	80	378	6.3	1,560.0	1,560.0	1,560.1	0.1
	6,411	85	441	5.4	1,563.1	1,563.1	1,563.1	0.0
	6,791	122	360	6.6	1,564.5	1,564.5	1,565.1	0.6

<sup>1</sup>Feet Above Unnamed Road

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Moosa Creek (Cont'd)	7,136	150	310	7.7	1,572.2	1,572.2	1,572.4	0.2	
	7,166	155	756	3.1	1,575.4	1,575.4	1,576.1	0.7	
	7,556	235	819	2.9	1,575.8	1,575.8	1,576.6	0.8	
	7,936	405	455	5.2	1,580.6	1,580.6	1,580.7	0.1	
	8,406	340	584	4.1	1,593.0	1,593.0	1,593.0	0.0	
	8,438	306	776	3.1	1,595.8	1,595.8	1,595.8	0.0	
	8,818	266	379	6.3	1,598.7	1,598.7	1,598.8	0.1	
	9,398	75	18	1.4	1,610.6	1,610.6	1,610.7	0.1	
	9,718	21	13	1.9	1,615.1	1,615.1	1,615.1	0.0	
	10,268	7	11	2.2	1,620.5	1,620.5	1,620.6	0.1	
	10,857	201	200	4.8	1,632.4	1,632.4	1,632.4	0.0	
	10,867	205	372	2.6	1,632.5	1,632.5	1,632.6	0.1	
	11,367	300	661	3.1	1,637.2	1,637.2	1,638.1	0.9	
	11,997	80	394	7.0	1,647.8	1,647.8	1,648.5	0.7	
	12,317	141	531	4.0	1,656.6	1,656.6	1,656.6	0.0	
	12,352	121	459	4.8	1,657.6	1,657.6	1,657.6	0.0	

<sup>1</sup>Feet Above Unnamed Road

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Moosa Creek (South Branch)	A	555	409	5.8	1,608.8	1,608.8	1,609.3	0.5	
	B	845	386	3.4	1,611.8	1,611.8	1,612.3	0.5	
	C	1,360	194	6.8	1,618.3	1,618.3	1,618.7	0.4	
	D	1,924	275	4.8	1,627.7	1,627.7	1,627.8	0.1	
	E	1,934	280	3.3	1,628.1	1,628.1	1,628.3	0.2	

<sup>1</sup>Feet Above Unnamed Road

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 MOOSA CREEK (SOUTH BRANCH)

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Murphy Canyon Creek								
A	2,961	73	271	10.7	93.3	93.3	93.3	0.0
B	4,544	52	216	12.0	112.8	112.8	112.8	0.0
C	6,088	50	240	10.4	116.8	116.8	116.8	0.0
D	6,460	56	211	11.4	118.1	118.1	118.1	0.0
E	7,308	80	228	10.1	124.1	124.1	124.1	0.0
F	9,222	77	1,021	2.9	160.4	160.4	160.4	0.0
G	10,936	111	272	9.0	171.9	171.9	171.9	0.0
H	11,376	191	310	7.7	176.9	176.9	176.9	0.0
I	11,674	132	182	3.8	178.7	178.7	178.7	0.0
J	12,064	13	132	18.2	185.1	185.1	185.1	0.0
K	13,546	86	373	4.6	208.1	208.1	208.1	0.0
L	14,992	42	140	12.1	221.7	221.7	221.7	0.0
M	15,262	34	96	10.4	228.4	228.4	228.4	0.0
N	16,388	39	95	10.5	244.2	244.2	244.2	0.0
O	16,719	42	182	5.5	251.0	251.0	251.0	0.0

<sup>1</sup>Feet Above Friars Road

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 MURPHY CANYON CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Nestor Creek A B C D E F G H I J K L M	2,000	52	262	4.2	12.9	12.12	12.22	0.1
	3,000	160	637	1.7	13.4	12.72	13.42	0.7
	3,988	28	230	4.7	14.0	12.72	13.42	0.7
	5,772	68	482	1.8	16.8	16.8	17.1	0.3
	7,500	100	479	1.7	17.2	17.2	17.7	0.5
	8,000	100	433	1.8	17.2	17.2	17.8	0.6
	8,310	50	294	2.4	17.7	17.7	18.2	0.5
	8,760	64	249	2.8	18.1	18.1	18.5	0.4
	9,400	39	111	6.3	20.7	20.7	20.7	0.0
	9,700	127	535	0.9	25.8	25.8	25.8	0.0
	10,180	21	174	2.8	25.8	25.8	25.8	0.0
	10,300	80	421	1.2	26.2	26.2	26.2	0.0
	10,500	110	406	1.2	26.2	26.2	26.2	0.0

<sup>1</sup>Feet Above Confluence With Otay River

<sup>2</sup>Elevation Computed Without Consideration of Influence from Otay River

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**NESTOR CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
North Branch Poway Creek	500	43	245	1.6	552.7	552.7	553.0	0.3
	1,285	36	143	4.0	555.4	555.4	556.0	0.6
	2,150	297	589	4.0	561.9	561.9	562.6	0.7
	3,255	93	349	8.6	573.8	573.8	574.2	0.4
	3,955	89	298	10.1	581.4	581.4	581.7	0.3

<sup>1</sup>Feet Above Confluence With Poway Creek



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
North Tributary to Santa Maria Creek	1,490	650	3,838	0.3	1,371.2	1,371.2	1,372.0	0.8
	2,040	205	1,070	1.0	1,371.2	1,371.2	1,372.0	0.8
	2,780	240	680	1.6	1,371.3	1,371.3	1,372.3	1.0
	2,890	265	1,154	1.0	1,373.3	1,373.3	1,374.2	0.9
	3,170	129	466	2.4	1,373.3	1,373.3	1,374.3	1.0
	3,920	195	376	2.9	1,376.9	1,376.9	1,377.9	1.0

<sup>1</sup>Feet Above Confluence With Santa Maria Creek

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Olive Creek									
A	455	132	232	5.9	699.3	697.4 <sup>2</sup>	698.4 <sup>2</sup>	1.0	
B	605	171	254	5.4	699.8	699.8	700.2	0.4	
C	828	256	314	4.4	702.1	702.1	702.8	0.7	
D	1,078	135	207	6.6	706.3	706.3	706.4	0.1	
E	1,232	163	232	5.9	708.7	708.7	708.7	0.0	
F	1,692	170	238	5.8	713.7	713.7	714.2	0.5	
G	2,237	180	235	5.8	723.8	723.8	724.4	0.6	
H	2,627	238	282	4.8	730.3	730.3	731.1	0.8	
I	2,892	243	292	4.7	737.7	737.7	737.8	0.1	

<sup>1</sup>Feet Above Confluence With Twin Oaks Valley Creek

<sup>2</sup>Elevation Computed Without Consideration of Backwater Effects From Twin Oaks Valley Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**OLIVE CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
<b>Otay River</b>								
A	0	2,533	4,688	4.7	11.0	11.0	11.0	0.0
B	1,390	2,110	9,474	2.3	13.0	13.0	13.9	0.9
C	2,490	2,300	4,084	5.4	14.1	14.1	14.6	0.5
D	3,720	1,762	7,917	2.8	16.0	16.0	16.7	0.7
E	4,040	642	1,928	11.4	17.1	17.1	17.2	0.1
F	4,270	722	3,819	5.8	18.4	18.4	18.4	0.0
G	5,100	641	2,883	7.6	21.8	21.8	21.8	0.0
H	5,350	360	1,767	12.4	23.5	23.5	23.5	0.0
I	5,390	320	2,711	8.1	25.8	25.8	25.8	0.0
J	5,500	304	2,359	9.3	26.7	26.7	26.7	0.0
K	5,600	440	4,010	5.5	28.6	28.6	28.6	0.0
L	5,880	740	4,511	4.9	28.6	28.6	28.6	0.0
M	6,280	1,020	7,451	2.9	28.7	28.7	29.3	0.6
N	6,610	1,225	7,933	2.8	28.7	28.7	29.5	0.8
O	7,012	1,243	4,824	4.6	30.6	30.6	30.7	0.1
P	7,330	1,035	3,833	5.7	31.1	31.1	31.6	0.5
Q	7,670	1,204	6,208	3.5	32.1	32.1	33.1	1.0
R	8,780	451	3,132	7.0	34.2	34.2	35.1	0.9
S	8,875	432	2,553	8.6	34.4	34.4	35.4	1.0
T	9,525	1,060	7,231	3.0	37.5	37.5	37.7	0.2
U	10,375	1,110	9,424	2.3	37.9	37.9	38.1	0.2
V	11,275	935	8,841	2.5	38.1	38.1	38.3	0.2
W	11,825	917	8,300	2.6	38.1	38.1	38.4	0.3
X	12,085	670	6,494	3.4	38.2	38.2	38.5	0.3
Y	12,395	403	1,798	12.2	40.7	40.7	40.7	0.0
Z	12,579	476	3,279	6.8	43.2	43.2	43.2	0.0

<sup>1</sup>Feet Above Cross Section A

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
Otay River (Cont'd)								
AA	12,959	540	4,145	5.3	43.5	43.5	43.8	0.3
AB	13,789	503	3,304	6.7	44.0	44.0	45.0	1.0
AC	14,839	675	4,992	4.4	46.2	46.2	46.8	0.6
AD	15,349	455	1,940	11.3	46.8	46.8	46.8	0.0
AE	16,049	455	2,241	9.8	52.7	52.7	53.4	0.7
AF	16,249	462	3,144	7.0	55.1	55.1	55.1	0.0
AG	16,529	447	3,490	6.3	55.7	55.7	55.8	0.1
AH	16,769	446	2,434	9.0	56.0	56.0	56.1	0.1
AI	16,979	415	2,063	10.7	56.9	56.9	57.1	0.2
AJ	17,149	382	2,053	10.7	59.0	59.0	59.0	0.0
AK	17,669	442	2,432	9.0	61.6	61.6	62.6	1.0
AL	18,109	430	1,969	11.2	66.0	66.0	66.6	0.6
AM	18,969	595	2,383	9.2	74.4	74.4	75.2	0.8
AN	19,039	586	3,840	5.7	75.4	75.4	76.3	0.9
AO	19,259	610	3,518	6.2	76.0	76.0	76.6	0.6
AP	19,349	572	2,298	9.6	76.0	76.0	76.6	0.6
AQ	19,704	442	2,695	8.2	79.2	79.2	79.2	0.0
AR	20,174	448	3,705	5.9	81.0	81.0	81.0	0.0
AS	20,674	381	2,873	7.7	81.7	81.7	81.8	0.1
AT	21,119	466	3,962	5.5	87.6	87.6	87.6	0.0
AU	21,469	690	2,565	8.6	88.0	88.0	88.0	0.0
AV	22,539	555	3,935	5.6	91.6	91.6	91.8	0.2
AW	23,424	504	2,125	10.3	102.5	102.5	102.5	0.0
AX	23,969	635	6,358	3.4	104.7	104.7	104.7	0.0
AY	24,339	600	5,029	4.4	104.8	104.8	104.9	0.1
AZ	25,319	514	2,051	10.7	108.5	108.5	109.0	0.5

<sup>1</sup>Feet Above Cross Section A

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Otay River (Cont'd)	25,919	635	3,380	6.5	112.6	112.6	113.3	0.7
	26,489	665	4,846	4.5	114.0	114.0	114.7	0.7
	27,534	713	2,379	9.2	115.5	115.5	116.5	1.0
	28,094	571	3,241	6.8	121.1	121.1	122.0	0.9
	28,284	590	1,599	13.8	123.1	123.1	123.1	0.0
	28,629	564	4,085	5.4	126.7	126.7	127.0	0.3
	28,959	574	3,466	6.3	126.9	126.9	127.4	0.5
	29,259	580	5,340	4.1	127.2	127.2	128.2	1.0
	29,429	600	2,128	10.3	129.6	129.6	129.6	0.0
	29,619	630	4,329	5.1	131.2	131.2	131.6	0.4
	29,829	637	4,332	5.1	131.4	131.4	131.8	0.4
	30,404	650	5,548	4.0	131.8	131.8	132.5	0.7
	30,884	685	1,941	11.3	141.4	141.4	141.4	0.0
	30,964	833	6,336	3.5	142.9	142.9	143.6	0.7
	32,114	808	8,694	2.5	143.4	143.4	144.1	0.7
	33,074	520	3,145	7.0	143.5	143.5	144.1	0.6
	33,824	523	3,240	6.8	145.8	145.8	146.4	0.6
	34,664	515	2,703	8.1	149.2	149.2	149.4	0.2
	35,779	446	1,892	11.6	158.3	158.3	158.3	0.0
	36,599	520	3,324	6.6	163.8	163.8	163.9	0.1
37,049	406	3,069	7.2	164.9	164.9	165.0	0.1	
37,549	268	1,600	13.7	167.7	167.7	167.7	0.0	
37,749	280	2,171	10.1	170.7	170.7	170.7	0.0	
38,239	315	1,872	11.7	173.1	173.1	173.1	0.0	
38,479	380	2,002	11.0	175.6	175.6	175.6	0.0	
38,829	462	2,865	7.7	178.2	178.2	178.4	0.2	

<sup>1</sup>Feet Above Cross Section A

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 OTAY RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Otay River (Cont'd)	39,629	762	5,569	3.9	179.3	179.3	180.3	1.0
	41,309	741	3,587	6.1	182.1	182.1	182.3	0.2
	42,409	501	2,035	10.8	190.1	190.1	190.4	0.3
	43,509	873	4,522	4.9	195.8	195.8	196.2	0.4
	44,789	1,110	3,708	5.9	199.7	199.7	199.7	0.0
	45,989	579	2,484	8.9	206.1	206.1	206.1	0.0
	46,789	794	5,009	4.4	209.0	209.0	209.2	0.2
	47,989	828	2,393	9.2	214.7	214.7	214.7	0.0
	48,989	1,155	2,657	8.3	229.2	229.2	229.2	0.0
	49,889	775	3,154	7.0	236.1	236.1	236.4	0.3
	50,189	615	2,112	10.4	237.9	237.9	238.2	0.3
	50,559	619	2,878	7.6	241.3	241.3	242.0	0.7
	50,909	415	2,577	8.5	243.0	243.0	243.6	0.6
	51,569	368	1,824	12.1	248.0	248.0	248.0	0.0
	52,049	390	2,923	7.5	252.4	252.4	253.0	0.6
	53,329	437	1,893	11.6	259.9	259.9	259.9	0.0
	53,499	454	1,919	11.5	261.8	261.8	261.8	0.0
	53,844	583	4,261	5.2	264.3	264.3	265.1	0.8
	54,234	659	5,891	3.7	264.6	264.6	265.6	1.0
	54,694	518	4,336	5.1	264.9	264.9	265.8	0.9
	54,974	370	3,002	7.3	265.0	265.0	265.9	0.9
	55,074	321	2,174	10.1	265.0	265.0	265.9	0.9
	55,154	297	1,777	12.4	265.2	265.2	265.9	0.7
	55,254	295	2,419	9.1	267.5	267.5	267.5	0.0
	55,524	203	1,668	13.2	167.7	167.7	167.8	0.1
	55,604	165	1,361	16.2	269.0	269.0	269.0	0.0

<sup>1</sup>Feet Above Cross Section A

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Otay River (Cont'd)	55,774	119	1,212	18.1	270.4	270.4	270.4	0.0
	55,934	76	1,041	21.1	278.9	278.9	278.9	0.0
	56,144	145	1,291	17.0	286.4	286.4	286.4	0.0
	56,314	103	1,155	19.0	293.7	293.7	293.7	0.0
	56,564	109	1,425	15.4	297.7	297.7	297.7	0.0
	56,754	94	1,126	19.5	298.1	298.1	298.1	0.0
	56,914	89	1,111	19.8	303.9	303.9	303.9	0.0
	57,124	114	1,186	18.5	311.2	311.2	311.2	0.0
	57,304	128	1,247	17.6	316.2	316.2	316.2	0.0
	57,884	104	1,145	19.2	330.0	330.0	330.0	0.0
	58,364	164	1,341	16.4	339.9	339.9	339.9	0.0
	58,724	150	1,311	16.8	345.2	345.2	345.2	0.0
	59,494	229	2,900	7.6	353.0	353.0	353.0	0.0
	59,914	141	1,328	16.6	353.8	353.8	353.8	0.0
	60,034	165	2,114	10.4	357.6	357.6	357.6	0.0
	60,314	161	1,360	16.2	357.6	357.6	357.6	0.0
	60,564	195	1,515	14.5	363.1	363.1	363.1	0.0
	60,934	196	1,427	15.4	371.5	371.5	371.5	0.0
	61,114	161	1,361	16.2	373.2	373.2	373.2	0.0
	62,014	301	4,226	5.2	379.1	379.1	379.1	0.0

<sup>1</sup>Feet Above Cross Section A

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

OTAY RIVER

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Pala Mesa Creek	A	265	276	6.2	310.4	310.4	311.4	1.0	
	B	300	144	11.8	311.5	311.5	311.5	0.0	
	C	680	456	3.7	316.5	316.5	317.3	0.8	
	D	965	2,466	0.7	316.7	316.7	317.7	1.0	
	E	1,515	690	2.5	317.4	317.4	317.9	0.5	
	F	1,820	564	5.0	321.4	321.4	321.4	0.0	
	G	2,055	548	4.0	324.3	324.3	324.3	0.0	
	H	2,235	634	4.7	327.6	327.6	327.7	0.1	
	I	2,815	449	3.5	340.6	340.6	341.4	0.8	
	J	3,205	225	6.5	347.9	347.9	347.9	0.0	
	K	3,495	197	3.9	353.7	353.7	353.8	0.1	
	L	3,750	153	3.7	358.0	358.0	358.0	0.0	
	M	4,120	185	5.5	363.7	363.7	363.7	0.0	
	N	4,555	298	2.8	370.9	370.9	371.8	0.9	
	O	4,840	175	4.4	377.0	377.0	377.7	0.7	
	P	5,215	217	4.5	384.1	384.1	384.1	0.0	
	Q	5,485	78	7.7	387.4	387.4	387.7	0.3	
	R	5,730	58	172	9.9	389.3	389.3	389.4	0.1
	S	6,030	48	166	10.3	397.3	397.3	397.7	0.4
	T	6,430	37	152	11.2	412.8	412.8	413.0	0.2
	U	6,845	53	178	9.6	430.2	430.2	430.5	0.3
	V	7,180	25	130	13.1	442.5	442.5	442.7	0.2

<sup>1</sup>Feet Above Interstate Highway 15

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 PALA MESA CREEK



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Paradise Creek</b>								
A	1.950	165	--2	--2	12.6	12.6	12.6	0.0
B	2.100	225	--2	--2	15.4	15.4	15.4	0.0
C	3.880	200	289	5.2	116.0	116.0	116.4	0.4
D	3.960	50	159	9.4	120.7	120.7	121.1	0.4
E	4.080	50	145	10.3	128.0	128.0	129.0	1.0
F	4.270	185	--2	--2	--2	143.0	143.0	--2
G	4.370	125	--2	--2	--2	147.8	147.8	--2
H	4.480	80	--2	--2	--2	154.3	154.3	--2
I	4.620	50	--2	--2	--2	161.6	161.6	--2

<sup>1</sup>Miles Above Mouth      <sup>2</sup>Data Not Available

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Pilgrim Creek	1,260	53	414	6.8	52.0	52.0	52.3	0.3	
A	1,861	40	391	7.2	52.9	52.9	53.3	0.4	
B	2,155	45	461	6.1	54.3	54.3	54.7	0.4	
C	2,560	59	503	4.0	54.8	54.8	55.2	0.4	
D	2,773	41	457	4.4	55.5	55.5	55.9	0.4	
E	3,205	57	512	3.9	55.6	55.6	56.0	0.4	
F	3,505	53	451	4.5	55.7	55.7	56.1	0.4	
G	3,905	56	460	4.4	56.0	56.0	56.4	0.4	
H	4,368	58	533	3.8	56.4	56.4	56.8	0.4	
I	4,845	53	551	3.7	56.7	56.7	57.0	0.3	
J	5,145	45	495	4.1	56.8	56.8	57.2	0.4	
K	5,520	45	513	3.9	57.0	57.0	57.8	0.8	
L	5,910	106	742	2.7	57.2	57.2	58.2	1.0	
M									

<sup>1</sup>Feet Above Confluence With San Luis Rey River

T  
A  
B  
L  
E  
2

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 (SAN DIEGO CO.)

**FLOODWAY DATA**

PILGRIM CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Poggi Canyon Creek A B C D E F G H I	773	34	125	11.2	91.0	91.0	91.0	0.0	
	1,090	67	293	4.8	103.0	103.0	103.0	0.0	
	1,744	88	196	7.2	106.8	106.8	106.8	0.0	
	3,178	34	127	11.1	131.0	131.0	131.0	0.0	
	5,038	45	266	5.5	161.1	161.1	161.1	0.0	
	5,852	34	127	11.1	164.7	164.7	164.7	0.0	
	7,038	63	573	2.4	188.1	188.1	188.1	0.0	
	7,463	41	126	10.1	189.0	189.0	189.0	0.0	
	8,838	41	186	6.9	204.9	204.9	204.9	0.0	

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 POGGI CANYON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Pomerado Creek	A	55	332	8.7	432.1	432.1	432.9	0.8
	B	827	458	6.3	435.6	435.6	436.3	0.7
	C	1,875	485	6.0	449.3	449.3	449.3	0.0
	D	2,085	53	8.6	449.8	449.8	450.2	0.4
	E	2,740	100	6.10	456.7	456.7	457.6	0.9
	F	3,030	145	4.13	457.5	457.5	457.5	0.0
	G	3,509	160	5.98	461.4	461.4	462.1	0.7
	H	3,940	166	3.10	462.8	462.8	462.8	0.0
	I	4,500	67	2.29	466.6	466.6	466.6	0.0
	J	5,065	39	2.12	472.9	472.9	472.9	0.0
	K	5,720	158	3.58	477.1	477.1	477.6	0.5
	L	6,550	152	3.00	485.9	485.9	486.3	0.4
	M	7,305	139	2.72	493.9	493.9	494.5	0.6
	N	8,090	145	2.75	502.6	502.6	503.1	0.5
	O	8,755	42	2.07	508.1	508.1	508.3	0.2
	P	9,471	39	1.86	516.2	516.2	516.2	0.0

<sup>1</sup>Feet Above Confluence With Poway Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 POMERADO CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Poway Creek	A	190	1,426	9.8	408.0	408.0	408.0	0.0	
	B	680	2,083	6.7	412.1	412.1	412.2	0.1	
	C	1,310	1,421	9.9	416.5	416.5	416.5	0.0	
	D	2,125	1,074	11.2	423.6	423.6	424.0	0.4	
	E	2,870	2,265	5.3	428.0	428.0	428.5	0.5	
	F	3,430	1,237	7.8	430.8	430.8	430.8	0.0	
	G	4,290	917	10.6	433.4	433.4	433.5	0.1	
	H	4,900	245	10.3	440.8	440.8	440.8	0.0	
	I	6,195	285	6.6	449.7	449.7	449.7	0.0	
	J	7,090	193	9.6	454.8	454.8	454.8	0.0	
	K	8,060	195	7.2	458.2	458.2	458.2	0.0	
	L	9,620	111	6.54	470.6	470.6	470.6	0.0	
	M	10,410	109	6.75	476.6	476.6	476.6	0.0	
	N	11,585	90	4.56	489.7	489.7	489.7	0.0	
	O	12,490	200	7.72	495.7	495.7	496.5	0.8	
	P	13,140	--2	--2	--2	--2	--2	--2	--2
	Q	14,730	300	1,185	4.7	516.1	516.1	516.1	0.0
	R	16,030	382	938	6.0	520.7	520.7	520.7	0.0
	S	16,910	390	1,252	4.5	526.9	526.9	527.1	0.2
	T	17,590	518	1,471	3.8	529.9	529.9	530.2	0.3
	U	18,400	146	385	20.0	535.4	535.4	535.4	0.0
	V	19,490	242	635	8.8	542.2	542.2	542.4	0.2

<sup>1</sup>Feet Above the City of Poway Corporate Limits      <sup>2</sup>Data Not Available

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**POWAY CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Rainbow Creek (Main Branch)	A	0	591	8.1	1,028.3	1,028.3	1,029.3	1.0
	B	136	881	5.4	1,035.8	1,035.8	1,035.8	0.0
	C	170	690	7.0	1,035.9	1,035.9	1,035.9	0.0
	D	872	1,805	2.7	1,035.9	1,035.9	1,036.7	0.8
	E	1,216	1,973	2.4	1,036.2	1,036.2	1,037.0	0.8
	F	1,431	2,025	2.4	1,036.3	1,036.3	1,037.1	0.8
	G	1,494	2,035	2.4	1,036.3	1,036.3	1,037.1	0.8
	H	1,940	751	6.4	1,037.3	1,037.3	1,038.0	0.7
	I	2,480	741	6.5	1,041.2	1,041.2	1,042.2	1.0
	J	2,942	362	2.3	1,043.5	1,043.5	1,044.3	0.8
	K	3,092	527	2.1	1,043.6	1,043.6	1,044.4	0.8
	L	3,822	493	2.9	1,045.2	1,045.2	1,046.1	0.9
	M	4,112	280	3.4	1,045.7	1,045.7	1,046.7	1.0
	N	4,742	390	2.7	1,049.2	1,049.2	1,049.8	0.6
	O	5,212	478	3.5	1,050.1	1,050.1	1,050.9	0.8
	P	5,542	429	5.0	1,053.5	1,053.5	1,054.1	0.6
	Q	5,922	520	2.4	1,056.7	1,056.7	1,057.5	0.8
	R	6,955	174	6.1	1,060.9	1,060.9	1,061.6	0.7
	S	7,772	93	8.5	1,065.6	1,065.6	1,066.0	0.4
	T	8,170	70	9.8	1,068.7	1,068.7	1,068.7	0.0
U	8,904	42	257	13.7	1,073.4	1,073.4	1,073.4	0.0

<sup>1</sup>Feet Upstream of Interstate Highway 15

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Rainbow Creek (West Branch)	720	314	1,204	4.2	1,045.2	1,045.2	1,046.2	1.0	
A	1,130	68	273	9.6	1,047.3	1,047.3	1,047.6	0.3	
B	1,958	210	695	3.1	1,052.9	1,052.9	1,053.8	0.9	
C	2,258	250	384	5.5	1,055.9	1,055.9	1,055.9	0.0	
D	2,292	260	1,084	2.0	1,056.6	1,056.6	1,057.5	0.9	
E	2,357	234	999	2.1	1,058.1	1,058.1	1,058.2	0.1	
F	2,638	83	348	6.1	1,058.2	1,058.2	1,058.5	0.3	
G	2,937	105	357	6.0	1,059.2	1,059.2	1,060.1	0.9	
H	3,354	47	321	6.6	1,060.8	1,060.8	1,061.6	0.8	
I	3,670	42	180	11.9	1,064.2	1,064.2	1,064.2	0.0	
J	4,231	46	227	9.4	1,069.6	1,069.6	1,070.3	0.7	
K									

<sup>1</sup>Feet Above Confluence With Rainbow Creek (Main Branch)

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**RAINBOW CREEK (WEST BRANCH)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Rattlesnake Creek								
A	815	51	287	13.6	467.8	467.8	467.8	0.0
B	1,805	42	224	8.0	476.9 <sup>3</sup>	474.6	475.6	1.0
C	2,450	37	269	3.7	480.9	480.9	480.9	0.0
D	3,010	24	53	18.9	482.0	482.0	482.0	0.0
E	3,720	22	58	17.2	488.9	488.9	488.9	0.0
F	4,220	182	603	1.3	495.7	495.7	495.9	0.2
G	5,000	84	350	11.1	498.2	498.2	498.6	0.4
H	5,805	159	584	6.7	506.2	506.2	506.6	0.4
I	6,730	195	535	7.3	511.2	511.2	511.3	0.1
J	7,980	300	943	4.1	517.3	517.3	517.7	0.4
K	8,680	624	1,043	3.7	524.4	524.4	524.7	0.3
L	9,080	627/689 <sup>2</sup>	1,333	2.8	527.6	527.6	528.0	0.4
M	9,630	297/367 <sup>2</sup>	508	5.7	531.9	531.9	532.3	0.4
N	10,050	55/172 <sup>2</sup>	356	4.4	538.3	538.3	538.3	0.0
O	10,850	68	337	9.8	546.5	546.5	546.7	0.2
P	11,450	220	409	9.4	553.9	553.9	554.4	0.5
Q	12,245	88	392	8.4	558.2	558.2	558.2	0.0
R	13,040	280	711	7.5	567.1	567.1	567.4	0.3
S	13,670	240	607	5.4	571.6	571.6	572.1	0.5
T	14,430	230	1,431	2.3	580.9	580.9	580.9	0.0
U	15,440	261	429	6.1	586.1	586.1	586.1	0.0
V	16,330	200	379	6.9	596.9	596.9	596.9	0.0
W	17,090	130	315	8.3	608.7	608.7	608.7	0.0
X	18,030	90	289	9.0	626.2	626.2	626.2	0.0

<sup>1</sup>Feet Above Confluence With Poway Creek  
<sup>2</sup>Width/Width of Combined Floodway With Split Flow at Midland Road  
<sup>3</sup>Elevation Controlled by Split Flow at Heritage Hills

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 RATTLESNAKE CREEK



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	
Rattlesnake Creek- Split Flow at Heritage Hills	B	450	328	6.4	476.9	476.9	476.9	0.0
	C	1,220	274	7.7	483.7	483.7	483.7	0.0
	D	1,810	358	3.1	491.2	491.2	491.4	0.2
	E	2,600	502	5.8	494.8	494.8	494.8	0.0
	F	3,080	431	6.7	495.8	495.8	496.0	0.2
	Rattlesnake Creek- Split Flow at Midland Road	L	40	50	0.2	530.6	530.6	530.6
M		670	175	9.0	534.4	534.4	534.4	0.0
N		890	386	4.7	538.3	538.3	538.3	0.0
			62/689 <sup>2</sup> 70/367 <sup>2</sup> 117/172 <sup>2</sup>					

<sup>1</sup>Feet Above Convergence With Rattlesnake Creek      <sup>2</sup>Width/Width of Combined Floodway With Rattlesnake Creek

<b>FEDERAL EMERGENCY MANAGEMENT AGENCY</b> <b>SAN DIEGO COUNTY, CA</b> <b>AND INCORPORATED AREAS</b>	<b>FLOODWAY DATA</b>  RATTLESNAKE CREEK - SPLIT FLOW AT HERITAGE HILLS RATTLESNAKE CREEK - SPLIT FLOW AT MIDLAND ROAD
--	--

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Reidy Creek								
A	11,500	453	2,055	3.7	690.0	690.0	690.0	0.0
B	12,230	626	1,930	4.0	691.2	691.2	691.7	0.5
C	13,315	600	1,421	5.4	697.7	697.7	697.9	0.2
D	13,850	628	1,134	6.8	701.2	701.2	701.3	0.1
E	15,075	640	1,254	6.1	707.7	707.7	707.9	0.2
F	15,490	404	968	8.0	711.1	711.1	711.1	0.0
G	16,090	504	1,599	4.8	715.3	715.3	715.3	0.0
H	17,055	701	1,100	7.0	720.6	720.6	720.6	0.0
I	17,760	570	1,098	5.9	728.9	728.9	729.2	0.3
J	18,590	325	972	6.7	736.2	736.2	736.5	0.3
K	19,080	370	1,036	3.5	740.9	740.9	741.4	0.5
L	19,580	550	879	4.9	744.6	744.6	744.6	0.0
M	20,430	278	683	6.2	753.5	753.5	754.2	0.7
N	20,980	281	635	6.5	756.7	756.7	757.6	0.9
O	21,520	385	611	6.8	760.9	760.9	761.0	0.1
P	22,020	318	751	5.3	765.8	765.8	766.7	0.9
Q	22,365	366	778	5.1	468.3	768.3	768.6	0.3
R	22,630	275	549	7.3	770.6	770.6	770.7	0.1
S	22,830	100	386	10.4	775.2	775.2	775.2	0.0
T	23,205	270	609	6.6	778.8	778.8	779.6	0.8
U	23,465	330	651	6.1	781.5	781.5	781.6	0.1
V	23,645	380	1,013	3.9	783.4	783.4	783.6	0.2
W	23,920	485	1,117	3.6	784.5	784.5	784.5	0.0
X	24,240	545	690	4.9	786.4	786.4	786.5	0.1
Y	25,055	200	491	6.9	794.6	794.6	795.4	0.8
Z	25,545	140	421	8.1	799.1	799.1	799.9	0.8

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY			BASE FLOOD ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Reidy Creek (Cont'd)	25,860	200	450	7.5	802.8	802.8	802.9	0.1
	26,150	195	496	6.9	806.2	806.2	806.3	0.1
	26,440	300	528	6.4	810.2	810.2	810.3	0.1
	27,040	125	399	8.5	817.5	817.5	818.1	0.6
	27,830	150	418	8.1	827.4	827.4	828.0	0.6
	28,225	240	548	6.2	832.9	832.9	833.0	0.1
	29,100	76	264	10.6	840.2	840.2	840.2	0.0
	29,550	73	264	10.6	847.3	847.3	847.3	0.0
	30,110	528	679	4.1	853.9	853.9	854.0	0.1
	30,615	317	699	4.0	857.5	857.5	858.2	0.7
	30,935	170	378	7.4	863.2	863.2	863.4	0.2
	31,305	230	509	5.5	867.7	867.7	867.8	0.1
	31,630	180	411	6.8	870.0	870.0	870.1	0.1
	31,910	135	355	7.9	874.3	874.3	874.7	0.4
	32,230	218	457	6.1	877.2	877.2	877.7	0.5
	32,500	86	298	9.4	879.7	879.7	879.7	0.0
	33,045	176	265	6.0	886.4	886.4	886.6	0.2
33,310	240	377	4.2	888.9	888.9	889.2	0.3	
33,820	101	262	6.1	891.8	891.8	892.1	0.3	
34,195	100	213	7.5	895.2	895.2	895.2	0.0	
34,480	130	234	6.8	900.6	900.6	900.6	0.0	

<sup>1</sup>Feet Above Mouth

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY <sup>2</sup>	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Rice Canyon Creek A B	1,560	70	380	3.7	42.9	39.3	39.7	0.4
	1,978	45	182	7.7	45.2	40.1	40.3	0.2

<sup>1</sup>Feet Above Mouth      <sup>2</sup>Elevations Controlled by Influence From Sweetwater River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 RICE CANYON CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY		
Samagutuma Creek									
A	415	123	674	13.2	3,398.5	3,398.5	3,398.5	0.0	
B	665	125	669	13.3	3,400.8	3,400.8	3,400.8	0.0	
C	1,015	95	759	11.7	3,403.8	3,403.8	3,403.8	0.0	
D	1,525	70	553	16.1	3,408.7	3,408.7	3,408.7	0.0	
E	1,773	77	584	15.3	3,411.6	3,411.6	3,411.6	0.0	
F	1,873	69	553	16.1	3,426.1	3,426.1	3,426.1	0.0	
G	2,115	101	626	14.2	3,454.1	3,454.1	3,454.1	0.0	
H	2,445	92	804	11.1	3,457.5	3,457.5	3,457.5	0.0	
I	2,698	63	585	15.2	3,457.8	3,457.8	3,457.8	0.0	
J	2,896	85	751	11.8	3,460.5	3,460.5	3,460.5	0.0	
K	2,936	170	744	12.0	3,470.2	3,470.2	3,471.1	0.9	
L	3,126	120	663	13.4	3,475.6	3,475.6	3,476.6	1.0	
M	3,386	95	717	12.4	3,478.3	3,478.3	3,479.3	1.0	
N	3,536	92	611	14.6	3,480.0	3,480.0	3,480.1	0.1	
O	3,679	90	1,071	8.3	3,483.7	3,483.7	3,483.7	0.0	
P	3,899	90	1,062	8.4	3,483.7	3,483.7	3,483.7	0.0	
Q	4,174	64	534	16.7	3,488.1	3,488.1	3,488.1	0.0	
R	4,350	95	1,086	5.0	3,492.7	3,492.7	3,492.7	0.0	
S	4,412	125	486	11.1	3,495.7	3,495.7	3,495.7	0.0	
T	9,356	91	500	10.8	3,496.9	3,496.9	3,496.9	0.0	
U	5,043	91	588	9.2	3,498.0	3,498.0	3,498.0	0.0	
V	5,208	95	449	12.0	3,498.8	3,498.8	3,498.8	0.0	
W	5,901	103	576	9.4	3,504.5	3,504.5	3,504.5	0.0	
X	6,221	61	377	14.3	3,508.2	3,508.2	3,508.2	0.0	
Y	6,261	64	427	12.7	3,508.9	3,508.9	3,508.9	0.0	
Z	6,391	180	892	6.1	3,511.6	3,511.6	3,511.6	0.0	

<sup>1</sup>Feet Above Confluence With Sweetwater River (Descanso Area)

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Samagutuma Creek (Cont'd)	AA	6,781	433	12.5	3,515.8	3,515.8	3,515.8	0.0	
	AB	6,971	396	13.6	3,535.2	3,535.2	3,535.2	0.0	
	AC	7,791	437	12.3	3,549.4	3,549.4	3,549.4	0.0	
	AD	8,271	444	12.2	3,556.9	3,556.9	3,557.0	0.1	
	AE	8,771	500	10.8	3,563.5	3,563.5	3,564.0	0.5	
	AF	9,231	477	11.3	3,568.2	3,568.2	3,568.5	0.3	
	AG	9,531	431	12.5	3,576.4	3,576.4	3,576.4	0.0	
	AH	10,011	414	13.0	3,583.4	3,583.4	3,583.4	0.0	
	AI	10,491	459	11.8	3,592.7	3,592.7	3,592.7	0.0	
	AJ	10,771	478	11.3	3,601.5	3,601.5	3,601.5	0.0	
	AK	11,071	405	13.3	3,609.9	3,609.9	3,610.0	0.1	
	AL	11,471	464	11.6	3,621.7	3,621.7	3,621.7	0.0	
	AM	11,801	380	14.2	3,640.0	3,640.0	3,640.1	0.1	
	AN	12,329	432	12.5	3,665.7	3,665.7	3,665.7	0.0	
	AO	12,538	387	13.9	3,691.4	3,691.4	3,691.4	0.0	

<sup>1</sup>Feet Above Confluence With Sweetwater River (Descanso Area)

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**  
**SAMAGUTUMA CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	
San Diego River A B C D E F G H I J K L M N O P Q R S T U V W X Y Z AA AB	20,508	963	6,069	5.9	16.4	16.4	16.4	0.0
	22,303	861	4,443	8.1	20.6	20.6	20.6	0.0
	23,403	950	6,814	5.3	23.5	23.5	24.2	0.7
	25,243	1,510	9,936	3.6	25.1	25.1	25.9	0.8
	27,593	1,380	6,810	5.3	28.1	28.1	28.9	0.8
	28,813	797	4,714	7.6	33.1	33.1	33.1	0.0
	32,223	591	6,063	5.9	36.8	36.8	36.8	0.0
	33,713	728	5,091	4.7	37.8	37.8	38.3	0.5
	35,773	428	2,454	9.8	40.7	40.7	40.8	0.1
	37,133	524	6,175	5.8	49.3	49.3	49.3	0.0
	38,593	664	12,421	2.7	50.2	50.2	50.2	0.0
	41,263	812	12,894	2.8	50.4	50.4	50.4	0.0
	43,953	539	5,312	6.8	52.5	52.5	52.8	0.3
	45,853	303	3,192	11.3	55.9	55.9	55.9	0.0
	48,553	828	11,269	3.2	64.4	64.4	64.5	0.1
	51,043	395	3,824	9.4	67.4	67.4	67.5	0.1
	52,423	705	7,904	4.6	69.5	69.5	69.6	0.1
	53,280	402	5,693	6.3	71.0	71.0	71.0	0.0
	53,766	470	3,861	9.3	71.0	71.0	71.0	0.0
	54,319	229	2,166	16.6	74.7	74.7	74.7	0.0
	56,074	659	7,841	4.6	88.0	88.0	88.0	0.2
	58,207	305	4,851	7.4	88.3	88.3	88.7	0.4
	59,830	679	10,284	3.5	89.3	89.3	89.8	0.5
	60,500	407	2,847	12.6	89.0	89.0	89.2	0.0
	61,250	331	3,185	11.3	93.4	93.4	94.2	0.8
	61,705	346	4,382	8.2	96.7	96.7	96.7	0.0
	63,575	472	3,677	9.8	102.5	102.5	102.5	0.2
	65,927	132	1,954	18.4	112.0	112.0	112.0	0.0

<sup>1</sup>Feet Above Pacific Ocean

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SAN DIEGO RIVER**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
San Diego River (Cont'd)	66,802 <sup>1</sup>	246	3,024	11.9	119.5	119.5	119.5	0.0	
	67,180 <sup>1</sup>	233	3,259	11.0	121.0	121.0	121.0	0.0	
	68,438 <sup>1</sup>	153	2,402	15.0	128.2	128.2	128.2	0.0	
	02	280	4,770	7.9	289.4	289.4	290.4	1.0	
	982	280	4,243	8.9	291.8	291.8	292.5	0.7	
	6182	275	5,118	7.4	295.7	295.7	296.5	0.8	
	1,170 <sup>2</sup>	270	5,075	7.5	297.6	297.6	298.6	1.0	
	1,710 <sup>2</sup>	545	8,606	4.4	299.4	299.4	300.3	0.9	
	2,400 <sup>2</sup>	865	10,394	3.7	299.9	299.9	300.9	1.0	
	2,750 <sup>2</sup>	1,045	11,054	3.4	300.1	300.1	301.1	1.0	
	3,050 <sup>2</sup>	1,200	14,092	2.7	300.2	300.2	301.2	1.0	
	3,600 <sup>2</sup>	1,290	17,618	2.2	300.4	300.4	301.4	1.0	
	4,200 <sup>2</sup>	1,090	14,230	2.7	300.5	300.5	301.4	0.9	
	4,550 <sup>2</sup>	1,040	11,769	3.2	300.5	300.5	301.5	1.0	
	5,000 <sup>2</sup>	970	8,438	4.5	300.8	300.8	301.7	0.9	
	5,487 <sup>2</sup>	735	6,465	5.9	301.5	301.5	302.4	0.9	
	5,900 <sup>2</sup>	660	5,790	6.6	302.7	302.7	303.7	1.0	
	6,220 <sup>2</sup>	498	5,410	7.0	304.6	304.6	305.2	0.6	
	7,097 <sup>2</sup>	695	7,383	5.1	307.5	307.5	308.2	0.7	
	8,128 <sup>2</sup>	600	5,647	6.7	309.6	309.6	310.5	0.9	
	9,079 <sup>2</sup>	560	6,111	6.1	313.2	313.2	313.5	0.3	
	10,100 <sup>2</sup>	1,300	12,607	3.0	314.9	314.9	315.2	0.3	
	11,441 <sup>2</sup>	1,557	10,122	3.8	316.2	316.2	316.5	0.3	
	12,095 <sup>2</sup>	1,470	9,785	3.9	317.4	317.4	317.7	0.3	
	12,800 <sup>2</sup>	1,545	9,949	3.7	318.1	318.1	318.3	0.2	
	14,100 <sup>2</sup>	799	--2	--3	319.2	319.2	319.4	0.2	
14,889 <sup>2</sup>	930	--2	--3	321.1	321.1	321.2	0.1		

<sup>1</sup>Feet Above Pacific Ocean      <sup>2</sup>Feet Above Limit of Detailed Study  
<sup>3</sup>Data Not Available

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**  
**SAN DIEGO RIVER**



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Diego River (Cont'd)								
BD	15,927 <sup>1</sup>	875	3	3	327.0	327.0	327.0	0.0
BE	16,611 <sup>1</sup>	990	3	3	327.6	327.6	327.6	0.0
BF	17,629 <sup>1</sup>	728	3	3	328.4	328.4	329.1	0.7
BG	19,199 <sup>1</sup>	775	3	3	332.4	332.4	332.9	0.5
BH	19,945 <sup>1</sup>	462	3	3	333.4	333.4	334.0	0.6
BI	20,798 <sup>1</sup>	995	3	3	336.3	336.3	336.3	0.0
BJ	21,874 <sup>1</sup>	1,000	3	3	340.4	340.4	340.4	0.0
BK	22,720 <sup>1</sup>	1,011	3	3	340.5	340.5	340.6	0.1
BL	23,476 <sup>1</sup>	950	3	3	345.3	345.3	346.0	0.7
BM	24,294 <sup>1</sup>	575	3	3	346.4	346.4	346.9	0.5
BN	25,555 <sup>1</sup>	655	3	3	348.3	348.3	348.5	0.2
BO	26,863 <sup>1</sup>	512	3	3	348.6	348.6	348.8	0.2
BP	28,470 <sup>1</sup>	737	3	3	349.8	349.8	350.1	0.3
BQ	29,216 <sup>1</sup>	443	3	3	349.7	349.7	350.0	0.3
BR	29,954 <sup>1</sup>	417	3	3	350.3	350.3	350.6	0.3
BS	-1,359 <sup>2</sup>	390	5,882	5.6	360.7	360.7	360.7	0.0
BT	-420 <sup>2</sup>	357	3,493	9.5	360.9	360.9	360.9	0.0
BU	-250 <sup>2</sup>	381	2,926	8.1	369.2	369.2	369.2	0.0
BV	1,231 <sup>2</sup>	393	3,885	8.5	371.9	371.9	372.0	0.1
BW	2,231 <sup>2</sup>	486	8,142	4.1	374.4	374.4	374.5	0.1
BX	3,331 <sup>2</sup>	508	1,426	4.7	374.6	374.6	374.7	0.1
BY	4,519 <sup>2</sup>	580	7,375	4.3	378.2	378.2	378.3	0.1
BZ	6,293 <sup>2</sup>	503	5,503	5.8	381.6	381.6	381.6	0.9
CA	7,343 <sup>2</sup>	430	3,110	10.1	391.9	391.9	392.1	0.2
CB	9,933 <sup>2</sup>	508	6,416	4.8	395.3	395.3	395.4	0.1
CC	10,497 <sup>2</sup>	588	5,224	5.9	397.2	397.2	397.3	0.1

<sup>3</sup>Data Not Available

<sup>1</sup>Feet Above Limit of Detailed Study  
<sup>2</sup>Feet From Riverford Bridge

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SAN DIEGO RIVER**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Dieguito River	A	642	6,206	7.1	10.7	10.7	10.7	0.0
	B	1,918	5,247	9.1	15.0	15.0	15.0	0.0
	C	2,428	5,168	9.7	15.6	15.6	15.6	0.0
	D	3,156	10,328	4.5	18.1	18.1	18.7	0.6
	E	5,333	1,082	3.7	18.5	18.5	19.2	0.7

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 SAN DIEGUITO RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Elijo Creek A B	0	335	916	2.3	12.6	9.4 <sup>2</sup>	10.4 <sup>2</sup>	1.0
	1,105	227	498	4.2	16.4	16.4	16.8	0.4

<sup>1</sup>Feet Above San Elijo Lagoon  
<sup>2</sup>Elevation Computed Without Consideration of Backwater Effects From San Elijo Lagoon

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
San Luis Rey River (Above Oceanside)	A	0	6,634	7.24	133.9	133.9	134.9	1.0	
	B	639	5,875	8.17	138.0	138.0	138.9	0.9	
	C	899	8,118	5.91	140.9	140.9	141.9	1.0	
	D	1,159	8,768	5.47	141.9	141.9	142.8	0.9	
	E	1,306	9,242	5.19	142.3	142.3	143.2	0.9	
	F	1,598	9,190	5.22	143.3	143.3	144.2	0.9	
	G	2,130	10,581	4.54	144.3	144.3	145.2	0.9	
	H	2,724	10,440	4.60	145.8	145.8	146.8	1.0	
	I	2,893	11,608	4.14	146.4	146.4	147.4	1.0	
	J	3,303	12,736	3.77	147.4	147.4	148.4	1.0	
	K	3,745	14,698	3.27	148.2	148.2	149.1	0.9	
	L	4,076	15,399	3.12	148.5	148.5	149.4	0.9	
	M	4,351	12,824	3.74	148.7	148.7	149.6	0.9	
	N	4,479	12,916	3.72	148.9	148.9	149.8	0.9	
	O	5,022	724	4.86	149.5	149.5	150.4	0.9	
	P	5,635	632	8,016	5.99	150.3	150.3	151.2	0.9
	Q	6,030	777	8,494	5.65	151.1	151.1	152.1	1.0
	R	6,568	883	9,552	5.03	152.1	152.1	152.9	0.8
	S	7,023	841	9,133	5.26	152.7	152.7	153.4	0.7
	T	7,405	820	9,218	5.21	153.2	153.2	154.2	1.0
	U	7,888	920	8,115	5.91	153.8	153.8	154.7	0.9
	V	8,417	932	7,544	6.36	154.6	154.6	155.4	0.8
	W	8,920	842	5,250	9.14	155.6	155.6	156.2	0.6
	X	9,210	894	10,256	4.68	158.3	158.3	158.4	0.1
	Y	9,421	940	8,897	5.40	158.5	158.5	158.6	0.1
	Z	10,101	1,098	10,377	4.63	159.3	159.3	159.7	0.4

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**SAN LUIS REY RIVER (ABOVE OCEANSIDE)**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION (SQ. FT.)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
San Luis Rey River (Above Oceanside) (Cont'd)	11,070	1,476	10,621	4.52	160.1	160.1	160.5	0.4	
	11,651	1,675	13,744	3.49	160.6	160.6	161.0	0.4	
	12,181	956	6,512	6.30	161.2	161.2	162.2	1.0	
	12,845	800	5,980	6.86	162.6	162.6	162.9	0.3	
	13,463	756	5,468	7.50	164.2	164.2	164.3	0.1	
	13,538	860	8,381	4.89	165.2	165.2	165.4	0.2	
	13,800	1,058	11,497	3.57	165.7	165.7	165.9	0.2	
	14,338	1,320	13,587	3.02	166.1	166.1	166.4	0.3	
	14,898	1,279	8,202	5.00	166.8	166.8	167.5	0.7	
	15,511	1,315	7,821	5.24	168.6	168.6	169.6	1.0	
	16,184	1,070	6,117	6.70	171.4	171.4	172.1	0.7	
	16,785	1,067	7,663	5.35	174.3	174.3	175.3	1.0	
	17,449	1,226	9,466	4.33	176.2	176.2	177.2	1.0	
	17,994	1,245	10,070	4.07	177.0	177.0	178.0	1.0	
	18,719	1,373	8,989	4.56	178.2	178.2	179.2	1.0	
	19,318	1,648	9,208	4.45	179.4	179.4	180.4	1.0	
	20,100	1,642	7,551	5.43	181.6	181.6	182.6	1.0	
	21,213	1,662	8,216	4.99	186.0	186.0	187.0	1.0	
	22,033	1,593	7,936	5.17	188.9	188.9	189.9	1.0	
	23,117	1,540	8,339	4.92	193.2	193.2	193.9	0.7	
24,220	1,640	10,269	3.99	197.2	197.2	197.9	0.7		
25,244	1,730	10,445	3.93	200.4	200.4	201.4	1.0		
26,332	1,700	12,527	3.27	203.5	203.5	204.4	0.9		
27,294	1,660	11,520	3.56	206.0	206.0	207.0	1.0		
28,293	1,245	8,150	5.03	209.1	209.1	210.1	1.0		

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**SAN LUIS REY RIVER (ABOVE OCEANSIDE)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Luis Rey River (Above Oceanside) (Cont'd)	AZ	29,417	9,033	4.54	212.6	212.6	213.6	1.0
	BA	30,404	7,098	5.78	216.0	216.0	217.0	1.0
	BAA	35,940	4,290	13.44	234.5	234.5	234.8	0.3
	BAB	37,340	5,223	10.99	240.7	240.7	240.7	0.0
	BAC	38,180	4,766	8.60	245.9	245.9	245.9	0.0
	BAD	39,490	8,053	5.09	252.2	252.2	252.2	0.0
	BAE	40,430	7,670	4.30	252.6	252.6	252.6	0.0
	BAF	41,980	5,850	5.64	252.9	252.9	252.9	0.0
	BAG	43,380	1,990	16.58	253.2	253.2	253.6	0.4
	BB	50,657	10,782	2.78	293.0	293.0	293.9	0.9
	BC	51,807	5,628	5.33	293.8	293.8	294.8	1.0
	BD	52,137	1,075	7.30	295.3	295.3	295.5	0.2
	BE	52,450	880	7.21	296.6	296.6	297.0	0.4
	BF	52,690	840	10.05	297.4	297.4	297.8	0.4
	BG	53,287	726	7.42	300.9	300.9	301.9	1.0
	BH	53,807	660	6.43	302.7	302.7	303.7	1.0
	BI	54,797	679	7.28	306.6	306.6	307.0	0.4
	BJ	55,357	728	6.03	308.0	308.0	308.7	0.7
	BK	56,123	826	5.27	309.4	309.4	310.2	0.8
	BL	56,873	637	3.533	311.1	311.1	311.9	0.8
BM	56,983	512	2,766	311.8	311.8	312.3	0.5	
BN	57,065	449	2,418	312.9	312.9	312.9	0.0	
BO	57,185	421	2,858	314.7	314.7	315.1	0.4	
BP	57,315	467	4,000	315.9	315.9	316.7	0.8	
BQ	57,369	525	4,113	316.0	316.0	316.9	0.9	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Luis Rey River (Above Oceanside) (Cont'd)								
BR	57,509	543	3,901	7.69	316.4	316.4	317.3	0.9
BS	58,099	544	3,047	9.85	319.7	319.7	319.9	0.2
BT	58,239	702	4,593	6.53	320.8	320.8	321.8	1.0
BU	59,398	1,373	5,117	5.86	325.7	325.7	326.3	0.6
BV	60,436	1,362	6,025	4.98	328.1	328.1	329.1	1.0
BW	60,961	1,030	4,226	7.10	329.0	329.0	330.0	1.0
BX	61,041	975	4,428	6.78	330.4	330.4	330.4	0.0
BY	61,141	910	3,794	7.91	330.4	330.4	330.6	0.2
BZ	61,721	570	3,457	8.68	332.0	332.0	332.0	0.0
CA	62,081	225	1,833	16.36	332.0	332.0	332.0	0.0
CB	62,453	1,043	3,015	9.95	337.2	337.2	337.4	0.2
CC	62,693	1,140	4,210	7.13	338.7	338.7	339.6	0.9
CD	63,243	1,046	4,808	6.24	341.6	341.6	342.3	0.7
CE	63,743	965	3,391	8.85	344.4	344.4	345.1	0.7
CF	63,943	1,000	4,727	6.35	346.2	346.2	347.2	1.0
CG	65,042	715	3,915	7.66	352.1	352.1	352.3	0.2
CH	66,072	743	4,335	6.92	356.3	356.3	356.7	0.4
CI	66,909	1,500	5,494	5.46	360.1	360.1	360.1	0.0
CJ	67,922	1,380	4,018	7.47	365.5	365.5	365.5	0.0
CK	69,086	1,059	4,435	6.76	372.9	372.9	373.0	0.1
CL	80,269	202	1,685	16.62	476.8	476.8	476.8	0.0
CM	80,539	270	2,784	10.06	480.9	480.9	481.2	0.3
CN	80,989	352	2,022	13.85	485.7	485.7	486.7	1.0
CO	81,309	490	2,605	10.75	490.2	490.2	491.2	1.0
CP	81,659	603	2,488	11.25	494.9	494.9	495.1	0.2

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 SAN LUIS REY RIVER (ABOVE OCEANSIDE)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
San Luis Rey River (Above Oceanside) (Cont'd)								
CQ	82,089	675	3,393	8.25	498.5	498.5	499.3	0.8
CR	82,489	730	2,737	10.23	504.1	504.1	504.1	0.0
CS	82,774	785	2,488	11.25	508.8	508.8	508.9	0.1
CT	83,204	925	2,639	10.61	516.0	516.0	516.6	0.6
CU	83,970	865	2,903	9.65	526.6	526.6	526.9	0.3
CV	84,410	329	1,977	14.16	533.3	533.3	533.3	0.0
CW	84,810	277	1,881	14.89	537.4	537.4	537.4	0.0
CX	85,169	292	2,123	13.19	540.2	540.2	540.3	0.1
CY	85,659	292	1,907	14.68	547.5	547.5	547.5	0.0
CZ	86,129	378	2,072	13.51	558.1	558.1	558.1	0.0
DA	86,969	355	2,030	13.79	578.4	578.4	578.6	0.2
DB	87,724	358	2,030	13.79	592.4	592.4	593.4	1.0
DC	88,104	324	1,984	14.11	600.5	600.5	600.5	0.0
DD	88,324	395	2,106	13.29	605.4	605.4	605.8	0.4
DE	88,679	263	1,886	14.85	612.1	612.1	612.5	0.4
DF	88,939	305	1,967	14.23	619.3	619.3	619.3	0.0
DG	89,329	333	2,024	13.83	629.2	629.2	629.2	0.0
DH	89,929	220	1,803	15.53	641.8	641.8	642.1	0.3
DI	90,539	321	2,008	13.94	650.2	650.2	650.2	0.0
DJ	90,899	256	1,823	15.36	656.7	656.7	656.9	0.2
DK	91,046	266	1,924	14.55	661.0	661.0	661.0	0.0
DL	91,336	243	1,884	14.86	665.4	665.4	665.5	0.1
DM	91,536	195	1,688	16.59	667.7	667.7	667.7	0.0
DN	91,681	224	1,767	15.85	671.6	671.6	671.7	0.1
DO	91,871	297	2,495	11.22	675.3	675.3	675.3	0.0

<sup>1</sup>Feet Above Downstream Limit of Detailed Study



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
						(FEET NGVD)			
San Luis Rey River (Above Oceanside) (Cont'd)									
DP	92,111	274	1,956	14.31	676.5	676.5	676.7	0.2	
DQ	92,511	284	2,557	10.95	680.5	680.5	680.5	0.0	
DR	92,726	290	3,012	9.30	681.1	681.1	681.7	0.6	
DS	92,966	370	3,871	7.23	682.3	682.3	682.8	0.5	
DT	93,166	373	3,807	7.35	682.7	682.7	683.1	0.4	
DU	93,956	581	2,912	9.62	684.5	684.5	684.7	0.2	
DV	94,206	636	2,454	11.41	686.0	686.0	686.4	0.4	
DW	94,546	679	3,430	8.16	689.2	689.2	690.1	0.9	
DX	94,671	697	3,446	8.13	689.9	689.9	690.8	0.9	
DY	95,146	503	2,683	10.44	692.8	692.8	692.9	0.1	
DZ	95,456	429	2,311	12.12	695.2	695.2	695.4	0.2	
EA	96,456	665	3,675	7.62	703.6	703.6	704.6	1.0	
EB	97,046	1,050	5,241	5.34	706.5	706.5	706.6	0.1	
EC	97,796	907	3,381	8.28	708.5	708.5	708.5	0.0	
ED	98,466	1,015	3,235	8.66	711.8	711.8	712.0	0.2	
EE	98,876	773	3,515	7.97	714.8	714.8	714.9	0.1	
EF	99,396	905	3,142	8.91	717.2	717.2	717.5	0.3	
EG	99,771	902	3,446	8.13	719.4	719.4	720.2	0.8	
EH	100,541	878	3,224	8.68	724.0	724.0	724.6	0.6	
EI	101,222	645	3,047	9.19	728.1	728.1	728.6	0.5	
EJ	101,492	591	2,548	10.99	731.2	731.2	731.8	0.6	
EK	101,704	440	2,272	12.32	732.5	732.5	733.1	0.6	
EL	101,824	415	2,223	12.60	734.4	734.4	734.4	0.0	
EM	102,024	351	2,577	10.87	736.0	736.0	736.2	0.2	
EN	102,131	456	3,588	7.80	737.8	737.8	737.8	0.0	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE		
						(FEET NGVD)				
San Luis Rey River (Above Oceanside) (Cont'd)										
EO	102,261	591	4,455	5.50	738.3	738.3	738.3	0.0		
EP	102,621	784	6,434	3.81	738.7	738.7	738.8	0.1		
EQ	103,293	906	6,970	3.52	738.8	738.8	739.2	0.4		
ER	103,939	1,092	6,209	3.95	738.9	738.9	739.5	0.6		
ES	104,399	1,265	4,301	5.70	739.0	739.0	740.0	1.0		
ET	104,511	1,245	4,015	6.10	739.9	739.9	740.7	0.8		
EU	104,561	1,214	4,177	5.87	740.2	740.2	740.9	0.7		
EV	104,821	1,055	4,294	5.71	740.9	740.9	741.7	0.8		
EW	105,021	769	3,075	7.97	741.4	741.4	742.0	0.6		
EX	105,231	514	2,121	11.55	744.0	744.0	744.5	0.5		
EY	106,004	493	2,476	9.89	748.8	748.8	749.5	0.7		
EZ	106,224	580	3,277	7.48	750.9	750.9	750.9	0.0		
FA	106,384	576	2,187	11.20	751.2	751.2	751.2	0.0		
FB	106,754	535	3,272	7.49	754.0	754.0	754.0	0.0		
FC	107,064	536	2,135	11.48	754.9	754.9	754.9	0.0		
FD	107,555	577	2,515	9.74	758.9	758.9	758.9	0.0		
FE	108,025	566	3,210	7.63	761.5	761.5	761.5	0.0		
FF	108,235	543	2,939	8.34	762.2	762.2	762.2	0.0		
FG	108,455	556	3,861	6.35	763.2	763.2	763.2	0.0		
FH	108,835	650	2,820	8.69	763.9	763.9	763.9	0.0		
FI	108,915	674	4,111	5.96	764.9	764.9	764.9	0.0		
FJ	108,990	681	3,124	7.84	764.9	764.9	764.9	0.0		
FK	109,111	686	3,355	7.30	765.3	765.3	765.3	0.0		
FL	109,311	564	2,719	9.01	766.0	766.0	766.0	0.0		
FM	109,401	539	2,185	11.21	766.4	766.4	766.6	0.2		

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY			BASE SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Luis Rey River (Above Oceanside) (Cont'd)	109,500	538	2,518	9.73	767.5	767.5	767.9	0.4
	109,680	547	3,035	8.07	769.4	769.4	769.7	0.3
	109,807	568	4,071	6.02	769.8	769.8	770.4	0.6
	109,947	638	4,074	6.01	769.9	769.9	770.7	0.8
	110,355	480	2,350	10.43	770.8	770.8	770.8	0.0
	110,746	580	3,234	7.58	773.1	773.1	773.3	0.2
	110,921	600	2,454	9.98	774.0	774.0	773.9	0.0
	111,259	509	3,371	7.27	775.8	775.8	776.8	1.0
	111,748	465	3,659	6.70	777.2	777.2	777.9	0.7
	112,100	435	3,153	7.77	777.9	777.9	778.4	0.5
	112,490	339	1,879	13.04	779.7	779.7	779.7	0.0
	112,630	485	3,392	7.22	782.8	782.8	782.8	0.0
	113,020	573	2,252	10.88	783.5	783.5	783.6	0.1
	113,240	560	2,723	9.00	785.3	785.3	785.8	0.5
	113,751	507	3,033	8.08	787.5	787.5	788.1	0.6
	113,991	525	2,675	9.16	788.7	788.7	788.8	0.1
	114,291	501	2,096	11.69	790.8	790.8	791.3	0.5
	114,356	520	3,758	6.52	792.2	792.2	793.1	0.9
	114,406	520	4,287	5.72	792.6	792.6	793.3	0.7
	114,906	644	2,918	8.40	793.6	793.6	794.0	0.4
115,356	728	2,952	8.30	796.0	796.0	796.5	0.5	
116,151	683	3,263	7.51	800.2	800.2	800.4	0.2	
116,829	825	3,798	6.45	802.1	802.1	803.0	0.9	
116,949	803	2,949	8.31	802.4	802.4	803.2	0.8	
117,168	814	2,844	8.61	803.7	803.7	804.6	0.9	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 SAN LUIS REY RIVER (ABOVE OCEANSIDE)

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Luis Rey River (Above Oceanside) (Cont'd)	GM	117,365	2,969	8.25	805.2	805.2	806.0	0.8
	GN	117,705	2,847	8.61	807.7	807.7	808.0	0.3
	GO	118,075	2,549	9.61	809.4	809.4	810.1	0.7
	GP	118,550	2,226	11.01	813.2	813.2	813.4	0.2
	GQ	118,720	3,101	7.90	814.7	814.7	815.3	0.6
	GR	118,895	2,431	10.08	815.4	815.4	815.6	0.2
	GS	119,386	3,742	6.55	817.7	817.7	818.3	0.6
	GT	119,686	3,105	7.89	818.4	818.4	819.0	0.6
	GU	119,946	2,542	9.64	820.0	820.0	820.2	0.2
	CV	120,406	2,378	10.30	822.6	822.6	823.1	0.5
	GW	120,726	1,937	12.65	824.7	824.7	824.9	0.2
	GX	121,136	1,861	13.17	827.9	827.9	828.1	0.2
	GY	121,406	2,754	8.90	830.1	830.1	830.8	0.7
	GZ	121,666	2,724	9.00	830.9	830.9	831.5	0.6
	HA	121,946	2,521	9.72	832.1	832.1	832.2	0.1
	HB	122,171	3,206	7.64	832.9	832.9	833.6	0.7
HC	122,731	3,390	7.23	834.4	834.4	835.4	1.0	
HD	123,561	2,734	8.96	837.3	837.3	838.2	0.9	
HE	124,498	775	3,307	7.41	841.9	841.9	842.7	0.8

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Luis Rey River (At Oceanside)	A	494	4,179	12.2	9.4	9.4	9.5	0.1
	B	1,357	5,830	8.8	12.2	12.2	13.0	0.8
	C	2,171	3,880	13.1	13.8	13.8	14.1	0.3
	D	2,837	4,600	11.1	17.5	17.5	17.5	0.0
	E	4,077	4,298	11.9	19.7	19.7	19.7	0.0
	F	5,562	714	6.1	24.6	24.6	24.7	0.1
	G	6,806	721	5.0	25.7	25.7	25.9	0.2
	H	8,632	1,026	5.0	27.0	27.0	27.2	0.2
	I	10,161	744	5.9	28.0	28.0	28.3	0.3
	J	11,241	1,296	4.8	29.0	29.0	29.3	0.3
	K	12,379	1,612	3.9	30.7	30.7	30.9	0.2
	L	14,302	1,723	4.1	31.4	31.4	31.8	0.4
	M	15,745	1,484	4.7	32.5	32.5	32.9	0.4
	N	17,642	1,434	6.1	37.8	37.8	38.1	0.3
	O	19,794	1,102	5.4	42.5	42.5	42.7	0.2
	P	21,780	741	8.9	46.0	46.0	46.2	0.2
	Q	22,856	781	7.9	48.7	48.7	48.8	0.1
	R	24,774	859	6.4	51.7	51.7	51.8	0.1
	S	26,214	678	9.9	53.7	53.7	53.8	0.1
	T	27,861	905	7.6	58.0	58.0	58.1	0.1
	U	28,917	678	7.8	61.0	61.0	61.0	0.0
	V	30,564	1,132	5.3	63.4	63.4	63.4	0.0
	W	32,338	654	9.5	65.5	65.5	65.7	0.2
	X	33,963	872	8.7	69.6	69.6	69.6	0.0
	Y	35,951	943	8.1	72.9	72.9	73.2	0.3
	Z	37,016	683	10.5	75.4	75.4	75.5	0.1

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 SAN LUIS REY RIVER (AT OCEANSIDE)

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Luis Rey River (At Oceanside)	AA	37,967	696	5,939	8.6	82.2	82.2	0.0
	AB	39,077	569	4,832	10.6	83.8	83.8	0.0
	AC	39,988	486	4,549	11.2	87.3	87.3	0.0
	AD	41,170	505	5,262	9.7	90.8	90.8	0.0
	AE	41,902	845	7,143	7.1	92.6	92.6	0.0
	AF	43,190	931	6,808	7.5	94.1	94.1	0.0
	AG	43,984	898	8,150	6.3	95.5	95.5	0.1
	AH	45,225	1,112	8,534	6.0	96.7	96.7	0.2
	AI	46,961	909	4,652	11.0	100.6	100.6	0.0
	AJ	48,039	760	4,523	11.3	104.0	104.0	0.0
	AK	48,970	715	7,051	7.2	107.1	107.1	0.1
	AL	50,002	862	5,170	9.9	108.3	108.3	0.2
	AM	51,602	808	6,815	7.5	113.3	113.3	0.0
	AN	53,234	992	6,850	7.4	116.0	116.0	0.0
	AO	55,408	1,090	9,731	5.2	119.6	119.6	0.2
	AP	56,382	938	7,533	6.8	120.6	120.6	0.3
	AQ	58,139	575	6,140	8.3	125.1	125.1	0.0
AR	59,318	650/0	4,840	10.5	126.6	126.6	0.2	

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SAN LUIS REY RIVER (AT OCEANSIDE)**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
San Marcos Creek	1,770 <sup>1</sup>	400	3,145	4.7	515.3	515.3	515.9	0.6	
	3,420 <sup>1</sup>	200	1,679	7.8	520.8	520.8	521.1	0.3	
	5,090 <sup>1</sup>	590	3,181	4.1	526.3	526.3	526.9	0.6	
	6,877 <sup>1</sup>	800	4,417	3.0	534.0	534.0	534.6	0.6	
	8,077 <sup>1</sup>	559	2,198	4.1	539.1	539.1	539.1	0.0	
	9,367 <sup>1</sup>	521	1,731	5.2	542.0	542.0	542.0	0.0	
	10,855 <sup>1</sup>	407	1,897	4.8	550.2	550.2	550.2	0.0	
	12,245 <sup>1</sup>	304	1,719	7.2	560.9	560.9	560.9	0.0	
	13,570 <sup>1</sup>	420	2,302	5.3	564.5	564.5	564.7	0.2	
	14,995 <sup>1</sup>	380	2,822	1.8	570.6	570.6	571.1	0.5	
	15,655 <sup>1</sup>	310	982	4.5	571.1	571.1	571.7	0.6	
	16,898 <sup>1</sup>	360	2,033	2.2	583.9	583.9	584.4	0.5	
	17,686 <sup>1</sup>	240	980	4.5	591.6	591.6	591.9	0.3	
	19,146 <sup>1</sup>	273	557	7.9	602.8	602.8	602.8	0.0	
	20,106 <sup>1</sup>	289	752	5.9	611.5	611.5	611.6	0.1	
	21,286 <sup>1</sup>	75	457	8.4	620.1	620.1	620.1	0.0	
San Marcos Creek, Highway 78 Split Flow	1,980 <sup>2</sup>	460	500	4.9	545.4	545.4	545.4	0.0	
	2,640 <sup>2</sup>	286	593	4.1	548.3	548.3	548.3	0.0	
	4,310 <sup>2</sup>	304	1,775	2.3	560.6	560.6	560.6	0.0	

<sup>1</sup>Feet Above Lake San Marcos Creek      <sup>2</sup>Feet Above Confluence With San Marcos Creek

T A B L E 8	FEDERAL EMERGENCY MANAGEMENT AGENCY	<b>FLOODWAY DATA</b>
	<b>SAN DIEGO COUNTY, CA AND INCORPORATED AREAS</b>	

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Santa Maria Creek (San Pasqual Valley Area)	A	372	2,040	12.7	371.2	371.2	371.2	0.0	
	B	464	2,703	9.6	376.0	376.0	376.0	0.0	
	C	329	2,178	11.9	380.7	380.7	380.7	0.0	
	D	291	2,133	12.2	382.2	382.2	382.2	0.0	
	E	635	4,565	5.7	385.0	385.0	385.1	0.1	
	F	4,717	2,527	8.3	385.8	385.8	386.0	0.2	
	G	5,409	1,867	10.2	388.3	388.3	388.3	0.0	
	H	6,145	1,348	14.1	389.9	389.9	390.0	0.1	
	I	7,765	2,301	8.3	396.4	396.4	396.6	0.2	
	J	8,411	1,716	1.1	397.4	397.4	397.6	0.2	
	K	8,481	1,814	10.5	397.7	397.7	397.9	0.2	
	L	9,232	4,006	4.7	400.1	400.1	400.2	0.1	
	M	10,140	1,761	10.8	400.4	400.4	400.6	0.2	

<sup>1</sup>Feet Above Confluence With Santa Ysabel Creek



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY		
Santa Maria Creek (Santa Maria Valley Area)	A	375	2,726	6.4	1,315.7	1,315.7	1,316.7	1.0	
	B	950	1,300	13.3	1,317.9	1,317.9	1,318.1	0.2	
	C	1,355	1,425	12.1	1,323.9	1,323.9	1,324.9	1.0	
	D	2,035	3,562	4.9	1,326.8	1,326.8	1,327.6	0.8	
	E	3,165	2,291	7.6	1,330.3	1,330.3	1,330.7	0.4	
	F	3,845	3,194	5.4	1,331.7	1,331.7	1,332.0	0.3	
	G	4,710	1,979	8.7	1,332.4	1,332.4	1,333.3	0.9	
	H	5,950	2,095	8.3	1,335.9	1,335.9	1,336.8	0.9	
	I	6,680	3,187	5.4	1,338.1	1,338.1	1,339.1	1.0	
	J	7,980	630	5.1	1,341.6	1,341.6	1,341.9	0.3	
	K	8,575	710	5.2	1,342.2	1,342.2	1,342.7	0.5	
	L	8,680	671	2,542	1,342.3	1,342.3	1,342.8	0.5	
	M	9,380	690	3,012	1,345.3	1,345.3	1,345.7	0.4	
	N	11,060	838	4,107	1,348.8	1,348.8	1,349.8	1.0	
	O	12,270	854	3,686	1,351.2	1,351.2	1,352.2	1.0	
	P	13,450	649	2,714	1,354.7	1,354.7	1,355.7	1.0	
	Q	14,040	749	3,653	1,356.3	1,356.3	1,357.3	1.0	
	R	14,485	525	2,532	1,357.1	1,357.1	1,358.1	1.0	
	S	15,110	894	4,372	1,358.8	1,358.8	1,359.8	1.0	
	T	16,430	470	1,642	10.5	1,362.1	1,362.1	0.0	
	U	16,930	875	3,804	4.6	1,366.8	1,366.8	0.0	
	V	17,760	704	2,995	5.8	1,368.8	1,368.8	1.0	
	W	18,710	1,090	5,200	3.3	1,370.5	1,370.5	1.0	
	X	19,295	719	2,386	7.3	1,371.2	1,371.2	0.8	
	Y	20,720	300	2,013	7.8	1,376.9	1,376.9	0.9	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Santa Maria Creek (Santa Maria Valley Area) (Cont'd)									
Z	21,070	465	2,040	7.7	1,378.5	1,378.5	1,379.3	0.8	
AA	21,620	392	2,250	6.9	1,381.3	1,381.3	1,381.5	0.2	
AB	22,450	407	2,170	7.2	1,383.7	1,383.7	1,383.8	0.1	
AC	23,055	300	1,665	9.4	1,385.1	1,385.1	1,386.0	0.9	
AD	23,605	396	2,328	6.7	1,389.1	1,389.1	1,389.1	0.0	
AE	24,120	304	2,105	7.4	1,391.3	1,391.3	1,391.6	0.3	
AF	25,330	515	3,253	4.8	1,395.3	1,395.3	1,395.9	0.6	
AG	26,220	570	2,359	6.6	1,398.8	1,398.8	1,398.9	0.1	
AH	26,840	530	2,648	5.9	1,401.2	1,401.2	1,401.8	0.6	
AI	28,750	820	4,379	3.6	1,407.6	1,407.6	1,408.5	0.9	
AJ	28,850	930	5,142	3.0	1,408.3	1,408.3	1,409.1	0.8	
AK	30,130	460	2,216	7.0	1,411.5	1,411.5	1,411.8	0.3	
AL	30,630	565	2,455	6.4	1,413.0	1,413.0	1,414.0	1.0	
AM	31,160	527	2,449	6.4	1,414.9	1,414.9	1,415.8	0.9	
AN	31,905	610	3,146	5.0	1,419.1	1,419.1	1,419.9	0.8	
AO	32,190	447	2,640	5.9	1,419.3	1,419.3	1,420.2	0.9	
AP	32,465	420	2,730	5.7	1,420.0	1,420.0	1,420.8	0.8	
AQ	32,565	410	2,625	5.9	1,422.5	1,422.5	1,422.7	0.2	
AR	33,165	447	1,746	8.9	1,422.8	1,422.8	1,423.2	0.4	
AS	33,985	250	1,545	10.1	1,425.4	1,425.4	1,426.3	0.9	
AT	34,210	508	1,396	11.2	1,427.8	1,427.8	1,428.2	0.4	
AU	34,290	560	3,697	4.2	1,430.0	1,430.0	1,430.7	0.7	
AV	34,885	500	2,625	5.9	1,430.4	1,430.4	1,431.2	0.8	
AW	36,090	435	1,751	8.9	1,434.8	1,434.8	1,435.3	0.5	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SANTA MARIA CREEK (SANTA MARIA VALLEY AREA)**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY		
Santa Maria Creek (Santa Maria Valley Area) (Cont'd)	AX	36,515	2,277	6.9	1,437.5	1,437.5	1,437.7	0.2	
	AY	36,910	2,523	6.2	1,438.8	1,438.8	1,439.1	0.3	
	AZ	37,705	1,919	8.1	1,443.0	1,443.0	1,443.0	0.0	
	BA	38,435	2,250	6.9	1,446.4	1,446.4	1,447.4	1.0	
	BB	39,175	1,878	8.3	1,451.3	1,451.3	1,452.1	0.8	
	BC	39,790	1,888	8.3	1,456.2	1,456.2	1,456.5	0.3	
	BD	40,440	684	6.1	1,461.4	1,461.4	1,461.4	0.0	
	BE	41,660	357	11.5	1,476.3	1,476.3	1,476.3	0.0	
	BF	42,050	753	5.4	1,479.7	1,479.7	1,480.7	1.0	
	BG	42,490	77	345	11.6	1,485.0	1,485.0	1,485.6	0.6
	BH	42,990	105	499	8.0	1,490.8	1,490.8	1,490.9	0.1
	BI	43,440	105	418	9.3	1,495.8	1,495.8	1,496.4	0.6
	BJ	44,170	350	564	6.9	1,503.4	1,503.4	1,503.5	0.1
	BK	44,570	445	547	7.0	1,507.5	1,507.5	1,507.6	0.1
	BL	44,990	340	188	8.0	1,512.8	1,512.8	1,513.4	0.6
	BM	45,090	290	1,094	1.4	1,516.6	1,516.6	1,517.5	0.9
	BN	45,295	210	485	3.1	1,516.6	1,516.6	1,517.5	0.9
	BO	45,380	180	380	4.0	1,517.0	1,517.0	1,517.6	0.6
	BP	45,840	27	81	6.2	1,524.1	1,524.1	1,524.1	0.0
	BQ	46,410	22	56	8.9	1,532.7	1,532.7	1,532.7	0.0
BR	47,350	80	84	6.0	1,548.8	1,548.8	1,548.8	0.0	
BS	47,580	220	141	3.6	1,551.8	1,551.8	1,551.8	0.0	
BT	48,320	65	254	11.0	1,562.7	1,562.7	1,563.0	0.3	
BU	48,680	92	265	10.6	1,566.8	1,566.8	1,566.8	0.0	

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**SANTA MARIA CREEK (SANTA MARIA VALLEY AREA)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
Santa Maria Creek (Santa Maria Valley Area) (Cont'd)	BV	49,290	357	7.8	1,580.8	1,580.8	1,581.5	0.7
	BW	49,645	285	9.8	1,587.2	1,587.2	1,587.4	0.2
	BX	49,930	374	7.5	1,589.9	1,589.9	1,590.4	0.5
	BY	50,300	354	7.9	1,595.2	1,595.2	1,595.8	0.6
	BZ	50,350	382	7.3	1,596.9	1,596.9	1,597.8	0.9
	CA	51,140	232	12.1	1,609.6	1,609.6	1,610.0	0.4

<sup>1</sup>Feet Above Downstream Limit of Detailed Study

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Santa Ysabel Creek</b>								
A	2,260	1,860	8,526	6.9	325.8	318.0 <sup>2</sup>	318.0 <sup>2</sup>	0.0
B	3,390	1,959	8,720	6.7	325.8	320.4 <sup>2</sup>	320.4 <sup>2</sup>	0.0
C	5,589	1,636	8,854	6.6	325.8	324.1 <sup>2</sup>	324.4 <sup>2</sup>	0.3
D	7,679	1,901	12,371	4.7	326.5	326.5	326.9	0.4
E	9,314	1,557	9,148	6.3	328.3	328.3	328.8	0.5
F	11,012	1,696	11,414	5.0	330.7	330.7	331.2	0.5
G	13,000	2,034	11,040	5.2	332.6	332.6	333.1	0.5
H	14,570	1,677	7,694	7.4	335.0	335.0	335.4	0.4
I	16,736	1,012	6,911	8.3	340.3	340.3	340.4	0.1
J	17,731	1,582	10,376	5.5	342.5	342.5	342.6	0.1
K	19,544	1,306	8,711	6.6	345.3	345.3	345.4	0.1
L	20,809	1,031	5,758	9.9	347.4	347.4	347.5	0.1
M	21,098	1,100	6,974	8.2	348.6	348.6	348.8	0.2
N	22,561	605	4,851	11.8	352.7	352.7	352.7	0.0
O	23,581	1,209	9,251	6.0	355.7	355.7	355.9	0.2
P	24,641	1,068	5,570	9.9	357.2	357.2	357.2	0.0
Q	25,604	821	6,483	8.5	359.9	359.9	360.0	0.1
R	27,226	960	4,792	11.5	363.8	363.8	363.8	0.0
S	29,698	570	4,982	11.1	369.7	369.7	369.9	0.2
T	30,619	303	2,645	11.5	371.3	371.3	371.5	0.2
U	31,689	387	2,257	13.2	373.7	373.7	373.9	0.2
V	32,839	300	2,006	14.9	378.8	378.8	378.9	0.1
W	33,231	400	2,665	11.2	382.9	382.9	383.2	0.3
X	33,381	955	5,225	5.7	385.0	385.0	385.1	0.1
Y	34,151	931	4,636	7.5	385.6	385.6	385.7	0.1
Z	35,014	643	3,509	10.5	386.7	386.7	387.0	0.3

<sup>1</sup>Feet Above Upstream Face of Interstate Highway 15 Bridge

<sup>2</sup>Elevation Computed Without Consideration of Backwater From Lake Hodges

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SANTA YSABEL CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
<b>Santa Ysabel Creek (Cont'd)</b>								
AA	36,182 <sup>1</sup>	512	3,150	11.7	390.4	390.4	390.5	0.1
AB	37,261 <sup>1</sup>	379	2,681	13.8	393.4	393.4	393.5	0.1
AC	38,896 <sup>1</sup>	501	2,997	12.3	401.1	401.1	401.1	0.0
AD	41,008 <sup>1</sup>	395	3,211	11.5	409.4	409.4	409.9	0.5
AE	41,913 <sup>1</sup>	789	5,815	6.3	413.7	413.7	413.8	0.1
AF	43,463 <sup>1</sup>	420	2,511	12.2	417.6	417.6	417.9	0.3
AG	44,287 <sup>1</sup>	260	2,540	12.0	422.5	422.5	422.5	0.0
AH	44,367 <sup>1</sup>	254	2,757	11.1	425.5	425.5	425.6	0.1
AI	45,142 <sup>1</sup>	394	4,284	7.1	428.1	428.1	428.1	0.0
AJ	46,646 <sup>1</sup>	349	3,269	9.0	431.4	431.4	431.4	0.0
AK	48,141 <sup>1</sup>	408	3,808	7.7	436.1	436.1	436.2	0.1
AL	49,249 <sup>1</sup>	273	1,874	15.7	438.6	438.6	438.6	0.0
AM	49,929 <sup>1</sup>	318	4,219	7.0	443.2	443.2	443.2	0.0
AN	51,029 <sup>1</sup>	212	1,602	18.4	443.7	443.7	443.7	0.0
AO	15,500 <sup>2</sup>	274	1,973	10.5	2,810.4	2,810.4	2,811.4	1.0
AP	15,950 <sup>2</sup>	297	1,591	13.0	2,814.0	2,814.0	2,814.0	0.0
AQ	16,370 <sup>2</sup>	284	1,908	10.9	2,817.5	2,817.5	2,817.7	0.2
AR	16,825 <sup>2</sup>	231	1,467	14.1	2,820.4	2,820.4	2,820.4	0.0
AS	17,282 <sup>2</sup>	184	1,352	15.3	2,825.6	2,825.6	2,825.6	0.0
AT	17,762 <sup>2</sup>	296	2,122	9.8	2,830.8	2,830.8	2,830.8	0.0
AU	18,116 <sup>2</sup>	205	1,424	14.6	2,835.2	2,835.2	2,835.2	0.0
AV	18,586 <sup>2</sup>	592	2,326	8.9	2,840.7	2,840.7	2,840.7	0.0
AW	19,056 <sup>2</sup>	321	1,611	12.9	2,844.7	2,844.7	2,844.7	0.0
AX	19,559 <sup>2</sup>	387	1,958	10.6	2,849.8	2,849.8	2,849.8	0.0
AY	20,046 <sup>2</sup>	178	1,217	15.0	2,855.6	2,855.6	2,855.6	0.0
AZ	20,501 <sup>2</sup>	318	1,860	9.8	2,860.4	2,860.4	2,860.4	0.0

<sup>1</sup>Feet Above Upstream Face of Interstate Highway 15 Bridge  
<sup>2</sup>Feet Above Confluence With Witch Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SANTA YSABEL CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Santa Ysabel Creek (Cont'd)	21,011	267	1,492	12.2	2,866.3	2,866.3	2,866.3	0.0
	21,372	199	1,251	14.6	2,870.8	2,870.8	2,870.8	0.0
	21,847	154	1,176	15.5	2,883.1	2,883.1	2,883.1	0.0
	22,191	260	1,353	13.5	2,887.4	2,887.4	2,887.4	0.0
	22,541	142	1,124	16.2	2,894.0	2,894.0	2,894.0	0.0
	22,901	335	1,669	10.9	2,898.3	2,898.3	2,898.3	0.0
	23,351	149	971	14.5	2,903.4	2,903.4	2,903.4	0.0
	23,591	301	1,281	11.0	2,907.3	2,907.3	2,907.3	0.0
	23,851	38	615	22.9	2,921.3	2,921.3	2,921.3	0.0
	23,881	77	1,382	10.2	2,929.8	2,929.8	2,929.8	0.0
	23,951	407	6,366	2.2	2,930.0	2,930.0	2,931.0	1.0
	24,933	135	952	14.8	2,939.1	2,939.1	2,939.1	0.0
	25,279	101	871	16.2	2,950.1	2,950.1	2,950.1	0.0
	25,669	132	941	15.0	2,957.7	2,957.7	2,957.7	0.0
	26,059	250	1,203	11.7	2,968.0	2,968.0	2,968.2	0.2
	26,509	327	1,318	10.7	2,980.1	2,980.1	2,980.1	0.0
26,809	124	919	15.3	2,992.9	2,992.9	2,992.9	0.0	

<sup>1</sup>Feet Above Confluence With Witch Creek

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Vicente Creek								
A	0	1,059	3,472	4.6	411.7	411.7	411.7	0.0
B	250	1,234	3,178	5.0	412.5	412.5	412.6	0.1
C	570	1,224	3,446	4.6	413.4	413.4	413.7	0.3
D	1,120	1,479	4,130	3.9	415.1	415.1	415.4	0.3
E	1,680	1,230	3,654	4.4	416.8	416.8	417.5	0.7
F	2,220	1,212	4,569	3.5	418.1	418.1	419.1	1.0
G	2,670	1,221	4,008	4.0	419.3	419.3	420.0	0.7
H	3,405	1,731	4,294	3.7	421.2	421.2	422.0	0.8
I	3,925	915	3,152	5.1	423.1	423.1	424.0	0.9
J	4,425	804	3,698	4.3	425.2	425.2	426.1	0.9
K	4,795	971	3,688	4.3	426.3	426.3	427.2	0.9
L	5,255	1,071	3,901	4.1	427.8	427.8	428.7	0.9
M	5,685	1,210	3,819	4.2	429.1	429.1	430.0	0.9
N	5,885	1,230	3,590	4.5	429.7	429.7	430.6	0.9
O	6,085	1,102	3,511	4.6	430.5	430.5	431.4	0.9
P	6,405	1,207	3,903	4.1	431.5	431.5	432.4	0.9
Q	7,025	934	2,602	6.2	433.5	433.5	434.3	0.8
R	7,540	1,224	3,776	4.2	435.8	435.8	436.8	1.0
S	8,280	1,301	4,126	3.9	437.9	437.9	438.8	0.9
T	8,480	1,268	3,591	4.5	438.4	438.4	439.3	0.9
U	8,670	1,315	4,142	3.9	439.4	439.4	440.0	0.6
V	9,070	1,128	3,412	3.8	440.7	440.7	441.6	0.9
W	9,720	948	2,473	5.3	442.2	442.2	443.1	0.9
X	10,460	994	3,500	3.7	444.9	444.9	445.8	0.9
Y	10,830	860	2,982	4.4	447.1	447.1	448.0	0.9
Z	11,130	758	2,662	4.9	447.9	447.9	448.8	0.9

<sup>1</sup>Feet Above Cross Section A



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
San Vicente Creek (Cont'd)	11,460	666	2,339	5.6	449.0	449.0	449.9	0.9
	11,850	702	2,551	5.1	450.4	450.4	451.4	1.0
	12,090	699	2,432	5.3	451.3	451.3	452.3	1.0
	12,310	580	2,828	4.6	452.2	452.2	453.1	0.9
	12,475	605	2,850	4.6	452.7	452.7	453.6	0.9
	12,630	595	2,730	4.8	453.3	453.3	454.2	0.9
	12,800	559	2,397	5.4	454.1	454.1	455.0	0.9
	13,000	397	2,155	6.0	455.1	455.1	456.0	0.9
	13,365	828	3,361	3.9	456.2	456.2	457.2	1.0
	13,855	303	1,182	11.0	460.9	460.9	461.2	0.3
	14,105	387	3,734	3.5	463.1	463.1	463.5	0.4
	14,325	194	1,373	9.5	463.1	463.1	463.5	0.4
	15,035	133	701	14.4	469.8	469.8	469.9	0.1

<sup>1</sup>Feet Above Cross Section A

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Slaughterhouse Creek	1,800	335	726	3.4	440.8	440.8	441.8	1.0
	2,875	223	886	2.8	448.0	448.0	448.5	0.5
	3,005	185	1,260	1.9	455.2	455.2	455.2	0.0
	3,415	81	484	5.1	455.4	455.4	455.6	0.2
	3,846	84	304	8.1	455.7	455.7	456.0	0.3
	3,927	131	495	4.9	459.7	459.7	460.1	0.4
	4,229	126	624	3.9	460.6	460.6	460.9	0.3
	4,433	104	414	5.9	460.7	460.7	461.1	0.4
	4,543	131	361	6.8	461.1	461.1	461.6	0.5
	4,652	148	574	4.3	461.5	461.5	462.5	1.0
	4,687	134	424	5.8	461.7	461.7	462.5	0.8
	5,247	135	263	9.3	468.7	468.7	468.7	0.0
	5,601	45	222	11.0	471.0	471.0	471.0	0.0
	5,971	37	228	8.5	475.7	475.7	475.9	0.2
	6,688	48	204	9.5	488.2	488.2	489.0	0.8
	6,891	44	191	10.2	494.2	494.2	494.7	0.5
	7,374	63	221	8.8	504.8	504.8	505.3	0.5
	7,654	42	190	10.2	507.4	507.4	508.2	0.8
	7,919	83	260	7.5	513.9	513.9	514.8	0.9
8,188	57	201	9.7	519.8	519.8	520.0	0.2	
8,492	31	161	12.0	527.1	527.1	527.5	0.4	
8,777	36	161	12.1	534.9	534.9	535.2	0.3	
9,177	63	220	8.8	546.0	546.0	546.2	0.2	

<sup>1</sup>Feet Above Confluence With San Vicente Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**SLAUGHTERHOUSE CREEK**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Soledad Canyon	0	299	3,230	7.1	10.8	10.8	10.8	0.0
A	1,060	1,459	14,582	1.6	11.8	11.8	11.8	0.0
B	1,510	1,490	11,041	2.1	11.8	11.8	11.8	0.0
C	2,080	1,320	8,236	2.8	11.8	11.8	11.8	0.0
D	2,530	1,290	10,649	2.2	12.0	12.0	12.2	0.2
E	3,430	1,320	12,044	1.9	12.0	12.0	12.3	0.3
F	4,340	1,610	13,502	1.7	12.1	12.1	12.4	0.3
G	5,090	1,830	11,040	2.1	12.1	12.1	12.4	0.3
H	5,440	2,009	13,024	1.8	12.2	12.2	12.5	0.3
I	5,870	1,970	16,383	1.4	12.2	12.2	12.6	0.4
J	6,320	1,750	14,397	1.6	12.3	12.3	12.7	0.4
K	6,480	1,729	14,479	1.3	12.3	12.3	12.7	0.4
L	7,120	1,510	11,307	1.7	12.3	12.3	12.7	0.4
M	8,460	1,053	4,979	3.9	12.3	12.3	12.7	0.4
N	8,950	988	5,234	3.7	12.9	12.9	13.2	0.3
O	9,490	1,164	6,140	3.2	13.5	13.5	13.7	0.2
P	9,940	935	3,669	5.3	13.9	13.9	14.1	0.2
Q	10,930	1,154	3,331	5.8	17.5	17.5	17.5	0.0
R	11,095	1,154	5,738	3.4	18.2	18.2	18.2	0.0
S	11,840	639	2,769	7.0	19.0	19.0	19.0	0.0
T	12,590	520	3,539	5.5	22.8	22.8	22.9	0.1
U	13,220	548	4,483	4.3	24.2	24.2	24.3	0.1
V	13,510	496	3,548	5.5	24.6	24.6	24.7	0.1
W	14,240	600	3,524	5.5	26.2	26.2	26.8	0.6
X	14,673	780	4,661	4.2	27.4	27.4	28.0	0.6
Y	15,100	700	5,258	3.7	32.6	32.6	33.5	0.9
Z								

<sup>1</sup>Feet Above North Torrey Pines Road

FLOODING SOURCE		FLOODWAY			BASE SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Soledad Canyon (Cont'd)	15,740	1,033	5,383	3.6	33.4	33.4	34.1	0.7
	16,140	1,075	6,622	2.9	34.1	34.1	34.6	0.5
	16,520	1,163	6,695	2.9	34.4	34.4	34.9	0.5
	16,810	789	4,278	4.6	34.7	34.7	35.1	0.4
	17,120	386	1,784	10.9	36.2	36.2	36.2	0.0
	17,420	373	2,273	2.9	38.7	38.7	39.1	0.4
	17,620	362	1,379	4.9	38.7	38.7	39.1	0.4
	18,060	352	1,813	3.7	40.5	40.5	40.5	0.0
	18,160	296	1,475	4.5	40.5	40.5	40.5	0.0
	18,340	146	644	10.4	40.5	40.5	40.5	0.0
	18,850	310	1,324	5.1	43.5	43.5	43.5	0.0
	19,177	478	1,707	3.9	44.0	44.0	44.0	0.0
	19,427	656	2,247	3.0	44.6	44.6	44.6	0.0
	19,630	553	1,204	5.6	45.7	45.7	45.7	0.0
	20,220	335	1,005	6.7	51.0	51.0	51.0	0.0
	20,805	556	1,196	5.6	57.7	57.7	57.7	0.0
	21,230	354	1,008	6.6	60.2	60.2	60.2	0.0
21,480	421	1,495	4.5	62.3	62.3	62.3	0.0	
21,690	286	1,074	6.2	63.2	63.2	63.2	0.0	

<sup>1</sup>Feet Above North Torrey Pines Road

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
South Branch Poway Creek	A	65	3,333	1.1	552.73	552.4	552.4	0.0	
	B	895	1,032	3.3	555.43	554.9	555.1	0.2	
	C	1,915	585	5.9	561.93	561.8	561.8	0.0	
	D	2,895	258	7.0	573.8	573.8	574.2	0.4	
	E	3,615	117	7.6	584.5	584.5	584.5	0.0	

<sup>1</sup>Feet Above Confluence With Poway Creek and North Branch Poway Creek  
<sup>2</sup>Width/Total Width of North and South Branch Combined Floodway  
<sup>3</sup>Elevations Controlled By Flooding From North Branch Poway Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 SOUTH BRANCH POWAY CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
South Fork Moosa Canyon Creek									
A	350	171	1,547	3.4	440.4	440.4	441.4	1.0	
B	561	87	703	7.4	443.2	443.2	443.8	0.6	
C	3,406	84	431	12.1	467.9	467.9	467.9	0.0	
D	3,942	234	995	4.8	472.9	472.9	473.5	0.6	
E	4,829	94	839	5.7	483.7	483.7	484.5	0.8	
F	5,260	120	867	7.0	485.6	485.6	486.2	0.6	
G	5,611	90	519	9.2	487.3	487.3	487.5	0.2	
H	6,470	190	603	11.4	494.9	494.9	494.9	0.0	
I	7,812	75	319	12.5	507.2	507.2	507.2	0.0	
J	8,024	46	281	14.2	509.5	509.5	509.5	0.0	
K	8,520	198	552	7.3	515.0	515.0	515.4	0.4	
L	8,920	190	654	4.9	518.6	518.6	518.9	0.3	
M	9,408	45	283	11.3	520.8	520.8	520.8	0.0	
N	9,697	30	266	12.0	524.8	524.8	524.9	0.1	
O	10,841	38	205	14.6	533.0	533.0	534.0	1.0	
P	11,176	49	272	11.0	535.6	535.6	535.6	0.0	
Q	11,287	100	302	9.9	539.0	539.0	539.0	0.0	

<sup>1</sup>Feet Above Confluence with Moosa Canyon Creek

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>South Las Chollas Creek</b>								
I	5,410	57	468	11.3	25.5	25.5	26.5	1.0
J	6,000	45	441	12.0	29.8	29.8	30.4	0.6
K	6,700	195	1,557	3.4	35.6	35.6	36.0	0.4
L	7,300	254	766	6.9	36.9	36.9	37.0	0.1
M	7,800	189	680	7.8	39.6	39.6	39.8	0.2
N	8,210	156	634	8.4	41.5	41.5	42.5	1.0
O	8,800	166	1,037	5.1	46.9	46.9	47.6	0.7
P	9,620	108	707	7.5	50.2	50.2	51.0	0.8
Q	10,730	100	523	10.1	57.0	57.0	57.6	0.6
R	11,600	65	824	6.4	69.6	69.6	70.3	0.7
S	12,330	81	611	8.7	70.5	70.5	71.0	0.5
T	13,380	62	666	4.6	81.2	81.2	81.7	0.5
U	13,690	217	1,157	4.6	83.4	83.4	84.2	0.8
V	14,330	169	929	5.7	86.8	86.8	87.4	0.6
W	15,230	344	888	6.0	92.5	92.5	93.2	0.7
X	16,280	54	618	3.1	111.6	111.6	112.3	0.7
Y	16,730	50	309	6.1	111.7	111.7	112.3	0.6
Z	17,620	113	505	3.8	122.9	122.9	123.1	0.2
AA	18,270	34	159	11.9	130.2	130.2	130.3	0.1
AD	19,930	36	203	9.3	153.8	153.8	154.6	0.8
AE	20,670	38	183	10.4	166.7	166.7	167.3	0.6
AF	21,350	23	122	12.3	180.1	180.1	180.8	0.7
AG	22,510	20	119	12.6	199.6	199.6	199.6	0.0
AH	23,550	61	177	8.5	216.7	216.7	217.5	0.8
AI	24,650	53	210	7.1	236.2	236.2	237.2	1.0
AJ	25,680	30	129	11.6	251.8	251.8	252.5	0.7

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 SOUTH LAS CHOLLAS CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
South Tributary to Santa Maria Creek	A	1,540	2,670	2.2	1,367.6	1,367.6	1,367.6	0.0
	B	2,163	2,687	2.2	1,367.8	1,367.8	1,367.8	0.0
	C	3,047	1,583	3.7	1,368.1	1,368.1	1,369.0	0.9
	D	3,991	1,323	4.4	1,370.1	1,370.1	1,370.5	0.4
	E	4,525	1,082	5.4	1,371.7	1,371.7	1,372.7	1.0
	F	5,514	1,498	3.9	1,375.3	1,375.3	1,376.3	1.0
	G	6,142	1,476	3.9	1,376.3	1,376.3	1,377.2	0.9
	H	6,272	3,611	1.6	1,379.5	1,379.5	1,379.7	0.2
	I	7,132	960	3.8	1,379.7	1,379.7	1,380.7	1.0

<sup>1</sup>Feet Above Confluence With Santa Maria Creek



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH <sup>2</sup> (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
Spring Valley Creek A	4,855	291	982	3.7	308.0	308.0	308.4	0.4

<sup>1</sup>Feet From Jamacha Road

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY		
Steele Canyon Creek									
A	480	86	420	7.1	313.2	313.2	314.2	1.0	
B	855	94	514	5.8	318.1	318.1	318.8	0.7	
C	1,270	94	368	8.1	324.9	324.9	325.7	0.8	
D	1,755	71	435	6.8	334.1	334.1	334.8	0.7	
E	2,160	46	372	8.0	343.1	343.1	343.5	0.4	
F	2,480	56	481	6.2	349.6	349.6	350.5	0.9	
G	2,880	70	428	7.0	356.1	356.1	356.8	0.7	
H	3,280	72	395	7.6	364.1	364.1	365.1	1.0	
I	3,690	72	367	8.1	374.5	374.5	375.5	1.0	
J	4,100	74	423	7.0	385.1	385.1	386.0	0.9	
K	4,525	103	517	5.8	393.9	393.9	394.9	1.0	
L	4,850	72	452	6.6	399.9	399.9	400.9	1.0	
M	5,240	98	458	6.5	409.8	409.8	410.8	1.0	
N	5,635	78	472	6.3	419.4	419.4	420.4	1.0	
O	6,050	84	397	7.5	427.7	427.7	428.7	1.0	
P	6,395	64	317	9.4	431.1	431.1	431.9	0.8	
Q	6,800	82	307	9.7	439.3	439.3	440.2	0.9	
R	7,150	43	228	13.1	446.3	446.3	446.7	0.4	
S	7,545	46	233	12.8	456.0	456.0	456.0	0.0	
T	7,890	59	252	11.8	460.1	460.1	460.1	0.0	
U	8,270	70	268	11.1	470.2	470.2	470.6	0.4	
V	8,314	90	403	7.4	473.8	473.8	473.8	0.0	
W	8,589	60	371	8.0	475.3	475.3	476.2	0.9	
X	8,904	69	281	10.6	482.2	482.2	482.5	0.3	
Y	8,954	120	445	6.7	484.3	484.3	484.7	0.4	
Z	9,234	130	423	7.0	490.7	490.7	491.0	0.3	

<sup>1</sup>Feet Above Confluence With Sweetwater River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 STEELE CANYON CREEK

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Steele Canyon Creek (Cont'd)									
AA	9,279	150	568	5.2	490.7	490.7	491.7	1.0	
AB	9,599	70	198	9.2	498.0	498.0	498.0	0.0	
AC	9,659	79	508	3.6	499.2	499.2	499.5	0.3	
AD	9,984	100	265	6.9	505.5	505.5	506.1	0.6	
AE	10,024	100	289	6.3	506.8	506.8	507.6	0.8	
AF	10,454	47	202	9.0	512.9	512.9	513.2	0.3	
AG	10,859	47	178	10.2	525.8	525.8	526.0	0.2	
AH	11,284	51	223	8.2	533.1	533.1	533.5	0.4	
AI	11,674	64	195	9.3	540.1	540.1	540.4	0.3	
AJ	12,079	45	171	10.6	550.4	550.4	551.2	0.8	
AK	12,499	120	410	4.4	556.4	556.4	557.3	0.9	
AL	12,924	44	162	11.2	564.7	564.7	564.7	0.0	
AM	13,314	48	177	10.3	573.9	573.9	574.9	1.0	
AN	13,714	33	149	12.2	589.9	589.9	590.1	0.2	
AO	14,049	55	287	6.3	598.9	598.9	599.8	0.9	
AP	14,449	68	332	5.5	606.4	606.4	606.9	0.5	
AQ	14,874	54	305	6.0	615.2	615.2	615.7	0.5	
AR	15,214	80	418	4.4	620.9	620.9	621.6	0.7	
AS	15,609	47	210	8.6	629.8	629.8	630.7	0.9	
AT	15,994	34	216	8.4	646.8	646.8	647.3	0.5	
AU	16,389	41	160	11.4	677.9	677.9	677.9	0.0	
AV	16,604	48	316	5.8	683.9	683.9	684.7	0.8	
AW	17,029	51	253	7.2	693.5	693.5	694.5	1.0	
AX	17,394	42	269	6.8	704.2	704.2	704.6	0.4	
AY	17,779	41	196	9.3	719.3	719.3	719.4	0.1	
AZ	18,174	43	288	6.3	730.6	730.6	731.0	0.4	

<sup>1</sup>Feet Above Confluence With Sweetwater River

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Steele Canyon Creek (Cont'd)								
BA	18,609	70	214	7.9	745.5	745.5	745.5	0.0
BB	18,664	77	216	7.8	747.2	747.2	747.2	0.0
BC	19,024	76	393	4.3	753.9	753.9	754.9	1.0
BD	19,089	110	246	6.9	754.8	754.8	754.8	0.0
BE	19,359	170	423	4.0	762.9	762.9	763.9	1.0
BF	19,424	150	508	3.3	764.0	764.0	764.8	0.8
BG	19,694	112	670	2.5	765.3	765.3	766.1	0.8
BH	20,069	55	178	9.5	770.9	770.9	771.0	0.1
BI	20,114	60	240	7.0	773.2	773.2	773.7	0.5
BJ	20,554	52	315	5.4	781.6	781.6	781.8	0.2
BK	20,579	61	231	7.3	781.8	781.8	782.0	0.2
BL	20,939	23	167	10.1	790.7	790.7	791.5	0.8
BM	21,364	52	269	6.3	802.9	802.9	803.9	1.0

<sup>1</sup>Feet Above Confluence With Sweetwater River

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
						(FEET NGVD)			
Stevenson Creek	900	175	226	4.0	731.7	731.7	732.2	0.5	
A	1,395	240	195	4.6	737.3	737.3	737.9	0.6	
B	1,555	207	248	3.6	739.6	739.6	740.4	0.8	
C	1,773	165	199	4.5	744.6	744.6	745.1	0.5	
D	2,103	195	208	4.3	749.8	749.8	750.5	0.7	
E	2,463	143	215	4.2	758.6	758.6	759.3	0.7	
F	2,733	126	199	4.5	765.1	765.1	765.2	0.1	
G	2,930	99	142	6.3	769.8	769.8	770.4	0.6	
H	3,365	103	161	5.6	780.7	780.7	780.7	0.0	
I	3,780	129	173	5.2	789.9	789.9	790.5	0.6	
J	3,870	127	254	3.5	792.2	792.2	793.2	1.0	
K	4,240	53	105	8.6	800.1	800.1	800.1	0.0	
L	4,809	50	107	8.4	810.9	810.9	811.0	0.1	
M	4,858	60	233	3.9	812.9	812.9	813.6	0.7	
N	5,060	44	103	8.7	814.9	814.9	814.9	0.0	
O									

<sup>1</sup>Feet Above Confluence With Twin Oaks Valley Creek

FEDERAL EMERGENCY MANAGEMENT AGENCY

**SAN DIEGO COUNTY, CA  
AND INCORPORATED AREAS**

**FLOODWAY DATA**

**STEVENSON CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
<b>Sweetwater River (Above Reservoir)</b>									
A	0	1,133	16,651	1.8	247.5	247.5	248.5	1.0	
B	1,520	1,015	7,315	4.0	247.7	247.7	248.6	0.9	
C	2,070	1,075	5,696	5.2	248.1	248.1	248.1	0.0	
D	3,092	491	3,743	7.9	249.2	249.2	249.2	0.0	
E	5,507	247	2,435	12.1	256.1	256.1	256.3	0.2	
F	8,097	103	1,406	21.0	266.6	266.6	266.6	0.0	
G	8,420	183	1,633	18.1	270.9	270.9	270.9	0.0	
H	10,110	243	2,587	11.4	280.5	280.5	280.6	0.1	
I	10,970	246	2,074	14.2	287.1	287.1	287.2	0.1	
J	12,057	413	2,512	11.7	295.8	295.8	295.8	0.0	
K	13,657	720	5,060	5.8	303.7	303.7	303.9	0.2	
L	15,320	522	6,012	4.9	316.6	316.6	316.6	0.0	
M	15,725	530	5,558	5.3	317.0	317.0	317.0	0.0	
N	17,366	664	5,288	5.6	320.1	320.1	320.2	0.1	
O	17,869	720	6,617	4.5	321.3	321.3	321.6	0.3	
P	19,309	1,025	5,378	5.5	327.0	327.0	327.1	0.1	
Q	21,632	960	4,695	6.3	334.5	334.5	334.6	0.1	
R	24,273	749	4,140	7.1	343.4	343.4	343.7	0.3	
S	25,510	577	3,678	8.0	348.0	348.0	348.0	0.0	
T	26,529	1,150	3,209	9.2	351.4	351.4	351.5	0.1	
U	27,732	750	3,967	7.4	360.8	360.8	361.0	0.2	
V	27,749	750	4,040	7.3	360.9	360.9	361.1	0.2	
W	30,221	830	2,937	10.0	372.8	372.8	372.9	0.1	
X	30,784	230	1,904	15.5	376.0	376.0	376.0	0.0	
Y	30,951	315	4,635	6.4	380.2	380.2	380.4	0.2	

<sup>1</sup>Feet Above Cross Section A

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**SWEETWATER RIVER (ABOVE RESERVOIR)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Sweetwater River (Above Reservoir) (Cont'd)								
Z	33,190	935	2,498	11.8	385.1	385.1	385.1	0.0
AA	33,835	1,036	7,741	3.8	388.0	388.0	388.4	0.4
AB	34,555	833	4,393	6.7	388.3	388.3	388.6	0.3
AC	35,657	440	3,622	8.1	397.8	397.8	398.1	0.3
AD	35,751	455	4,278	6.9	398.7	398.7	399.0	0.3
AE	37,315	561	3,927	7.5	400.4	400.4	400.8	0.4
AF	37,802	572	2,921	10.1	402.0	402.0	402.1	0.1
AG	40,078	620	3,137	9.4	415.0	415.0	415.0	0.0
AH	41,444	653	3,496	8.4	419.2	419.2	419.2	0.0
AI	42,384	344	4,066	7.3	423.6	423.6	423.6	0.0
AJ	43,748	255	2,463	12.0	429.6	429.6	429.7	0.1
AK	45,052	208	2,228	13.2	436.1	436.1	436.1	0.0
AL	45,638	215	2,274	13.0	437.5	437.5	437.6	0.1
AM	47,033	223	2,624	11.2	445.2	445.2	445.2	0.0
AN	47,751	223	2,234	13.1	447.2	447.2	447.2	0.0
AO	48,150	235	2,413	12.2	450.1	450.1	450.1	0.0
AP	48,390	215	2,805	9.0	452.8	452.8	452.8	0.0
AQ	49,083	280	2,856	8.2	455.1	455.1	455.1	0.0
AR	50,004	260	3,342	8.1	459.9	459.9	459.9	0.0
AS	51,401	270	2,631	11.7	460.5	460.5	460.9	0.4
AT	54,209	395	6,427	4.7	476.9	476.9	477.1	0.2
AU	55,346	851	3,171	9.3	481.3	481.3	481.3	0.0
AV	55,481	878	3,306	8.9	482.1	482.1	482.1	0.0
AW	55,645	570	4,232	7.0	485.0	485.0	485.0	0.0

<sup>1</sup>Feet Above Cross Section A

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Sweetwater River (Above Reservoir) (Cont'd)	AX	56,845	2,635	11.2	488.8	488.8	488.9	0.1	
	AY	57,545	4,903	6.0	493.9	493.9	494.0	0.1	
	AZ	58,515	3,822	7.7	498.7	498.7	498.7	0.0	
	BA	59,445	2,740	10.2	504.3	504.3	504.4	0.1	
	BB	60,775	4,576	6.1	513.4	513.4	513.5	0.1	
	BC	61,325	3,196	8.8	517.4	517.4	517.4	0.0	
	BD	62,085	3,240	8.6	520.8	520.8	520.8	0.0	
	BE	63,235	3,295	7.9	524.1	524.1	524.8	0.7	
	BF	64,755	1,837	14.1	535.9	535.9	535.9	0.0	
	BG	65,655	3,344	7.8	541.5	541.5	542.5	1.0	
	BH	66,705	2,266	11.5	547.3	547.3	547.3	0.0	
BI	67,625	346	2,273	11.4	553.1	553.2	0.1		

<sup>1</sup>Feet Above Cross Section A



FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
<b>Sweetwater River (At National City)</b>								
A	2.020	1,450	9,812	3.5	20.2	20.2	20.3	0.1
B	2.130	1,580	10,262	3.4	20.4	20.4	20.7	0.3
C	2.400	1,385	8,530	4.1	21.4	21.4	22.2	0.8
D	3.490	380	4,508	7.8	34.9	34.9	35.3	0.4
E	3.580	380	4,145	8.4	35.1	35.1	35.6	0.5
F	3.720	390	4,428	7.9	36.6	36.6	36.7	0.1
G	3.850	876	8,117	4.3	37.3	37.3	37.9	0.6
H	4.113	632	5,929	5.9	38.4	38.4	38.7	0.3
I	4.219	885	6,281	6.4	41.0	41.0	41.0	0.0
J	5.603	753	4,083	12.3	61.2	61.2	61.2	0.0
K	5.728	570	3,823	9.2	64.7	64.7	64.7	0.0
L	5.779	725	4,822	9.8	66.1	66.1	66.1	0.0
M	5.839	533	3,645	10.3	66.4	66.4	66.5	0.1
N	6.005	473	3,509	10.2	69.5	69.5	69.6	0.1
O	6.142	1,002	5,209	12.2	71.9	71.9	72.0	0.1
P	6.349	1,101	4,433	10.7	72.9	72.9	73.6	0.7
Q	6.510	969	4,071	11.1	76.1	76.1	76.1	0.0
R	6.688	1,084	4,041	13.9	78.8	78.8	79.0	0.2
S	6.946	854	3,503	15.5	83.9	83.9	83.9	0.0

<sup>1</sup>Miles Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

**SWEETWATER RIVER (AT NATIONAL CITY)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
					(FEET)	(FEET NGVD)	(FEET NGVD)	
Sweetwater River (Descanso Area)								
A	0	204	1,470	13.8	3,306.0	3,306.0	3,306.0	0.0
B	280	153	1,242	16.3	3,314.3	3,314.3	3,314.3	0.0
C	535	139	1,196	17.0	3,322.6	3,322.6	3,322.6	0.0
D	995	84	1,021	19.9	3,342.8	3,342.8	3,342.8	0.0
E	1,555	186	1,793	11.3	3,354.5	3,354.5	3,355.4	0.9
F	1,790	151	1,731	11.7	3,357.0	3,357.0	3,357.3	0.3
G	2,420	266	2,588	7.8	3,361.2	3,361.2	3,362.0	0.8
H	2,720	273	1,802	11.3	3,361.9	3,361.9	3,362.9	1.0
I	3,180	217	2,235	9.1	3,367.1	3,367.1	3,367.1	0.0
J	3,610	233	2,245	9.0	3,368.9	3,368.9	3,369.0	0.1
K	3,920	149	1,237	16.4	3,377.4	3,377.4	3,377.4	0.0
L	3,980	155	1,451	14.0	3,379.6	3,379.6	3,379.6	0.0
M	4,055	189	2,204	9.2	3,380.9	3,380.9	3,380.9	0.0
N	4,365	288	3,498	5.8	3,381.9	3,381.9	3,381.9	0.0
O	4,765	376	4,084	5.0	3,382.3	3,382.3	3,382.4	0.1
P	5,215	312	3,224	6.3	3,382.4	3,382.4	3,382.5	0.1
Q	5,945	391	2,833	7.2	3,383.1	3,383.1	3,383.4	0.3
R	6,095	353	2,388	8.5	3,383.3	3,383.3	3,383.5	0.2
S	6,635	454	3,227	6.3	3,386.5	3,386.5	3,387.3	0.8
T	7,075	435	2,892	7.0	3,388.7	3,388.7	3,389.4	0.7
U	7,455	379	2,793	7.3	3,391.0	3,391.0	3,391.7	0.7
V	7,675	473	3,452	5.9	3,392.1	3,392.1	3,392.9	0.8
W	8,055	559	4,293	3.5	3,393.3	3,393.3	3,394.1	0.8
X	8,195	518	3,333	4.2	3,393.4	3,393.4	3,394.2	0.8
Y	8,445	397	1,501	9.3	3,394.2	3,394.2	3,394.3	0.1

<sup>1</sup>Feet Above Cross Section A

<b>FLOODWAY DATA</b> <b>SWEETWATER RIVER (DESCANSO AREA)</b>
<b>FEDERAL EMERGENCY MANAGEMENT AGENCY</b> <b>SAN DIEGO COUNTY, CA</b> <b>AND INCORPORATED AREAS</b>
<b>T A B L E 8</b>

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			INCREASE
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	
								(FEET NGVD)
Sweetwater River (Descanso Area) (Cont'd)								
Z	9,045	75	928	16.3	3,403.0	3,403.0	3,403.0	0.0
AA	9,095	75	929	16.3	3,403.0	3,403.0	3,403.0	0.0
AB	9,615	292	2,706	5.6	3,406.7	3,406.7	3,407.7	1.0
AC	9,935	320	3,014	5.0	3,407.1	3,407.1	3,408.1	1.0
AD	10,385	361	2,737	5.5	3,407.6	3,407.6	3,408.6	1.0
AE	10,875	310	1,405	10.8	3,408.5	3,408.5	3,408.8	0.3
AF	11,667	225	1,346	11.2	3,414.8	3,414.8	3,415.6	0.8
AG	12,294	314	1,985	7.6	3,419.6	3,419.6	3,419.6	0.0
AH	12,360	314	1,306	11.6	3,421.2	3,421.2	3,421.2	0.0
AI	12,866	233	1,214	12.4	3,427.3	3,427.3	3,427.3	0.0
AJ	13,086	142	1,011	14.9	3,429.4	3,429.4	3,429.6	0.2
AK	13,416	375	2,319	6.5	3,433.1	3,433.1	3,434.1	1.0
AL	13,566	306	2,041	7.4	3,434.0	3,434.0	3,434.8	0.8
AM	14,336	569	3,161	4.8	3,436.2	3,436.2	3,436.8	0.6
AN	15,076	230	1,342	11.2	3,442.8	3,442.8	3,443.3	0.5
AO	15,746	172	1,061	14.2	3,447.8	3,447.8	3,448.1	0.3
AP	16,346	439	2,351	6.4	3,452.5	3,452.5	3,453.5	1.0
AQ	16,896	330	1,454	10.4	3,457.8	3,457.8	3,457.9	0.1
AR	17,196	146	1,164	13.0	3,459.2	3,459.2	3,459.6	0.4
AS	17,726	147	1,172	12.9	3,462.3	3,462.3	3,462.8	0.5
AT	18,156	126	1,117	13.5	3,465.0	3,465.0	3,465.3	0.3
AU	18,586	141	1,405	10.7	3,468.1	3,468.1	3,468.4	0.3
AV	19,176	171	1,097	13.8	3,474.3	3,474.3	3,474.6	0.3
AW	19,496	100	1,079	14.0	3,476.9	3,476.9	3,476.9	0.0

<sup>1</sup>Feet Above Cross Section A

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**  
**SWEETWATER RIVER (DESCANSO AREA)**

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Sweetwater River (Descanso Area) (Cont'd)	AX	20,116	834	18.1	3,489.6	3,489.6	3,489.6	0.0
	AY	20,676	855	17.7	3,509.1	3,509.1	3,509.1	0.0
	AZ	21,136	935	16.1	3,518.9	3,518.9	3,518.9	0.0
	BA	21,386	826	18.3	3,531.8	3,531.8	3,531.8	0.0
	BB	21,896	741	20.4	3,555.2	3,555.2	3,555.2	0.0
	BC	22,131	788	19.2	3,574.2	3,574.2	3,574.2	0.0
	BD	22,741	756	20.0	3,596.1	3,596.1	3,596.3	0.2
	BE	23,451	849	17.8	3,631.5	3,631.5	3,631.5	0.0
	BF	24,071	927	16.3	3,644.3	3,644.3	3,644.3	0.0
	BG	24,651	114	11.1	3,651.9	3,651.9	3,652.9	1.0

<sup>1</sup>Feet Above Cross Section A

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**  
**SWEETWATER RIVER (DESCANSO AREA)**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
						(FEET NGVD)		
Telegraph Canyon Creek								
A	8,667	84	356	6.7	77.8	77.8	78.0	0.2
B	9,440	51	238	10.1	82.7	82.7	83.3	0.6
C	10,225	42	228	10.1	91.7	91.7	91.7	0.0
D	10,635	73	436	5.3	96.0	96.0	96.0	0.0
E	11,082	47	243	9.5	98.7	98.7	99.3	0.6
F	11,428	66	331	6.9	100.2	100.2	101.0	0.8
G	11,998	52	408	5.6	108.7	108.7	108.8	0.1
H	12,590	41	193	11.9	110.4	110.4	110.4	0.0
I	13,203	52	430	5.4	121.1	121.1	121.1	0.0
J	13,560	78	369	6.2	127.1	127.1	127.1	0.0
K	14,145	128	850	2.6	128.0	128.0	128.2	0.2
L	14,590	40	181	12.2	128.0	128.0	128.2	0.2
M	15,037	88	257	8.6	132.6	132.6	133.6	1.0
N	15,667	40	181	12.1	144.2	144.2	144.2	0.0
O	16,440	33	172	12.8	149.4	149.4	150.4	1.0
P	36,520	118	244	8.4	377.3	377.3	377.5	0.2
Q	43,382	73	459	2.7	456.7	456.7	456.7	0.0
R	48,610	57	81	6.9	529.6	529.6	529.6	0.0

<sup>1</sup>Feet Above Mouth

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**  
 TELEGRAPH CANYON CREEK

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY (FEET NGVD)	INCREASE
Tijuana River	2,710 <sup>1</sup>	4,450	16365	4.6	6.9	6.9	7.6	0.7
	5,440 <sup>1</sup>	5,100	19,082	3.9	12.0	12.0	12.4	0.4
	10,650 <sup>2</sup>	6,900	15,019	5.0	18.6	18.6	18.7	0.1
	13,805 <sup>2</sup>	5,024	17,578	4.3	25.0	25.0	25.3	0.3
	14,995 <sup>2</sup>	5,100	23,451	3.2	28.3	28.3	29.0	0.7
	18,435 <sup>2</sup>	4,600	17,592	4.3	31.9	31.9	32.1	0.2
	19,815 <sup>2</sup>	3,940	17,567	4.3	35.4	35.4	35.6	0.2
	21,435 <sup>2</sup>	3,705	12,592	6.0	39.8	39.8	39.8	0.0
	23,845 <sup>2</sup>	2,400	13,012	5.8	45.4	45.4	45.6	0.2

<sup>1</sup>Feet Above Confluence with Oneonta Slough

<sup>2</sup>Feet Above Pacific Ocean

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION		
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Tributary to Forester Creek	12,300	98	217	5.3	489.7	489.7	490.7	1.0
	13,000	184	202	5.8	493.5	493.5	493.7	0.2
	13,360	208	385	4.5	496.1	496.1	496.8	0.7
	13,970	206	292	5.9	500.3	500.3	501.2	0.9
	14,660	340	692	2.5	505.3	505.3	506.2	0.9
	15,575	402	378	4.6	509.1	509.1	509.8	0.7
	16,285	310	450	3.8	515.5	515.5	516.2	0.7
	16,765	121	215	7.6	520.8	520.8	521.7	0.9
	17,215	205	363	4.5	525.0	525.0	525.9	0.9
	17,635	243	281	5.8	530.3	530.3	530.7	0.4
	18,145	259	379	4.3	535.5	535.5	535.9	0.4
	18,615	127	216	7.5	540.8	540.8	541.7	0.9
	19,185	128	182	6.6	547.0	547.0	547.3	0.3
	19,615	142	219	5.5	552.3	552.3	552.5	0.2
	20,125	55	138	8.6	560.9	560.9	561.7	0.8

<sup>1</sup>Feet Above Confluence With San Diego River

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
**AND INCORPORATED AREAS**

**FLOODWAY DATA**  
**TRIBUTARY TO FORESTER CREEK**

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
					(FEET NGVD)				
Tributary of South Tributary to Santa Maria Creek	890	295	1,676	1.0	1,379.5	1,379.5	1,379.8	0.3	
	1,505	259	1,104	1.5	1,379.6	1,379.6	1,380.6	1.0	
	2,265	95	292	5.5	1,381.7	1,381.7	1,382.7	1.0	

<sup>1</sup>Feet Above Confluence With South Tributary to Santa Maria Creek



FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
						(FEET NGVD)	(FEET NGVD)		
Tributary to Sweetwater River									
A	800	109	398	5.2	128.0	128.0	129.0	1.0	
B	1,182	86	239	8.7	131.3	131.3	131.5	0.2	
C	1,372	77	315	6.6	132.9	132.9	133.2	0.3	
D	1,844	108	689	3.0	137.1	137.1	137.2	0.1	
E	2,257	102	808	2.6	147.4	147.4	147.4	0.0	
F	2,716	93	333	6.2	149.6	149.6	150.0	0.4	
G	3,176	90	247	8.4	154.5	154.5	154.5	0.0	
H	3,526	31	160	13.0	165.7	165.7	165.7	0.0	
I	4,161	27	153	13.6	176.7	176.7	176.7	0.0	
J	4,603	42	173	12.0	184.7	184.7	184.7	0.0	
K	4,875	24	146	14.2	192.6	192.6	192.6	0.0	
L	5,141	56	491	4.2	200.5	200.5	200.5	0.0	
M	5,362	59	282	7.3	200.7	200.7	200.9	0.2	
N	5,557	56	210	9.9	205.2	205.2	205.4	0.2	
O	5,872	129	366	5.7	209.4	209.4	209.5	0.1	
P	6,303	79	254	8.1	223.5	223.5	223.8	0.3	
Q	6,828	54	207	10.0	234.6	234.6	234.6	0.0	
R	6,988	45	448	4.6	244.8	244.8	244.8	0.0	
S	7,298	79	337	6.1	245.3	245.3	245.5	0.2	
T	7,648	129	259	8.0	251.4	251.4	251.4	0.0	
U	8,008	87	231	9.0	259.3	259.3	259.3	0.0	
V	8,298	83	222	9.3	267.7	267.7	267.7	0.0	

<sup>1</sup>Feet Above Loma Del Sol Drive

FEDERAL EMERGENCY MANAGEMENT AGENCY  
**SAN DIEGO COUNTY, CA**  
 AND INCORPORATED AREAS

**FLOODWAY DATA**

TRIBUTARY TO SWEETWATER RIVER

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION				
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Twin Oaks Valley Creek	A	915	1,753	4.1	569.6	569.6	570.0	0.4	
	B	1,928	3,625	2.0	579.4	579.4	579.4	0.0	
	C	2,748	332	3.9	580.3	580.3	580.4	0.1	
	D	3,588	360	3.9	583.6	583.6	583.8	0.2	
	E	5,227	255	9.1	602.9	602.9	603.1	0.2	
	F	6,357	170	6.1	606.1	606.1	606.7	0.6	
	G	7,917	130	5.9	622.1	622.1	622.6	0.5	
	H	8,916	155	5.5	628.8	628.8	629.5	0.7	
	I	10,929	110	7.0	647.2	647.2	647.7	0.5	
	J	12,158	110	7.5	663.1	663.1	663.5	0.4	
	K	13,658	239	716	9.1	674.4	674.4	674.7	0.3
	L	15,203	414	1,151	5.6	688.3	688.3	688.4	0.1
	M	16,039	615	1,391	4.7	693.5	693.5	693.6	0.1
	N	16,582	701	2,333	2.2	699.3	699.3	699.3	0.0
	O	16,932	713	823	6.3	700.6	700.6	701.0	0.4
	P	17,040	705	1,291	4.0	702.5	702.5	702.8	0.3
	Q	17,089	690	991	5.2	703.0	703.0	703.0	0.0
	R	17,359	628	1,292	4.0	705.3	705.3	705.7	0.4
	S	17,844	672	1,243	4.2	708.7	708.7	709.3	0.6
	T	18,084	800	1,308	3.2	711.0	711.0	711.2	0.2
	U	18,264	830	2,287	1.8	715.1	715.1	715.1	0.0
	V	18,734	1,040	1,225	3.4	718.2	718.2	718.2	0.0
	W	18,994	1,185	1,538	2.7	719.4	719.4	720.3	0.9
	X	19,109	1,275	2,342	1.8	722.2	722.2	722.3	0.1
	Y	19,199	385	482	5.5	722.3	722.3	722.9	0.6
	Z	19,594	253	396	4.4	726.4	726.4	727.4	1.0

<sup>1</sup>Feet Above Confluence With San Marcos Creek

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQ. FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE	
						(FEET NGVD)			
<b>Twin Oaks Valley Creek (Cont'd)</b>									
AA	20,034	247	308	5.7	734.9	734.9	735.5	0.6	
AB	30,414	145	314	5.6	739.5	739.5	740.2	0.7	
AC	20,554	145	263	6.6	741.6	741.6	742.1	0.5	
AD	20,749	181	293	6.0	744.8	744.8	745.0	0.2	
AE	21,079	325	368	4.8	749.4	749.4	749.5	0.1	
AF	21,500	324	416	4.2	754.8	754.8	755.6	0.8	
AG	21,960	339	426	4.1	759.2	759.2	760.1	0.9	
AH	22,450	115	243	7.2	768.3	768.3	768.8	0.5	
AI	22,605	164	304	5.7	770.5	770.5	771.1	0.6	
AJ	22,676	178	300	5.8	771.4	771.4	771.8	0.4	
AK	23,215	74	187	9.4	778.5	778.5	778.6	0.1	
AL	23,660	98	224	7.8	786.3	786.3	786.7	0.4	
AM	24,000	57	187	9.3	790.9	790.9	791.2	0.3	
AN	24,155	86	284	6.2	792.6	792.6	793.4	0.8	
AO	24,204	89	392	4.5	794.5	794.5	795.5	1.0	
AP	24,684	61	177	9.9	803.7	803.7	803.7	0.0	
AQ	25,094	65	256	6.8	808.8	808.8	808.8	0.0	

<sup>1</sup>Feet Above Confluence With San Marcos Creek

FLOODING SOURCE		FLOODWAY				BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE	
Wabash Branch A B C D	2,060	38	437	3.7	82.4	82.4	82.6	0.2	
	2,430	33	130	10.7	85.3	85.3	86.2	0.9	
	2,760	31	137	10.1	89.3	89.3	90.2	0.9	
	4,700	16	101	13.6	121.3	121.3	122.1	0.8	

<sup>1</sup>Feet Above Confluence With Las Chollas Creek

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION			
CROSS SECTION	DISTANCE <sup>1</sup>	WIDTH (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY (FEET NGVD)	WITH FLOODWAY	INCREASE
Witch Creek								
A	7,700	76	486	7.3	2,486.9	2,486.9	2,487.9	1.0
B	8,120	89	332	10.7	2,497.7	2,497.7	2,497.7	0.0
C	8,610	107	589	6.0	2,505.5	2,505.5	2,506.0	0.5
D	9,100	94	604	5.9	2,509.2	2,509.2	2,510.0	0.8
E	9,570	117	546	6.5	2,514.2	2,514.2	2,514.9	0.7
F	9,964	165	398	8.9	2,532.7	2,532.6	2,532.6	0.0
G	10,354	161	559	6.3	2,541.5	2,541.5	2,542.1	0.6
H	10,834	147	700	5.1	2,546.3	2,546.3	2,547.1	0.8
I	11,374	115	343	10.3	2,565.1	2,565.1	2,565.2	0.1
J	11,702	44	258	13.7	2,688.1	2,688.1	2,688.1	0.0
K	11,882	134	1,021	3.5	2,722.7	2,722.7	2,722.7	0.0
L	12,162	121	586	6.0	2,723.1	2,723.1	2,723.4	0.3
M	12,827	97	625	5.7	2,724.1	2,724.1	2,724.9	0.8
N	13,227	76	331	10.7	2,728.1	2,728.1	2,728.3	0.2
O	13,557	98	625	5.7	2,734.5	2,734.5	2,734.6	0.1
P	13,837	165	531	6.7	2,738.9	2,738.9	2,739.0	0.1
Q	13,932	301	1,357	2.6	2,749.9	2,749.9	2,750.2	0.3
R	13,967	278	1,573	2.3	2,753.6	2,753.6	2,753.6	0.0
S	14,953	210	857	4.1	2,754.4	2,754.4	2,755.4	1.0
T	15,273	125	525	6.7	2,757.4	2,757.4	2,757.7	0.3
U	15,719	105	427	8.3	2,760.1	2,760.1	2,760.9	0.8
V	16,219	63	354	10.0	2,762.6	2,762.6	2,763.6	1.0
W	16,582	74	486	7.3	2,767.9	2,767.9	2,767.9	0.0
X	17,149	128	694	5.1	2,774.0	2,774.0	2,774.4	0.4
Y	17,610	227	755	4.7	2,776.7	2,776.7	2,777.2	0.5
Z	18,085	122	529	6.7	2,781.9	2,781.9	2,782.0	0.1

<sup>1</sup>Feet Above Confluence With Santa Ysabel Creek