SUBJECT: TREATMENT PROTOCOL - Date: 07/1/2023

OPIOID WITHDRAWAL / OPIOID USE DISORDER COWS SCORE

Instructions

For each item, select the number that best describes the patient's sign or symptom. Rate it on just the apparent relationship to opiate withdrawal. For example, if heart rate is increased because the patient was jogging prior to assessment, the increased pulse rate would not be added to the score. The scores will be added together on the final page for a total COWS score.

No. S-145 Addendum

Page: <u>1 of 3</u>

Resting Pulse Rate Measured after the patient is sitting or lying down for 1 minute 0 = pulse rate <80 BPM 1 = pulse rate 81-100 BPM 2 = pulse rate 101-120 BPM 4 = pulse rate >120 BPM	Gastrointestinal Upset Over the past 30 minutes 0 = no GI symptoms 1 = stomach cramps 2 = nausea or loose stool 3 = vomiting or diarrhea 5 = multiple episodes of diarrhea or vomiting
Score =	Score =
Sweating Over the past 30 minutes not accounted for by room temperature or patient activity 0 = no report of chills or flushing 1 = subjective report of chills or flushing 2 = flushed or observable moistness on face 3 = beads of sweat on brow or face 4 = sweat streaming off of face	Tremor Observation of outstretched hands 0 = no tremor 1 = tremor can be felt, but not observed 2 = slight tremor observable 4 = gross tremor or muscle twitching
Score =	Score =
Restlessness Observation during assessment 0 = able to sit still 1 = reports difficulty sitting still, but is able to 3 = frequent shifting or extraneous movements of arms or legs 5 = unable to sit still for more than a few seconds	Yawning Observation during assessment 0 = no yawning 1 = yawning 1-2 times during assessment 2 = yawning 3+ times during assessment 4 = yawning several times per minute
Score =	Score =

SUBJECT: TREATMENT PROTOCOL - Date: 07/1/2023
OPIOID WITHDRAWAL / OPIOID USE DISORDER COWS SCORE

No. <u>S-145 Addendum</u>

Page: <u>2 of 3</u>

Pupil Size	Anxiety or Irritability
0 = pupils pinned or normal size for room light 1 = pupils possibly larger than normal for room light 2 = pupils moderately dilated 5 = pupils so dilated that only the rim of the iris is visible	0 = none 1 = patient reports increasing irritability or anxiousness 2 = patient obviously irritable or anxious 4 = patient so irritable or anxious that participation in the assessment is difficult
Score =	Score =
Bone or Joint Aches If the patient was having pain previously, only the additional component attributed to opioid withdrawal is scored	Gooseflesh Skin (Goosebumps)
0 = not present 1 = mild, diffuse discomfort 2 = patient reports severe diffuse aching of joints or muscles 4 = patient is rubbing joints or muscles and is unable to sit still because of discomfort	0 = skin is smooth 3 = piloerection of skin can be felt or hairs standing up on arms 5 = prominent piloerection
Score =	Score =
Runny Nose or Tearing Not accounted for by cold symptoms or allergies 0 = not present 1 = nasal stuffiness or unusually moist eyes 2 = nose running or tearing 4 = nose constantly running or tears streaming down cheeks	Total Score Sum of all 11 criteria Score = Interpretation Score >5 = no active withdrawal Score 5-12 = mild withdrawal Score 13-24 = moderate withdrawal Score 25-36 = moderately severe withdrawal Score >36 = severe withdrawal
Score =	Interpretation =

No. S-145 Addendum

Page: <u>3 of 3</u>

Date: 07/01/2023

SUBJECT: TREATMENT PROTOCOL -

OPIOID WITHDRAWAL / OPIOID USE DISORDER COWS SCORE

Patient's Name	Date & Time of Assessment
Assessing Paramedic's Name	Interpretation of Assessment

A digital version of this tool can be found at: https://tinyurl.com/yc7v95jn

OR by scanning the QR code



COWS Criteria from Wesson DR, Ling W. The Clinical Opiate Withdrawal Scale (COWS). *J Psychoactive Drugs*. 2003;35(2):253-259. DOI:10.1080/02791072.2003.10400007. Reproduced and modified for clinical use with permission.