



2021 MAP ATLAS

All Opioid Overdoses

AUGUST 2023



County of San Diego | Health and Human Services Agency | Public Health Services | Community Health Statistics Unit



Data Sources

Death* is based on underlying cause of death among San Diego County residents. Rates calculated per 100,000 residents. Rates not calculated for < 11 cases. Maps not produced for conditions/outcomes with no SRA-level rates. Some sections may have no maps.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. ***The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality.*** SANDAG: San Diego Association of Governments (SANDAG) Population Estimates, 2021 (v09/2022). ***Population estimates for 2021 were derived using the 2010 Census and data should be considered preliminary.***

*For substance/drug overdoses, death rate is based on the multiple/contributing cause of death among San Diego County residents.

Hospitalization refers to treatment at a general acute care facility in San Diego County. Rates calculated per 100,000 residents. Rates not calculated for < 11 cases. Maps not produced for conditions/outcomes with no SRA-level rates. Some sections may have no maps.

Sources: California Department of Health Care Access and Information (HCAI), Patient Discharge Database, 2021. San Diego Association of Governments (SANDAG) Population Estimates, 2021 (v09/2022). ***Population estimates for 2021 were derived using the 2010 Census and data should be considered preliminary.***

Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.

Rates calculated per 100,000 residents. Rates not calculated for < 11 cases. Maps not produced for conditions/outcomes with no SRA-level rates. Some sections may have no maps.

Sources: California Department of Health Care Access and Information (HCAI), Emergency Department Discharge Database, 2021. San Diego Association of Governments (SANDAG) Population Estimates, 2021 (v09/2022). ***Population estimates for 2021 were derived using the 2010 Census and data should be considered preliminary.***

In-Patient Treatment (IPT) refers to treatment at a psychiatric care or chemical rehabilitation facility in San Diego County. Rates calculated per 100,000 residents. Rates not calculated for < 11 cases. Maps not produced for conditions/outcomes with no SRA-level rates. Some sections may have no maps.

Sources: California Department of Health Care Access and Information (HCAI), Patient Discharge Database, 2021. San Diego Association of Governments (SANDAG) Population Estimates, 2021 (v09/2022). ***Population estimates for 2021 were derived using the 2010 Census and data should be considered preliminary.***

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit. Contact 619.692.6672. August 2023.

https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/
LiveWellSD.org.

For more detailed explanation of geography, methods, and sources, please refer to CHSU's [2020 Community Profiles Data Guide and Data Dictionary Dashboards](#).

Table of Contents

Section 1: Deaths	1
Section 2: Hospitalizations	8
Section 3: Emergency Department (ED) Discharges	12
Section 4: In-Patient Treatments (IPT).....	21

SECTION 1




Death Rates Among San Diego County Residents by Demographics, 2021:

- Total Rate
 - Race/Ethnicity
 - Asian/Pacific Islander (API)
 - Black
 - Hispanic
 - White
 - Age Group
 - 0-9 Years
 - 10-19 Years
 - 20-29 Years
 - 30-39 Years
 - 40-49 Years
 - 50-59 Years
 - 60-69 Years
 - 70-79 Years
 - 80+ Years

-
-
-
-
-



Total Death Rates* San Diego County, by Subregional Area, 2021




Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Underlying cause of death among San Diego County residents. Rates per 100,000 residents; not calculated for <11 cases. The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality including death rates.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672.
https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/
August, 2023.
LiveWellSD.org.






Death Rates Among Hispanic Residents* San Diego County, by Subregional Area, 2021



All Opioid Overdoses



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.


*Underlying cause of death among San Diego County residents. Rates per 100,000 residents; not calculated for <11 cases. The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality including death rates.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit. Contact 619.692.6672.

https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/

August, 2023.
LiveWellSD.org.






Death Rates Among White Residents* San Diego County, by Subregional Area, 2021



All Opioid Overdoses




Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Underlying cause of death among San Diego County residents. Rates per 100,000 residents; not calculated for <11 cases. The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality including death rates.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672.
https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/
August, 2023.
LiveWellSD.org.






Death Rates Among Residents, Ages 20-29* San Diego County, by Subregional Area, 2021



All Opioid Overdoses

47.2 - 53.8



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Underlying cause of death among San Diego County residents. Rates per 100,000 residents; not calculated for <11 cases. The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality including death rates.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit. Contact 619.692.6672.

https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/

August, 2023.
LiveWellSD.org.

0 5 10 Miles





Death Rates Among Residents, Ages 30-39* San Diego County, by Subregional Area, 2021



All Opioid Overdoses

- 61.0 - 83.3
- 83.4 - 105.6

Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.



*Underlying cause of death among San Diego County residents. Rates per 100,000 residents; not calculated for <11 cases. The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality including death rates.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672.

https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/

August, 2023.
LiveWellSD.org.






Death Rates Among Residents, Ages 50-59* San Diego County, by Subregional Area, 2021



All Opioid Overdoses

53.9 - 56.3



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Underlying cause of death among San Diego County residents. Rates per 100,000 residents; not calculated for <11 cases. The COVID-19 pandemic was associated with increases in all-cause mortality. COVID-19 deaths have affected the patterns of mortality including death rates.

Sources: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System (VRBIS), 2021. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit. Contact 619.692.6672.

https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/

August, 2023.
LiveWellSD.org.

0 5 10 Miles






Total Hospitalization Rates* San Diego County, by Subregional Area, 2021



All Opioid Overdoses




Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Hospitalization refers to treatment at a general acute care facility in San Diego County. Rates per 100,000 residents; not calculated for <11 cases.

Sources: California Department of Health Care Access and Information (HCAI), 2021 Patient Discharge Database.
Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/
August, 2023.
LiveWellSD.org.





Hospitalization Rates Among Hispanic Residents* San Diego County, by Subregional Area, 2021





All Opioid Overdoses

- 14.5 - 24.5
- 24.6 - 34.6

Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Hospitalization refers to treatment at a general acute care facility in San Diego County. Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Patient Discharge Database.
Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/
August, 2023.
LiveWellSD.org.






Hospitalization Rates Among White Residents* San Diego County, by Subregional Area, 2021



All Opioid Overdoses





Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Hospitalization refers to treatment at a general acute care facility in San Diego County. Rates per 100,000 residents; not calculated for <11 cases.

Sources: California Department of Health Care Access and Information (HCAI), 2021 Patient Discharge Database.
Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/
August, 2023.
LiveWellSD.org.



SECTION 3

Emergency Department (ED) Rates Among San Diego County Residents by Demographics, 2021:


- Total Rate
 - Race/Ethnicity
 - Asian/Pacific Islander (API)
 - Black
 - Hispanic
 - White
 - Age Group
 - 0-9 Years
 - 10-19 Years
 - 20-29 Years
 - 30-39 Years
 - 40-49 Years
 - 50-59 Years
 - 60-69 Years
 - 70-79 Years
 - 80+ Years



Total Emergency Department Discharge Rates* San Diego County, by Subregional Area, 2021





All Opioid Overdoses



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.





Emergency Department Discharge Rates Among Black Residents* San Diego County, by Subregional Area, 2021





All Opioid Overdoses

- 111.1 - 145.5
- 145.6 - 179.9
- 180.0 - 214.3

Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.


*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.





Emergency Department Discharge Rates Among Hispanic Residents* San Diego County, by Subregional Area, 2021




All Opioid Overdoses

- 33.2 - 49.7
- 49.8 - 66.3
- 66.4 - 82.8

Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.






Emergency Department Discharge Rates Among White Residents* San Diego County, by Subregional Area, 2021





All Opioid Overdoses



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.






Emergency Department Discharge Rates Among Residents, Ages 20-29* San Diego County, by Subregional Area, 2021





All Opioid Overdoses



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.


*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.






Emergency Department Discharge Rates Among Residents, Ages 30-39* San Diego County, by Subregional Area, 2021



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.


*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.





Emergency Department Discharge Rates Among Residents, Ages 40-49* San Diego County, by Subregional Area, 2021




All Opioid Overdoses
 64.8 - 78.2

Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
 Rates per 100,000 residents; not calculated for <11 cases.
 Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
 Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
 August, 2023.
 LiveWellSD.org.






Emergency Department Discharge Rates Among Residents, Ages 50-59* San Diego County, by Subregional Area, 2021



All Opioid Overdoses


76.5 - 81.6



Beginning with data year 2021, the "All Opioid Overdoses" indicator is an expansion of the "Opioid Overdoses" indicator that includes specific synthetic narcotic ICD-10cm codes (fentanyl, tramadol, other synthetic narcotics) in addition to the general codes, to reflect morbidity more broadly. Mortality is the same for both indicators due to no changes in ICD-10 mortality codes.

*Emergency Department (ED) Discharge refers to treatment at an ED facility in San Diego County.
Rates per 100,000 residents; not calculated for <11 cases.
Sources: California Department of Health Care Access and Information (HCAI), 2021 Emergency Department Discharge database. Population Estimates, 2021 (v09/2022) were derived using the 2010 Census and should be considered preliminary.

Maps & Analysis by County of San Diego, Health and Human Services Agency, Public Health Services, Community Health Statistics Unit.
Contact 619.692.6672. https://www.sandiegocounty.gov/hhsa/programs/phs/community_health_statistics/.
August, 2023.
LiveWellSD.org.



SECTION 4



In-Patient Treatment (IPT) Rates Among San Diego County Residents by Demographics, 2021:

-
-
-
-
-

- Total Rate
 - Race/Ethnicity
 - Asian/Pacific Islander (API)
 - Black
 - Hispanic
 - White
 - Age Group
 - 0-9 Years
 - 10-19 Years
 - 20-29 Years
 - 30-39 Years
 - 40-49 Years
 - 50-59 Years
 - 60-69 Years
 - 70-79 Years
 - 80+ Years

**No SRA-level rate data
available for this section.**