

Sexually Transmitted Diseases by Age, Gender, Race/Ethnicity and HHS Region, San Diego County, 2002

Characteristic	Syphilis (Primary & Secondary)		Gonorrhea		Chlamydia	
	Cases	Rate*	Cases†	Rate†	Cases†	Rate†
Age Group						
< 10	0	0.0	2	0.4	16	3.5
10-14	0	0.0	9	4.4	123	60.1
15-19	1	0.5	350	181.3	2873	1488.2
20-24	4	1.8	595	265.9	3902	1744.0
25-29	3	1.4	351	163.5	1710	796.3
30-34	4	1.8	309	136.4	824	363.7
35-44	16	3.4	393	83.3	587	124.4
≥ 45	10	1.1	119	12.9	190	20.7
Gender						
Male	32	2.2	1385	93.7	2725	184.3
Female	6	0.4	743	51.9	7500	523.4
Race/Ethnicity						
White	18	1.0	947	54.5	2781	160.0
Hispanic	11	1.5	487	67.4	4547	629.4
African Am.	6	3.5	615	354.4	1905	1097.7
Asian/PI	2	0.8	71	28.3	916	364.8
Am. Indian/ Alaskan Native	1	4.9	8	39.0	76	370.9
Region						
North Coastal	4	0.8	140	29.1	1343	279.1
North Inland	1	0.2	127	25.8	1126	228.8
North Central	4	0.7	303	52.0	1514	260.0
Central	21	4.4	1009	209.8	3035	631.0
East	4	0.8	290	61.0	1449	304.8
South	4	1.0	259	64.8	1758	440.1
Total	38	1.3	2128	73.1	10225	351.2

* Rate per 100,000 population

† Annual estimated cases and rates by age, gender, race/ethnicity and region are obtained by applying the proportion in the known cases to the total case count.